Solera™ Interspecific Geranium

Medium vigor, dark leaf.

The first interspecific geranium series to join the Ball FloraPlant lineup!

Medium-sized plants keep their blooms all season, driving higher sales at retail and creating satisfied gardeners.

The series offers excellent garden performance in an easy-to-control, medium greenhouse habit.

Interspecific breeding means great heat tolerance and longevity in the garden and containers.

Availability from our new state-of-the-art YecaFlora farm in Mexico with trucking to the U.S. border.

Best suited to 5-in. (13-cm) and larger pots and hanging baskets.

Dal	FloraPlan	+
Dali	FIORAPIAN	Тм

General & Information				
Height:	Spread:			

Exposure:

12-14" (30-36cm) 12-14" (30-36cm) Sun

Propagation G	uide
---------------	------

Tray Sizes	Rooting	Average	Pinch:	Average
(cells/tray):	Hormone:	Days with	No	Propagation
See Comments	Optional	Mist:		Time (weeks):
		9-12		3-4

Comments:

Stick immediately upon arrival. Geraniums are best rooted in media in strip form to allow for maximum airflow and avoid foliage overlap. After initial rehydration, careful misting is required to optimize callus and root initiation. Mature leaves should show slight wilting at midday and regain turgor in the late afternoon under ideal mist conditions. Leaf petiole wilting indicates undermisting. Overmisting leads to Botrytis. Remove flower buds at transplanting.

Finishing									
Soil	Light	Temperature	Temperature	Fertilization	No. of	Plant Growth	Pests:	Diseases:	Comments:
pH:	Levels	Day:	Night:	(ppm N):	Pinches:	Regulators (S)	Fungus	Botrytis,	Day and night temperatures
6.2-	(fc):	65-76°F (18-24°	62-67°F (17-19°	225-300	0	= spray / (D) =	gnats,	Pythium,	of 71 to 76°F (21 to 24°C) are
6.6	3.500-	C) `	C) `			drench:	thrips,	Xanthomonas	ideal for the earliest stages of
	6,000					Cycocel(S) 750-	aphids,		plant development. Zodiac
						1,000 ppm to control	mites		Geraniums usually do not
						growth; Florel(S)		require PGRs to produce high -quality plants.	
						200-300 ppm to	200-300 ppm to		
						improve branching.			

Crop Time

6-inch (15-cm) Pots, Gallons: 10- to 12-inch (25- to 30-cm) Tubs or Baskets: 4- to 5-inch (10- to 13-cm) Pots, Quarts :

1 ppp, 8-9 weeks 1-2 ppp, 9-10 weeks 4-5 ppp, 11-13 weeks

NOTE: Growers should use the information presented here as guidelines only. Ball Floraplant recommends that growers conduct a trial of products under their own conditions. Crop times will vary depending on the climate, location, time of year, and greenhouse environmental conditions. It is the responsibility of the grower to read and follow all the current label directions relating to the products. Nothing herein shall be deemed a warranty or guaranty by Ball Floraplant of any products listed herein. Ball Floraplant's terms and conditions of sale shall apply to all products listed herein.

Other Solera™ Varieties



New Solera™ Fuchsia



New Solera™ Lavender



New Solera™ Orange New Solera™ Red





New Solera™ Watermelon