



You can count on the uniformity of NEW Cadet Upright's compact, upright habit for easy growing and the perfect pot-tight production. It offers great disease resistance, too! (p. 116)



NEW Firehouse is a heat-tolerant, mediummounded basket verbena that makes outstanding mixed combos. It is from the same breeding program as our EnduraScape series, so it has the same heat performance when grown in containers. Add disease resistance, and you've got a powerhouse plant! (p. 118)



Vigorous **EnduraScape**, the proven top-performing landscape verbena, thrives in the heat, stands up to the cold and won't cycle out of color all season long. Once you try it, you'll keep coming back for more! (p. 120)







**REAL SERIES:** All varieties in a series have the same habit, vigor and flower-ing time for high-density production.



#### SEASON EXTENDERS: Proven heat performance and late-season color to

extend the Summer selling season.



**GENESIS:** Varieties are available as direct-stick callused cuttings for a shortened crop time.



#### **GROWER'S CHOICE:**

Indicates varieties within a series that share uniform timing and habit.

#### CONTENTS

Trialed and Approved	2
Unrooted and Rooted Supply	4
MixMasters Multiliners	6
All Varieties A to Z	24
Genesis Direct-Stick and Cuttings	52, 97
Your Sales Rep	122
Product Forms	129
Culture Guides	130



#### **Setting the Standard**

Before we'll consider launching a new variety, it has to meet our minimum trial standards. This 'checklist' includes performance characteristics required for a passing grade in our greenhouse and outdoor trials in various regions. These trials consist of our own trial locations and growers across the country.



#### **Expanding Our Trial Sites**

In the last few years, Ball FloraPlant has expanded the number of regional trial sites to better evaluate the performance of our products before launch. Based on these trial results, we feel confident that we're providing you with the best-performing new varieties.



# 2013 Trial Sites: Ball FloraPlant Breeding Station, Arroyo Grande, CA Ball Seed Greenhouse, West Chicago, IL


Ball Seed Greenhouse, West Chicago, IL
In-ground Evaluation Trial, Santa Inez, CA
Summer Tub Trial, West Chicago, IL
In-ground Summer Trial, Elburn, IL
Color Spot, Salinas, CA
Armstrong, Fallbrook, CA
Overwintering Trial of EnduraScape, Trenton, SC

#### Added Trial Sites in 2014:

Costa Farms, Miami, FL
Pure Beauty, Miami, FL
Plant Odyssey, Kyle, TX
Olson's Greenhouse Gardens, Salem, UT
Bell Nursery, Burtonsville, MD
Metrolina Greenhouses, Huntersville, NC
Masterpiece Flower Company, Byron Center, MI
Mast Young Plants, Grand Rapids, MI
Smith Gardens, Aurora, OR
Young's Plant Farm, Auburn, AL

#### Added Trial Site in 2018:

George Sant & Sons Greenhouses, Kleinburg, ON Canada



Ball Flora Plant.

# Right From the Source

**Unrooted Supply** 



Director of Offshore

Production

#### Las Limas

Located in Nicaragua, our farm Las Limas offers the optimal growing climate and altitude for our product selection, making it our most reliable source of unrooted cuttings, with an impressive 99.9% order fill rate. Las Limas received the 2016 Innovator of the Year award by the Nicaraguan Export Producers Association, putting them at the top of Nicaraguan industry.

This state-of-the-art facility was designed to prevent insects, diseases and bacteria from entering the greenhouses. For sustainability, the farm grows in reusable, sterilized volcanic rock, and recycles and sterilizes water before reuse. Our highly skilled labor force makes sure every bag of cuttings is tracked, and approximately 15 percent of all bags are inspected for accuracy of count and quality. Once the cuttings are bagged, our goal is to deliver them within 36 to 48 hours.



#### **Floricultura**

Floricultura is the source for **Ball FloraPlant geraniums**, and it is the sole provider of **Genesis™ direct-stick callused cuttings**. This facility, located in Guatemala, presents the ideal climate for producing strong geranium cuttings and the best callused program. Growers continue to choose Genesis based on the benefits of **reduced labor and input costs**, **shortened crop time and less shrink**.

#### **MPS-A Certified**

All of our farms qualify under MPS-A (Milieu Programma Sierteelt or "Environmental Programme Floriculture") environmental certification, based on responsible usage of crop protection agents, fertilizers, energy and waste.

Ball FloraPlant.

# What You Need, When You Need It

**Rooted Supply** 



## **Suppliers by region**

#### **CALIFORNIA**

Ball Tagawa Growers Arroyo Grande, California (SG, MM)

#### **COLORADO**

Tagawa Greenhouse Brighton, Colorado (GE, SG, MM)

#### **GEORGIA**

Sunbelt Greenhouses, Inc. Douglas, Georgia (SG, MM)

#### **MARYLAND**

Greenstreet Growers Lothian, Maryland (SG, MM)

#### **MICHIGAN**

Mast Young Plants Grand Rapids, Michigan (GE, SG, MM)

Tuinier Brothers Greenhouses Kalamazoo, Michigan (GE, SG)

#### **MINN**ESOTA

Wagner Greenhouses Minneapolis, Minnesota (GE, SG, MM)

#### NEW HAMPSHIRE

D.S. Cole Growers Loudon, New Hampshire (SG, MM)

#### **NEW YORK**

Dickman Farms Auburn, New York (GE, SG, MM)

Van de Wetering Greenhouses, Inc. Jamesport, New York (GE, SG, MM)

Amos Zittel & Sons Eden, New York (GE, SG)

#### OREGON

Al's Garden Center & Greenhouse Woodburn, Oregon (SG)

Fessler Nursery Woodburn, Oregon (SG, GE, MM)



Rick Mast Sales Manager

#### **Ball FloraPlant Delivers**

99% of our liner orders are filled on time – at the highest quality and in full.

Count on our **Gold Service Suppliers** that have been proven to provide accurate inventory, timely order confirmations and shipment tracking, and priority service on shortages and substitutions.

Over 90% of Ball Seed liner orders are shipped via our suppliers' climate-controlled truck delivery system.



(Also Western Canada)

Van Wingerden Greenhouses Blaine, Washington (GE, SG, MM)

#### CANADA

#### **BRITISH COLUMBIA**

West Coast Floral - Surrey (GE)

#### ONTARIO

George Sant & Sons - Kleinburg (SG, GE, MM)

#### QUEBEC

Willy Haeck et Fils, Inc. Saint-Rémi (GE)

GE = Geraniums SG = Specialty Garden Plants MM = MixMasters Multiliners

VISIT BALLFLORAPLANT.COM FOR THE LATEST TRENDS, CULTURE TIPS, VIDEOS, PRODUCT LISTINGS AND OTHER VALUABLE INFORMATION.

## **MixMasters**<sup>™</sup>

#### Prime genetics in the mix



**Becky Lacy** Product Development Associate

We've got lots of exciting new and improved mixes this year, as well as further development of the MixMasters program. For the first time, we'll be integrating accent plants into our combos for more texture, to achieve a premium look and for ease of maintenance for the home gardener. Take a look at NEW Loving Licorice, NEW Berried Treasure and NEW Ladylike.

These **shade** mixes answer the need for more premium shade items on the market. With today's aging neighborhoods that contain lots of older trees, there are more shady spots in gardens, and our five new coleus mixes fit the bill with amazing color and texture for sun and shade.

We've also added **duos** to the program, for simplicity in look and easy execution. **NEW Summer Fest** and **NEW Tea Party** rely on bright blooms and contrasting colors to liven up these mixes.

**SUN COMBOS (Multi-Species)** Starting on page 8



A Grape Fit!



Bejeweled



Berry Basket



Bia Fli



Circus Parade



Color Magic



Cotton Tail



Eye Caramba



Fashionista



Flower Child



Gimme Some Sugar



Heartland



I Heart Pink



Jazzberry Jam



Mambo



Over The Top



Paradise Sunrise



Pink Outside The Box



Rosé Everyday Improved



Santa Fe Sunset



Sunday Best



Sunnyside



Sweet Escape

# **SUN COMBOS (Mono)** Starting on page 16 Cherry Plum Tart Laguna Beach Improved Panorama Peaches & Cream Spirits United

Sprinkles On Top



Fruit Cocktail























**SUN & SHADE COMBOS** Starting on page 22



5 Alarm Chili



Peppery Perfection





Tiki Masala



#### **SHADE COMBOS** Starting on page 22



Berried Treasure



Ladylike



**Shooting Comet** 

#### Color combos that rock!

The MixMasters Multiliner Program stays at the top of the charts with 16 new and improved combinations. Every MixMasters combo has been thoroughly trialed and monitored to ensure consistency and efficiency. Combining perfectly mastered colors and greater genetic diversity, MixMasters offers rock star home garden performance every time.

# SUN COMBOS (Multi-Species)

#### A Grape Fit!

Calibrachoa Cabaret Hot Pink Petunia Sun Spun Lavender Star Verbena Aztec Violet

#### Bejeweled O

Calibrachoa Cabaret Deep Yellow Petunia Sun Spun Burgundy Verbena Aztec Blue Velvet

#### **Berry Basket** O

Calibrachoa Cabaret White Petunia Sun Spun Burgundy Verbena Burgundy Wink

#### Big Flirt O

Petchoa SuperCal Pink Ice Petunia ColorRush Blue Verbena EnduraScape Pink Bicolor

#### Circus Parade O

Bidens Sunbeam Lobelia Waterfall Blue Verbena Aztec Red Velvet



A Grape Fit!



Bejeweled



Big Flirt







Circus Parade

# SUN COMBOS (Multi-Species)

#### Color Magic O

Calibrachoa Cabaret Deep Yellow Lobelia Early Springs Dark Blue Verbena Aztec Dark Red

#### Cotton Tail O

Calibrachoa Cabaret White Petunia Sun Spun White NEW Verbena Firehouse White

#### Eye Caramba O

Calibrachoa Cabaret White Petunia ColorBlitz Bluerific Verbena Violet Wink

#### Fashionista O

Lobelia Early Springs Dark Blue Petunia Sun Spun Burgundy Verbena MixMasters Hot Pink

#### Flower Child O

Lobelia Early Springs Sky Blue Petunia Sun Spun Burgundy Verbena Aztec White

#### Gimme Some Sugar O

Lobelia Early Springs Dark Blue Petunia Sun Spun Yellow Verbena MixMasters Hot Pink



Eye Caramba



Gimme Some Sugar





Color Magic







Cotton Tail

Flower Child

# SUN COMBOS (Multi-Species)

#### **Heartland** O

Lobelia Early Springs Sky Blue Petunia Sun Spun White Verbena Aztec Dark Red

#### I Heart Pink O

Calibrachoa Cabaret Light Pink Petunia Sun Spun Pink Verbena MixMasters Hot Pink

#### Jazzberry Jam 🔵

Calibrachoa Cabaret White Petunia Sun Spun Burgundy Verbena Aztec Blue Velvet

#### Mambo

Bidens Sun Drop Calibrachoa Cabaret Orange Petunia Sun Spun Neon Pink

#### Over The Top

Calibrachoa Cabaret Deep Yellow Petunia Sun Spun Blue Verbena Burgundy Wink

#### Paradise Sunrise

Calibrachoa Cabaret Deep Yellow Petunia ColorBlitz Pinkceptional NEW Verbena Firehouse White



Heartland



I Heart Pink






Mambo

Jazzberry Jam







# SUN COMBOS (Multi-Species)

#### Pink Outside The Box

Lobelia Early Springs Lavender Pink Petunia Sun Spun Lavender Star Verbena Aztec Lavender

## NEW Rosé Everyday Improved

Bacopa MegaCopa White Calibrachoa Cabaret Pink Petunia Sun Spun Neon Pink

#### Santa Fe Sunset O

Bidens Sunbeam Calibrachoa Can-Can Terracotta Verbena Aztec Blue Velvet

#### Sunday Best O

Petunia Sun Spun White Verbena Burgundy Wink Verbena Violet Wink

#### Sunnyside O

Calibrachoa Cabaret Deep Yellow Petunia Sun Spun Yellow NEW Verbena Firehouse White

#### Sweet Escape O

Calibrachoa Cabaret Light Pink Petunia Sun Spun Yellow Verbena Burgundy Wink



Pink Outside The Box



Rosé Everyday Improved





Santa Fe Sunset



Sunday Best



Sunnyside

Sweet Escape

### **SUN COMBOS** (Mono)

#### **Cherry Plum Tart** O

Calibrachoa Cabaret Bright Red Calibrachoa Cabaret Deep Blue Calibrachoa Cabaret Hot Pink

#### Fruit Cocktail O

Calibrachoa Cabaret Deep Yellow Calibrachoa Cabaret Hot Pink Calibrachoa Cabaret Orange

#### **NEW Laguna Beach** Improved |

Calibrachoa Cabaret Bright Red Calibrachoa Cabaret Coral Kiss Calibrachoa Cabaret Sky Blue

#### Panorama 🔵

Calibrachoa Cabaret Purple Calibrachoa Cabaret Rose Calibrachoa Cabaret White

#### **NEW Peaches & Cream**

Calibrachoa Cabaret Coral Kiss Calibrachoa Cabaret Orange Calibrachoa Cabaret White

#### Playdate 0

Calibrachoa Cabaret Deep Yellow Calibrachoa Cabaret Purple Calibrachoa Cabaret Rose

#### **Spirits United**

Calibrachoa Cabaret Bright Red Calibrachoa Cabaret Deep Blue Calibrachoa Cabaret White

#### **Spring Showers** O

Calibrachoa Cabaret Lemon Yellow Calibrachoa Cabaret Light Pink Calibrachoa Cabaret Sky Blue



Cherry Plum Tart



Laguna Beach Improved

NEW



Fruit Cocktail



Panorama





Peaches & Cream



Playdate



Spirits United

Spring Showers

# SUN COMBOS (Mono)

#### Sprinkles On Top O

Calibrachoa Cabaret Bright Red Calibrachoa Cabaret Deep Blue Calibrachoa Cabaret Deep Yellow

#### Sundance O

Calibrachoa Cabaret Deep Blue Calibrachoa Cabaret Deep Yellow Calibrachoa Cabaret Hot Pink

#### Sweet Melody O

Calibrachoa Cabaret Deep Blue Calibrachoa Cabaret Hot Pink Calibrachoa Cabaret Light Pink

#### **NEW Tart Deco**

Petunia ColorRush Blue Petunia ColorRush Pink

#### **NEW Tea Party**

Calibrachoa Cabaret Lemon Yellow Calibrachoa Cabaret Pink Star

#### Tropicali O

Calibrachoa Cabaret Bright Red Calibrachoa Cabaret Deep Yellow Calibrachoa Cabaret Orange



Tea Party





Sundance

Sweet Melody



Tart Deco







Tropicali

# HEAT-LOVING COMBOS

#### Feelin' Lucky

Lantana Lucky Flame Lantana Lucky Lemon Glow Lantana Lucky Pot of Gold

#### **NEW Loving Licorice**

Angelonia AngelMist Spreading White Helichrysum Licorice Lamium Jade Frost

#### Lucky Charm O

Lantana Lucky Flame Lantana Lucky Pot of Gold Lantana Lucky Sunrise Rose

#### **NEW Shindig**

Angelonia Archangel Dark Purple Lantana Lucky Red Scaevola 'Brilliant'

#### Summer Blues O

Angelonia AngelMist Spreading Bluebird Angelonia AngelMist Spreading Dark Purple Angelonia AngelMist Spreading White

#### Summer Bouquet O


Angelonia AngelMist Spreading Bluebird Angelonia AngelMist Spreading Pink Angelonia AngelMist Spreading White

#### **NEW Summer Fest** •

Angelonia AngelMist Spreading Dark Purple Scaevola White Sparkle



Loving Licorice




Feelin' Lucky




Lucky Charm





Shindig



Summer Blues



Summer Bouquet

Summer Fest

## SUN & SHADE COMBOS

#### NEW 5 Alarm Chili

Coleus FlameThrower Chili Pepper Coleus FlameThrower Habanero Coleus FlameThrower Spiced Curry

#### **NEW Peppery Perfection** •

Coleus Mint Mocha
Coleus Ruby Slipper
Coleus Special Effects

## NEW The Whole Enchilada •

Coleus FlameThrower Habanero
Coleus FlameThrower Salsa Verde

#### NEW Tiki Masala 🕒 🌑

Coleus FlameThrower Chili Pepper Coleus FlameThrower Spiced Curry

#### 

Coleus FlameThrower Chipotle
Coleus FlameThrower Salsa Verde
Coleus FlameThrower
Spiced Curry



5 Alarm Chili



Vindaloo Vision

### SHADE COMBOS

#### **NEW Berried Treasure**

Helichrysum Licorice Impatiens Patchwork Cosmic Burgundy Lamium White Nancy

#### **NEW Ladylike**

Impatiens Fiesta Bonita White Lamium Jade Frost Lamium White Nancy

#### **NEW Shooting Comet**

Impatiens Patchwork Cosmic Burgundy Impatiens Patchwork Cosmic Orange



The Whole Enchilada



Tiki Masala






Peppery Perfection



Ladylike



Berried Treasure



**Shooting Comet** 

# Archangel™

Angelic in the heat, with the biggest blooms, too



#### **ANGELONIA**



ANGELONIA O Angelonia angustifolia

#### Archangel™

**Height:** 12 to 14 in. (30 to 36 cm) **Spread:** 10 to 12 in. (25 to 30 cm)

The biggest blooms of any angelonia series!

Thrives in extreme heat, humidity and drought.

Uniform habit and flowering time for easy, high-density production.

Well-branched plants ship with less breakage, tangling and shrinkage.

Works well in quarts, gallons and mixed containers.

# **AngelMist®Spreading**

Heavenly display in baskets and landscapes





Berry Sparkler



Dark Purple



Bluebird



Pink



White

## ANGELONIA O Angelonia angustifolia

#### AngelMist® Spreading

**Height:** 4 to 10 in. (10 to 25 cm) **Spread:** 12 to 20 in. (30 to 51 cm)


First large-flowered spreading angelonia.

Big blooms have big impact in baskets or in the ground!

Extreme heat, humidity and drought are no match for these super-spreading varieties.

Low-growing variety makes a unique groundcover.

**NEW Berry Sparkler:** Similar to Bluebird with its larger flower size and early flowering.





White



Deep Pink

**ARGYRANTHEMUM** • Argyranthemum frutescens

#### Madeira™

**Height:** 12 to 18 in. (30 to 46 cm) **Spread:** 16 to 20 in. (41 to 51 cm)

Wide color range, multiple flower forms, superior uniformity.

The well-matched habit, early flowering and branching make Madeira ideal for bench-run programs.

Vigorous, upright plants work well in full-sun gardens, landscapes, mixed containers and planters.

Low-energy cool crop is great for Spring programs.

For 6-in. (15-cm) pots to gallons and larger.

Also available as Genesis directstick callused cuttings.

MADEIRA is a U.S. trademark of Bonza Botanicals, Pty., Ltd.



Grower's Choice: These varieties share uniform timing and habit







Crested Hot Pink

Crested Yellow







Crested Merlot



Red Threads Alternanthera

ALTERNANTHERA O Alternanthera ficoidea

#### **Red Threads**

**Height:** 10 to 12 in. (25 to 30 cm) **Spread:** 16 to 18 in. (41 to 46 cm)

Unique, easy-to-grow foliage plant adds distinctive color and texture to sun and shade combos. Densely branched, with compact, tightly mounded habit – requires only one pinch in finishing. Thrives in heat, holds up at retail in shady conditions.



'Amethyst' Brachyscome

## BRACHYSCOME OBrachyscome hybrida

#### 'Amethyst'

**Height:** 12 to 18 in. (30 to 46 cm) **Spread:** 10 to 14 in. (25 to 36 cm)

The small, lavender blue flowers contrast beautifully with dark green foliage. Best in early-season containers, or landscapes in cooler coastal areas.



'Enduring Blue' Brachyscome

#### 'Enduring Blue'

**Height:** 4 to 6 in. (10 to 15 cm) **Spread:** 8 to 12 in. (20 to 30 cm)

Finely textured foliage and small blue flowers on upright, mounded plants. More compact than Amethyst, Enduring Blue is a great performer in mixed containers and landscapes in cooler coastal areas.



Radiant Magenta Brachyscome

#### **Radiant Magenta**

**Height:** 5 to 7 in. (13 to 18 cm) **Spread:** 6 to 8 in. (15 to 20 cm)

The brightest magenta brachyscome on the market, with superior iron uptake for healthier plants and dark green foliage. Makes a great gift item. Compact variety is excellent for pot-tight production, with no PGRs or pinching required. Best for 4-in. (10-cm) pots and quarts.

# MegaCopa™

### Blockbuster blooms power through the heat



Rebecca Tashiro Breeder



## MegaCopa for mega-success

MegaCopa Bacopa has emerged as one of our fastest-growing products, taking market share and delivering grower success due to its heat tolerance and floriferousness. We went from selling these as 2 for 1 cuttings to 1 for 1 cuttings, and we have found that growers have just as much success with MegaCopa this way and the product looks the same or better going to the store."

## Regional culture recommendations


We performed extensive PGR trials and found that MegaCopa White can be successfully grown without PGRs.

An early Cycocel 750 ppm spray application approximately 2 weeks after transplant, or Bonzi 3 ppm drench 4 weeks after transplant, are options that worked well. This process provided adequate control and helped produce a well-toned and filled pot.



Cycocel 750 ppm Spray

Bonzi 3 ppm Drench







BACOPA O Sutera cordata

#### MegaCopa™

**Height:** 4 to 6 in. (10 to 15 cm) **Spread:** 12 to 18 in. (30 to 46 cm)

This series of bacopa is notable for its well-branched habits, large flowers and improved heat performance.

Controlled habit is grower-friendly and offers better centerfill than other bacopa.

Largest flower size in the industry, with showy blooms that cover the plant, driving impulse sales at retail.

Versa White is ideal for quart or 4-in. (10-cm) pots. It hides older flowers better than other varieties and has more flower cover in a smaller container.

White







Sky Blue




Blue



Left to right: Texas Trials – leading heat-performance variety versus MegaCopa White.

## Bee Alive, NEW Bee Happy & NEW Bee Bold

Bright bicolors in three habits



BIDENS OBIDENS Ferulifolia

'Bee Alive'

**Height:** 8 to 10 in. (20 to 25 cm) **Spread:** 18 to 24 in. (46 to 61 cm)

Controlled habit is ideal for small pots up to hanging baskets. Easy production for retail. Exciting novelty color and pattern for Spring and Fall. Great color that can be produced during the heat of Summer for Fall sales – also works in Fall mixed combos! Flowers attract pollinators, like bees and butterflies.

#### **NEW Bee Happy**

**Height:** 10 to 14 in. (25 to 36 cm) **Spread:** 18 to 24 in. (46 to 61 cm)

Bee Happy is 25 to 35% more vigorous than more compact Bee Alive. Not quite as vigorous as Bee Bold. It features an upright habit, unlike all other red bicolor bidens on the market. Plants can be grown closer together with less spacing, and they are easier to control with less PGRs.

#### **NEW Bee Bold**

**Height:** 14 to 20 in. (36 to 51 cm) **Spread:** 18 to 24 in. (46 to 61 cm)

Bee Bold is 50 to 70% more vigorous than Bee Alive. It features an upright habit, unlike all other red bicolor bidens on the market. Plants can be grown closer together with less spacing, and they are easier to control with fewer PGRs. Best for larger pot impulse buys.



Bee Alive



Вее Нарру



Bee Bold



Sunbeam



Sun Drop



Sun Drop Compact

## BIDENS OBIDENS Ferulifolia

#### **Sun Drop Compact**

**Height:** 8 to 10 in. (20 to 25 cm) **Spread:** 12 in. (30 cm)

Smaller version of Sun Drop. Perfect for small pot production and plays nice in mixed containers. Also, best for the southern region.

#### **Sun Drop**

**Height:** 10 to 12 in. (25 to 30 cm) **Spread:** 16 to 18 in. (41 to 46 cm)

Top-selling bidens features large flowers and a controlled, upright habit that won't fall apart at retail. Early flowering and densely branched, with big, eye-catching blooms. Works well in mixed baskets and patio containers.

## BIDENS O Bidens aurea

#### Sunbeam

**Height:** 10 to 14 in. (25 to 36 cm) **Spread:** 18 to 28 in. (46 to 71 cm)

High vigor, early-season color and cool growing options make Sunbeam a must-have for large basket and combination programs.

## **Dreamtime**®

Big, dreamy blooms perk up early-season sales



#### BRACTEANTHA

Bracteantha bracteatum

#### **Dreamtime®**

**Height:** 10 to 12 in. (25 to 30 cm) **Spread:** 10 to 12 in. (25 to 30 cm)

More controlled and mounded plants hold their shape from greenhouse to garden.

Makes a high-impact retail display.


Excellent tolerance for cool temperatures.

Ideal for high-density programs in 4 and 4.5-in. (10 and 11-cm) pots.

Also available as Genesis directstick callused cuttings.

DREAMTIME is a U.S. registered trademark of Bonza Botanicals, Pty., Ltd.

### **BRACTEANTHA**





Jumbo Rose





Jumbo Red



Jumbo Pure White

Jumbo Yellow

## Conga<sup>™</sup>

The conga line starts here for compact color bowls



Laura Masor Breeder

Conga is taking the compact calibrachoa market by storm! Growers find it easy to produce by following these regional tips and tricks.

### **North Region**


Conga can be grown with no pinch and no PGRs. Growers desiring some control can pinch 2 weeks prior to transplant, followed by a B-Nine 2,500 ppm spray application 5 weeks after transplant.




### **South Region**

Conga varieties were successfully grown with no pinch and no PGR. B-Nine treatments generally delayed flowering on most varieties. For growers that want to use PGRs, we would recommend applying a late Bonzi 1 ppm drench.

Note: Conga Red needs a B-Nine 2,500 ppm spray or Bonzi 1 ppm drench 6 weeks after transplant for a toned plant that matches other Congas in the series. Crops produced for early flowering dates before week 3 in Florida may benefit from light PGR drenches at 0.25 to 0.5 ppm Bonzi.



### **CALIBRACHOA**



CALIBRACHOA O Calibrachoa hybrida

### Conga™

**Height:** 6 to 10 in. (15 to 25 cm) **Spread:** 8 to 10 in. (20 to 25 cm)

Naturally compact habit is perfect for pot-tight production and no PGRs needed.

Easy to grow - very uniform.

Excellent pH tolerance and profuse flowering give Conga superior hold at retail.

Flowers one week earlier than Cabaret series.

Great choice for quarts, color bowls and window boxes.

## **Cabaret®**

### Right on beat for better baskets



Allan Davidson President


This year, we've selected Cabaret genetics that flower early when produced for target production weeks prior to week 14. Compared to our original varieties, these early-flowering selections have the same high uniformity of habit, excellent garden performance, high pH tolerance and controlled vigor to fill any pot for year-round production.


Look for the timer icon on the next page indicating early-flowering varieties if you wish to flower before week 14, and be assured that you will still get the most uniform series on the market. If produced after week 14, all varieties will finish uniformly together.





**NEW Golden Yellow** ready to sell at week 11. Grown with pinch, no PGR.





Orange 🕓


Light Pink

Lemon Yellow

## Can-Can®

Kicks up larger baskets with cool colors and patterns





Bumble Bee Pink



Terracotta



Magenta Kiss



Hot Pink Star



Orange



Dark Purple

### CALIBRACHOA O Calibrachoa hybrida

### Can-Can®

**Height:** 10 to 15 in. (25 to 38 cm) **Spread:** 10 to 15 in. (25 to 38 cm)

One-of-a-kind colors and strong vigor for full-bodied mixed containers.

Flowers stay open under the lowest light conditions – look fresh at retail!

Strong adaptability: specially selected to stand up to harsh conditions.

Well-suited for 6-in. (15-cm) pots up to large hanging baskets.

## Coleus

### Colossal color and eye-popping patterns



Manda Vuksanaj Territory Manager Midwest/ West Coast

### Focus on the vigor

We've grouped our premium coleus by vigor to assist in variety selection. This also helps provide trouble-free planting for landscapes and containers.



### **VIGOROUS**

French Quarter Redhead Trusty Rusty Vino Wasabi



### **MEDIUM**


Campfire
Coleosaurus
Electric Lime®
Henna
Indian Summer
Inferno
NEW Pinkplosion




### COMPACT

Mint Mocha Ruby Slipper Special Effects





French Quarter



Wasabi



Redhead



Trusty Rusty



Vino



### **VIGOROUS**

### **French Quarter**

**Height:** 18 to 36 in. (46 to 91 cm) **Spread:** 24 to 28 in. (61 to 71 cm)

Adds depth to coleus programs with the addition of a pink.
Features pink, magenta and green leaves. Familiar pattern of seed coleus, but more vigorous and much later-flowering.

### Redhead

**Height:** 18 to 36 in. (46 to 91 cm) **Spread:** 16 to 28 in. (41 to 71 cm)

Redhead displays bright red leaves that are the truest red color of our collection.

### **Trusty Rusty**

**Height:** 18 to 36 in. (46 to 91 cm) **Spread:** 16 to 28 in. (41 to 71 cm)

Copper leaves are outlined in golden yellow. Large-leafed and vigorous. Ships well as unrooted cuttings and liners.

### Vino

**Height:** 18 to 30 in. (46 to 76 cm) **Spread:** 24 to 28 in. (61 to 71 cm)

Eye-catching plant has deep winecolored leaves that grow darker in the sun. Upright, medium habit.

### Wasabi

**Height:** 18 to 36 in. (46 to 91 cm) **Spread:** 16 to 28 in. (41 to 71 cm)

Durable and rugged for a coleus. Wasabi's serrated chartreuse leaves hold their brilliant color without fading.



### **MEDIUM**

COLEUS O

Solenostemon scutellarioides

### **NEW Pinkplosion**

**Height:** 14 to 28 in. (36 to 71 cm) **Spread:** 14 to 24 in. (36 to 61 cm)

Retains its pink coloration longer into the Summer. The serrated leaf edge brings out the contrast in the bicolor foliage. Flowers 1 to 2 weeks earlier than the rest of Ball FloraPlant's coleus varieties. Vigorous habit matches Inferno and Campfire on the medium vigor end of the assortment.

### Campfire

**Height:** 14 to 28 in. (36 to 71 cm) **Spread:** 14 to 24 in. (36 to 61 cm)

Features eye-catching orange foliage and proven performance in the landscape similar to Redhead and Wasabi. Stays vibrant in sun and shade. Late flowering, with a similar habit to Henna.

#### Coleosaurus

**Height:** 14 to 28 in. (36 to 71 cm) **Spread:** 24 to 36 in. (61 to 91 cm)

Controlled, well-branched habit is easy to produce in small containers and requires little pinching. Similar in vigor to Redhead and Henna.

### Electric Lime®

**Height:** 14 to 28 in. (36 to 71 cm) **Spread:** 16 to 24 in. (41 to 61 cm)

Bright lemon-lime leaves electrify the shade and don't fade in sun.

ELECTRIC LIME is a U.S. registered trademark of Florida Foundation Seed Producers, Inc.

### Henna

**Height:** 14 to 28 in. (36 to 71 cm) **Spread:** 14 to 16 in. (36 to 41 cm)

Very uniform with serrated foliage in chartreuse to copper with dark burgundy undersides.



Pinkplosion

### **Indian Summer**

**Height:** 14 to 28 in. (36 to 71 cm) **Spread:** 14 to 16 in. (36 to 41 cm)

Multi-color earthtones in red, green and brown deepen in high light.

#### Inferno

Height: 14 to 28 in. (36 to 71 cm) Spread: 14 to 24 in. (36 to 61 cm)

Bolder than Campfire. Saturated orange coloration and textured leaves give it a WOW factor. Superior orange coloration and later-flowering than the competition. More consistent orange color, even in shady conditions.



Henna



Indian Summer



Campfire



Inferno



Electric Lime®



Coleosaurus



Mint Mocha



Ruby Slipper



Special Effects



### **COMPACT**

COLEUS • Solenostemon scutellarioides

#### Mint Mocha

**Height:** 14 to 24 in. (36 to 61 cm) **Spread:** 14 to 16 in. (36 to 41 cm)

Ducksfoot-type foliage is green with mottled yellow and red flecks. For best patterns, avoid high light.

### **Ruby Slipper**

**Height:** 14 to 24 in. (36 to 61 cm) **Spread:** 14 to 16 in. (36 to 41 cm)

Darker, more red version of Redhead. More compact and better branched than other red varieties. Works well in-ground and in containers in full sun and full shade.

### **Special Effects**

**Height:** 14 to 24 in. (36 to 61 cm) **Spread:** 14 to 16 in. (36 to 41 cm)

Compact, densely branched collection shines in small container production. Bold foliage colors and unique leaf shapes are great in mixed containers – excellent landscape performance, too.

## **FlameThrower**<sup>™</sup>

Create sparks in small pots and mixes



Ryan Kenny Culture Research Technician

FlameThrower coleus are naturally compact. Growing them is a breeze, especially when you follow the regional culture recommendations below that I've been working on.

### Western Region

While a pinch will always benefit a coleus crop, we have new research that shows FlameThrower is successful with no pinch and no PGR for a target week 15 finish. Please consult **ballfloraplant.com** for full details of trials.

### Midwest, Canada and Northeast Region

Our latest culture trial study in the Midwest proved that FlameThrower can be grown with no pinch and no PGR for a week 18 target date.

### **South and Southeast Region**

After extensive trials, our recommendation is that pinch is recommended, as it eliminates the need for PGR in most growing conditions.



**NEW Serrano** with no pinch and no PGR grown in West Chicago, IL.











Salsa Roja

Chili Pepper



Spiced Curry





FlameThrower™ Height: 12 to 18 in. (30 to 46 cm)

COLEUS •

**Spread:** 16 to 18 in. (41 to 46 cm) Compact to medium coleus is

perfect for quarts and mixed containers.

Solenostemon scutellarioides

Bold foliage colors in a compact habit make this striking coleus ideal for small pots and mixed containers.

Its uniquely colored and shaped leaves add texture in the garden and containers.


Great garden performance in sun and shade.

**NEW Salsa Roja:** Exciting burgundy/red color addition is similar in habit to Habanero on the vigorous end of the series.

**NEW Serrano:** Novel bicolor features a bright yellow as the primary accent. Similar in habit to Spiced Curry on the lower vigor end of the series.



Spiced Curry, Chili Pepper, Salsa Verde, Habanero and Chipotle



Burgundy Wedding Train Coleus

### COLEUS O Solenostemon hybrida

### **Burgundy Wedding Train**

**Height:** 10 to 12 in. (25 to 30 cm) **Spread:** 24 to 36 in. (61 to 91 cm)

Distinctive "wedding train" trailing habit, dark color and unique texture are great for shade containers and baskets. Hardy until frost and thrives in the heat.

### Lava Rose

**Height:** 6 to 10 in. (15 to 25 cm) **Spread:** 18 to 24 in. (46 to 61 cm)

Unique mounded and trailing coleus grows fast and full in combos and baskets. The dense, sturdy plants ship well. Great as a low-growing annual groundcover.

### Florida Sun Rose

**Height:** 12 to 18 in. (30 to 46 cm) **Spread:** 12 to 14 in. (30 to 36 cm)

Rose-pink leaves are highlighted with burgundy and green speckles.



## Cuphea hyssopifolia 'Allyson Heather'

**Height:** 14 to 16 in. (36 to 41 cm) **Spread:** 16 to 18 in. (41 to 46 cm)

Compact and upright variety is well-suited to mixed containers and landscapes. Small purple flowers over glossy green foliage. Heat and drought tolerant.

### CUPHEA Cuphea purpurea

#### 'Firecracker'

**Height:** 10 to 14 in. (25 to 36 cm) **Spread:** 12 to 14 in. (30 to 36 cm)

Mounded and trailing plants are useful in baskets, mixed containers and as a groundcover. Bright red and purple flowers top solid green foliage.



Lava Rose Coleus




Florida Sun Rose Coleus



'Allyson Heather' Cuphea



'Firecracker' Cuphea



Breathless Blush Euphorbia



'Blue Daze' Evolvulus



Breathless Blush Euphorbia



Breathless White Euphorbia

EUPHORBIA • • Euphorbia hypericifolia

### Breathless®

#### White:

**Height:** 10 to 15 in. (25 to 38 cm) **Spread:** 24 to 28 in. (61 to 71 cm)

#### Blush:

**Height:** 8 to 12 in. (20 to 30 cm) **Spread:** 20 to 24 in. (50 to 60 cm)

Durable Breathless fills in fast.

Long-lasting plants require little water and no deadheading.

Great for sun and shade mixed containers and holiday gift planters.

Available as unrooted cuttings and rooted liners.

### **EVOLVULUS** • Evolvulus nuttallianus

### 'Blue Daze'

**Height:** 12 to 14 in. (30 to 36 cm) **Spread:** 18 to 20 in. (46 to 51 cm)

Heat-tolerant, trailing plant works well in combination containers and baskets. True blue flowers are a consumer favorite.

## **Gardenetta**™

Chic color for dazzling gardens



Passion Fruit



Passion Fruit Dar



Dark Red



Lavender Swirl

### DAHLIA O Dahlia pinnata

### Gardenetta™

**Height:** 16 to 18 in. (41 to 46 cm) **Spread:** 12 to 16 in. (30 to 41 cm)

The series features big blooms, excellent garden performance and Powdery Mildew tolerance that beats the competition across all varieties

Passion Fruit meets today's coral and orange color trend, and has a truly stunning yellow center.

Great habit and well-branched for gallon and larger pots.





DIASCIA O Diascia barberae

### Juliet™

**Height:** 6 to 8 in. (15 to 20 cm) **Spread:** 4 to 6 in. (10 to 15 cm)

Compact and upright series is great for high-density pot programs.

Super-uniform across all varieties for habit and timing.

Tidy plants won't tangle, so they need less bench space and no PGRs – easier to ship, too.

Suitable for 4 to 6-in. (10 to 15-cm) pots, 10 to 12-in. (25 to 30-cm) containers.

Rose







Orange

Red

## **Direct-stick Callused Cutting**



Sam Hagopian Product Manager

### Genesis offers fantastic benefits

We've seen many growers use Genesis cuttings in liners, due to the 100% rooting success and the fact that they can take it off mist multiple days earlier. This, in addition to all the other benefits listed here, make Genesis a better cutting than traditional URCs. Talk to your Ball Seed® Sales Rep or visit ballfloraplant.com for more information about mist recommendations.

**LESS LABOR –** Genesis can be directstuck into a finished container.

**SHORTENED CROP TIME** – The comparison on p. 53 proves the time savings.

**LESS SHRINK** – All Genesis cuttings arrive presorted for uniformity and primed for the best consistency in propagation.

**REDUCED INPUT COST** – It can be direct-stuck in cold frames and minimal heat environments.

BETTER BRANCHING AND MORE FLOWERS – Direct-sticking allows for maximum light penetration, leading to more branches, and therefore more color on the plant.

**NO PROPAGATION REQUIRED –** We found in our trials that with night

We found in our trials that with night temperatures of 55°F (13°C) or above, you can direct-stick Genesis cuttings.



## Retail-ready plants in as few as 6 weeks!

Genesis cuttings offer the same speedy finish and the same top-quality plants as rooted liners, but two weeks faster than unrooted liners. In trials with night temperatures of 55°F (13°C), here is a comparison of Genesis direct-stick vs. traditional unrooted liners. **Genesis Cuttings** On arrival 3 weeks after At 6 weeks, the same highdirect-stick quality plants and equal finish timing as the rooted liner **Traditional Unrooted Liner** Start 2 weeks earlier to get liner ready on time

3 weeks after transplant

### **Available as Genesis Direct-stick Callused Cuttings:**

On arrival

Argyranthemum Madeira™p. 28	Geranium, Zonal Fantasia®p. 56
Bracteantha Dreamtime®p. 34	Geranium, Zonal Presto™p. 54
Geranium, Ivy Focus™p. 62	Osteospermum Blue Eyed Beautyp. 98
Geranium, Ivy Precision™p. 64	Osteospermum Blushing Beautyp. 98
Geranium, Zonal Allure™p. 60	Osteospermum Serenity™p. 100
Geranium, Zonal Dynamo™p. 58	Osteospermum Voltage™ Whitep. 99


Osteospermum Voltage™ Yellowp. 9
Scaevola 'Blue Fan'p. 11
Scaevola Bondi™p. 11
Scaevola 'Brilliant'p. 11
Scaevola White Sparklep. 11

At 6 weeks, finished plant

is ready to ship

## **Presto**<sup>™</sup>

Try to keep up with this compact, dark-leafed series




### **ZONAL GERANIUM**

### **ZONAL GERANIUM** • Pelargonium hortorum Presto™ Height: 8 to 10 in. (20 to 25 cm) Spread: 8 to 10 in. (20 to 25 cm) Compact, dark leaf. The most uniform, compact, darkleafed zonal geranium series. Presto produces a strong first flush of flowers - 3 to 4 blooms. Dark Red Deep Scarlet **Brilliant Red** Naturally compact habit needs no PGRs, saves you time and money. Best suited to 4 to 6-in. (10 to 15cm) pots and 10 to 14-in. (25 to 35-cm) baskets. Also available as Genesis directstick callused cuttings. Regional culture recommendations Our most compact line generally does not need PGR in the West, South and Southeast regions. To get the best plant habit in the Violet Dark Fuchsia Dark Salmon Midwest and Northeast, we suggest Cycocel spray at 500 ppm 2 weeks after transplant. Rose Sizzle Pink Pink+Eye Light Salmon White Pink Sizzle Light Salmon

## **Fantasia**®

Bright blooms, dark leaves — a fantasy come true



#### **ZONAL GERANIUM**





### **ZONAL GERANIUM** OPelargonium hortorum

### Fantasia®

**Height:** 12 to 14 in. (30 to 36 cm) **Spread:** 12 to 14 in. (30 to 36 cm)

### Medium vigor, dark leaf.

Dark leaves offer superb contrast to bright blooms.

Excellent uniformity for more plants per sq. ft. and optimum shipping density.

Targeted range of core and novelty colors simplifies selection.

Best suited to 5-in. (13-cm) and larger pots and hanging baskets.


Also available as Genesis directstick callused cuttings.

### Regional culture recommendations

This medium, dark-leafed line is production friendly in the **West**, as our trials only require Cycocel spray at 500 ppm 2 weeks after transplant to make a nice plant habit. In the **Midwest**, where there are lower light conditions, we suggest Cycocel spray at 750 ppm 2 weeks after transplant to give the plants more tone.

## Dynamo™

Powerhouse of color uniformity



### **ZONAL GERANIUM**

# Dark Red Red Scarlet Violet Hot Pink Purple Dark Salmon Salmon Raspberry Sizzle Light Pink White

### ZONAL GERANIUM

Pelargonium hortorum

### Dynamo™

**Height:** 12 to 14 in. (30 to 36 cm) **Spread:** 12 to 14 in. (30 to 36 cm)

### Medium vigor, green leaf.

Dynamo is the powerhouse among zonal geraniums: all the key colors you need in a uniform series.

Matches for habit, flower timing and branching to ship all at once.

Powerful first flush of color with more continuous blooms per plant.

Also available as Genesis directstick callused cuttings.

## Allure™

Full-bodied and supersized — a tempting combination



Ball Flora Plant. Tangerine

### **ZONAL GERANIUM**



### **ZONAL GERANIUM** •

Pelargonium hortorum

### Allure™

**Height:** 14 to 18 in. (36 to 46 cm) **Spread:** 12 to 14 in. (30 to 36 cm)

### High vigor, green leaf.

Large, semi-double blooms last all season.

Upright plants with high stress tolerance.

Best suited to large baskets and mixed containers.

Also available as Genesis directstick callused cuttings.

## **Focus**<sup>™</sup>

Zoom in on a compact, controlled habit



### **IVY GERANIUM**





Burgundy



Red





Rose

Hot Pink



Red Ice

IVY GERANIUM O
Pelargonium x peltatum

### Focus™

**Height:** 8 to 10 in. (20 to 25 cm) **Spread:** 12 to 14 in. (30 to 36 cm)

### Compact, dark leaf.

The only compact, dark-leafed ivy geranium series on the market.

Habit stays tight and controlled for growing in pot-tight basket production.

Naturally compact habit simplifies small pot and quart production.


Dark leaves add attractive contrast for greater appeal and value.

Perfect uniformity across all colors.

Also available as Genesis directstick callused cuttings.

## **Precision**<sup>™</sup>

Early flowering, exact uniformity - precisely in demand



# NEW Rose Dark Burgundy Burgundy Ruby Scarlet Red Burgundy Ice Dark Salmon Red Ice Pink Flamingo Lavender Blue Pink White Red Eye

### **IVY GERANIUM** •

Pelargonium x peltatum

### Precision<sup>™</sup>

**Height:** 10 to 12 in. (25 to 30 cm) **Spread:** 14 to 18 in. (36 to 46 cm)

### Medium vigor, green leaf.


Specially selected for early flowering and excellent uniformity.

Oedema-resistant for clean foliage at retail and better show throughout the season.

Well-suited for 4.5-in. (11-cm) pots and large baskets.

Also available as Genesis directstick callused cuttings.

**NEW Rose:** Great new rose color addition fits the series for habit and flower color saturation.



HELICHRYSUM •

'Licorice'

baskets.

Helichrysum petiolare

**Height:** 8 to 10 in. (20 to 25 cm) **Spread:** 18 to 24 in. (46 to 61 cm)

Low-growing and semi-trailing,

as an accent in containers and

silvery green-leafed plant is useful

Belleza Dark Pink Gaura

**GAURA** O Gaura lindheimeri

### Belleza™

**Height:** 12 to 18 in. (30 to 46 cm) **Spread:** 16 to 20 in. (41 to 51 cm)

A great companion plant, Belleza features excellent branching with short flower stems. Upright habit, with the exception of Compact Light Pink, which has a mounding habit.

Contact your sales rep for availability of Belleza Pink.

BELLEZA is a U.S. trademark of Selecta Klemm GmbH & Co.





Belleza Compact Light Pink Gaura







'Licorice' Helichrysum



Patchwork Cosmic Orange



Patchwork Cosmic Orange



Patchwork Cosmic Burgundy



Patchwork Peach Prism



Patchwork Pink Shades



**Fusion Heat Coral** 



**Fusion Heat Coral** 





**Height:** 10 to 16 in. (25 to 41 cm) **Spread:** 12 to 14 in. (30 to 36 cm)

Nothing else has these unique novelty patterns and colors!

Low-maintenance, grower-friendly impatiens require no special culture.

Best for premium 12 to 14-in. (30 to 35-cm) baskets and large container programs. Also suitable for 6-in. (15-cm) pots, quarts and gallons.



Fusion Glow Yellow

### EXOTIC IMPATIENS Impatiens hawkeri

### Fusion™

**Height:** 10 to 16 in. (25 to 41 cm) **Spread:** 10 to 16 in. (25 to 41 cm)

Heat-tolerant plants shine in the shade with high-voltage colors.

Vigorous and well-branched plants feature uniquely shaped flowers held over the foliage – great for retail.

Fusion can be grown in the same environment as Fiesta varieties.

Can withstand cool temperatures; prefers morning sun/afternoon shade in the garden.

Ideal for large, high-margin containers and baskets.

## Fiesta Bonita<sup>™</sup>

A celebration of supersized double blooms



### **DOUBLE IMPATIENS**





**Height:** 10 to 12 in. (25 to 30 cm) **Spread:** 10 to 12 in. (25 to 30 cm)

Extremely uniform series pairs large, colorful blooms with a controlled habit for easy production.

Ideal for 4-in. (10-cm), quart and 2.5-quart containers, as well as 10 to 12-in. (25 to 30-cm) hanging baskets.



White



Salmon



Pink



Cherry



Rose



Burgundy



Stardust Lavender



## **Fiesta**<sup>™</sup>

Big and bold double blooms for the shade



#### **DOUBLE IMPATIENS**



## **SunPatiens**®

Masses of nonstop color for landscapes



#### **VIGOROUS INTERSPECIFIC IMPATIENS**



Vigorous Orchid



Vigorous Red



Vigorous Rose Pink



Vigorous Lavender



Vigorous Clear White



Vigorous White V/L



Vigorous Salmon V/L



Vigorous Corona



Vigorous Clear Orange



Vigorous Tropical Orange



Vigorous Pink Kiss



Vigorous Shell Pink

### INTERSPECIFIC IMPATIENS • Impatiens hawkeri

#### SunPatiens® Vigorous

**Height:** 20 to 34 in. (51 to 86 cm) **Spread:** 24 to 36 in. (61 to 91 cm)

Provides twice as much coverage and color as standard bedding plants.

Thrives in sun or shade conditions.

More robust plant growth is ideal for cooler (northern) climates.

Plants get better looking the longer they are in the garden.

Flourishes in extreme heat and blooms continuously all Summer long.

**NEW Orchid:** Replaces Spreading Lavender.

**NEW Red:** Replaces Carmine Red and Scarlet Red.

**NEW Rose Pink:** Replaces Vigorous Magenta.

SUNPATIENS is bred by Sakata. SUNPATIENS is a registered trademark of Sakata.



## SunPatiens® Compact

Outstanding flower power for containers



INTERSPECIFIC
IMPATIENS
Impatiens hawkeri

#### SunPatiens® Compact

**Height:** 14 to 28 in. (36 to 71 cm) **Spread:** 14 to 24 in. (36 to 61 cm)

Tolerates all weather, from Spring through hard frost.

Unique varieties love sun as well as shade.

Compact series is bred for small pot production and is resistant to disease.

Exceptional outdoor performance.

Roots fast for reduced crop time.

**NEW Pink Candy:** An exciting new color for the compact series.

SunPatiens offers mixes containing three colors that have been trialed and proven to grow well together. The components are packaged and shipped together, so you can stick them in the same container to create these sensational color combos.

Best Friends Mix contains Compact White, Compact Royal Magenta and Compact Lilac impatiens.

Desert Sun Mix contains Compact Electric Orange, Compact Hot Coral and Compact Coral Pink impatiens.


Kiss'n Cousins Mix contains Compact Royal Magenta, Vigorous Pink Kiss and Vigorous Shell Pink impatiens.

Summer Salsa Mix contains Compact Coral Pink, Compact Hot Coral and Compact Red impatiens.

SUNPATIENS is bred by Sakata. SUNPATIENS is a registered trademark of Sakata.




#### **COMPACT INTERSPECIFIC IMPATIENS**



## **Clockwork**<sup>™</sup>

A compact star in small pots and mixed containers



#### **NEW GUINEA IMPATIENS**



White Improved



Lavender



Cherry Strike



Rose



Hot Pink Glow



Red



Pink Star



Appleblossom



Orange Stripe



Orange



Purple

### NEW GUINEA IMPATIENS Impatiens hawkeri

#### Clockwork™

**Height:** 8 to 10 in. (20 to 25 cm) **Spread:** 10 to 12 in. (25 to 30 cm)

Clockwork has a strong upgrade this year and replaces Celebrette.

Bred to be extremely uniform in habit and flower timing across all colors, blooming all in the same week. Beneficial to greenhouse growers, as culture does not need adjusting. Since all colors finish together, they can be shipped to retail at the same time. Series truly performs like clockwork.

Large blooms.

Ideal for quart and gallon containers, and hanging baskets.

Five novel new colors, NEW
Cherry Strike, NEW Hot Pink
Glow, NEW Lavender and NEW
Rose, add interest and excitement
for the series while maintaining
uniformity.

**NEW White Improved:** Offers improved branching and habit compared to the original and matches the series' timing.

## **Celebration**

Keeps rockin' in bigger pots and baskets



#### **NEW GUINEA IMPATIENS**

#### **NEW GUINEA IMPATIENS** • Impatiens hawkeri

#### Celebration

**Height:** 10 to 12 in. (25 to 30 cm) **Spread:** 10 to 12 in. (25 to 30 cm)

Big impact for larger container programs.

Vigorous and well branched, fills in fast with fewer plants per pot.

Full color range delivers excellent greenhouse performance.

Large blooms cover the plant even in high heat.





Rose Star



Electric Rose



Pink













Deep Red Purple Star

Orange

## **Spotlight**<sup>™</sup>

A compact star in small pots and mixed containers







Lime Heart

Black Heart



Black Cut, Archangel Dark Rose Angelonia, Little Lucky Hot Pink Lantana and Goldilocks Lysimachia







Red Cut Black Cut

IPOMOEA • Ipomoea batatas

#### Spotlight™

**Height:** 8 to 10 in. (20 to 25 cm) **Spread:** 16 to 20 in. (41 to 51 cm)

The first compact ipomoea series now offers popular heart-shaped leaf varieties!

Spotlight's compact, naturally branched habit is ideal for packs and small pots. Great for mixes, too.

The series features bold, eyecatching colors and holds its color in extreme heat.

A compact solution for southern regions.

**NEW Black Heart:** Has a slightly more mounded, upright habit when compared to NEW Lime Heart.

**NEW Lime Heart:** About 25 to 30% more vigorous than NEW Black Heart, with a slight lobe shape to the foliage.

## **SolarPower**<sup>™</sup>

Medium habit, plus energy and color for containers and landscapes



Tanya Carvalho Territory Manager Canada

I love using SolarPower in garden beds and my mixed combinations. It has just the right amount of vigor.

#### **West Region**

When grown in a 12-in. (30-cm) basket, SolarPower benefits from a pinch at 2-3 weeks after stick and generally does not require a PGR when grown at an ADT of 70°F (21°C) or lower.

#### Midwest, Canada and Northeast Region

We breed SolarPower to be the medium habit basket solution for the Midwest, Canada and the Northeast. We recommend a B-Nine 2,500 ppm spray 2 weeks after transplant to control finished growth.

#### **South and Southeast Region**

We recommend Spotlight, our compact lpomoea for southern baskets. If a grower choses to grow SolarPower, we recommend a 1-2 ppm Bonzi drench 4 weeks after transplant, which will help to control growth in warm climates.



Photo from California trials: control (left), B-Nine 2,500 ppm spray 2 weeks after transplant (center), Bonzi 2 ppm drench 4 weeks after transplant (right).







Lime Heart

NEW

Black Heart



Red Heart

----



#### SolarPower™

**Height:** 10 to 12 in. (25 to 30 cm) **Spread:** 24 to 36 in. (61 to 91 cm)

New heart-shaped leaf varieties join the series!

Densely branched SolarPower holds its shape and color in the landscape and mixed combos all Summer long, and it works well with companion plants.

Medium vigor and a well-branched habit.

Most efficient in production.

SolarPower's tidy habit allows for more plants per rack at retail. Best for gallon containers, 10 to 12-in. (25 to 30-cm) hanging baskets, mixed containers and landscapes.

A small-pot solution for northern regions.

**NEW Black Heart:** Offers an excellent mounded habit with a very clean, true heart-shaped leaf. The deep black coloration stays true all Summer long, and in Spring conditions, early growth is deep purple.

**NEW Lime Heart:** New color has a slight lobe in the heart shape of the foliage.

**NEW Red Heart:** This new medium red offers a deep red color all through Summer and a clean, true heart-shaped leaf.

**NEW Lime Heart** 





Lime



Red



Lime

Black

## **SolarTower**<sup>™</sup>

First-ever self-climbing ipomoea









Lime



Lime

IPOMOEA • Ipomoea batatas

#### SolarTower™

**Height:** 48 to 84 in. (122 to 213 cm) **Spread:** 36 to 48 in. (91 to 122 cm)

The first-ever self-climbing ipomoea! SolarTower climbs very quickly and fills a large pot on a quick turn.

Climbing plant is ideal for use with a trellis, as a topiary or on a vertical wall planting.

Recommended pot size is 1 gallon and up with some kind of trellis, making a huge impact at retail.

Also recommended as a thriller in mixed combos, climbing up a small bamboo stick.

Easy for the grower to maintain and produce, as it should not need any trimming, PGRs or training to climb the trellis.

Provides instant garden décor for consumers.

## **Bloomify**<sup>™</sup>

First certified sterile lantana won't multiply









Rose

#### **Seed Set**

Red



Bloomify Red bursts with continuous flowers and color



Competitive red has slowed-down flowering and shows seed pods

#### LANTANA O Lantana camara

#### Bloomify™

**Height:** 12 to 14 in. (30 to 36 cm) **Spread:** 10 to 12 in. (25 to 30 cm)

The first certified sterile lantana series on the market!

Completely sterile, so it won't go out of flower in the heat of Summer.

Features better branching than the competition for a better appearance at retail.

Two weeks later to flower than the Lucky series, with a nice ballshaped habit.

# **Little Lucky** This one's the charm for pot-tight production





Red, Peach Glow, Orange and Lemon Cream





















Lemon Cream

Peach Glow

#### LANTANA 🔵 Lantana camara

#### Little Lucky™

Height: 10 to 12 in. (25 to 30 cm) **Spread:** 10 to 12 in. (25 to 30 cm)

Uniform across all colors; great for bench runs and pot-tight production.

Up to 3 weeks earlier than other compact lantanas.

Low-maintenance varieties have long flowering into Summer with low seed set.

Across all colors of Little Lucky lantana, the simple growing solution is to pinch, with no PGRs.

Perfect for 4.5-in. (11-cm) programs.

**NEW Pink:** Flowers at the same time as all the other colors in the series, and it is a good match in habit to Orange.

## **Lucky**<sup>™</sup>

### Magically stands up to hot, dry conditions



Jason Twaddell Territory Manager Great Lakes/Northeast

You can't go wrong with Lucky. It is my go-to lantana series.

#### **West Region**

Lucky in our trials needed a 5-week liner time and pinch once. We like a tank mix of B-Nine at 2,500 ppm and Cycocel at 750 ppm 2 weeks after transplant. A second application of the same tank mix at approximately 4 to 5 weeks after transplant may be needed.


### Midwest, Canada and Northeast Region

In this year's culture trials, a higher rate of B-Nine at 5,000 ppm tank mixed with Cycocel at 1,000 ppm eliminated the need for a late drench application to contain the plant habit.

#### South or Southeast Region

Pinch is recommended along with a light B-Nine spray at 1,250 ppm to help tone liners. In our trials, if Lucky Lantana is produced outdoors at appropriate temperatures, no PGR is needed. Please consult lantana finishing temperatures in the culture section on page 140.









#### Lucky™

**Height:** 12 to 16 in. (30 to 41 cm) **Spread:** 12 to 14 in. (30 to 36 cm)

Excellent branching means less pinching, fewer PGRs.

Stands up to heat, drought and other stressful conditions.

Works well in small pots, baskets and mixed combos.

## **Landmark**<sup>™</sup>

Makes its mark in the landscape with vivid color, high vigor





## **Early Springs**<sup>™</sup>

Early to rise for Spring sales, but takes the heat, too



LOBELIA • Lobelia hybrida

#### Early Springs™

**Height:** 8 to 10 in. (20 to 25 cm) **Spread:** 8 to 14 in. (20 to 36 cm)

Early Springs is a series of highly uniform plants.

Try mixing colors for a great-looking monoculture basket.

Compact habit allows for pot-tight production with minimal PGRs and easy shipping.

Can be grown cool for energy savings, but performs beautifully in heat.

Just one plant fills a quart or gallon container.



Early Springs Dark Blue



Early Springs Lavender Pink





Early Springs Sky Blue





Early Springs White





Waterfall Blue



Waterfall Purple



Waterfall White Blush

LOBELIA 🔵 Lobelia erinus

#### Waterfall™

**Height:** 8 to 12 in. (20 to 30 cm) **Spread:** 24 to 30 in. (61 to 76 cm)

Vigorous, well-branched Waterfall is well-suited to pot-tight growing.

Less pinching is needed to send fast, full plants to market.

Covered with free-flowering blooms, the mounded, semitrailing plants fill mixed baskets and containers.

Early flowering and daylength neutral for early-Spring programs.

Performs well in many Fall markets for season-extending sales.

#### **HELIOTROPE**



'Marine' Heliotrope

### HELIOTROPE Heliotropium arborescens

#### 'Marine'

**Height:** 10 to 14 in. (25 to 36 cm) **Spread:** 12 to 18 in. (30 to 46 cm)

Upright plant performs well in landscapes, baskets and patio planters.



'Blazin' Lime' Iresine



'Blazin' Rose' Iresine

### IRESINE • Iresine herbstii

#### 'Blazin' Lime'

**Height:** 12 to 16 in. (30 to 41 cm) **Spread:** 16 to 20 in. (41 to 51 cm)

Vigorous, upright and full plants feature variegated foliage with vibrant rose stems; shows more chartreuse in higher light. Perfect for large mixed containers and landscapes.

### IRESINE O

#### 'Blazin' Rose'

**Height:** 18 to 30 in. (46 to 76 cm) **Spread:** 16 to 20 in. (41 to 51 cm)

Striking multi-color leaves and strong vigor assure that the plant won't get lost in large mixed plantings; also ideal for landscapes.



'Dallas Red' Lantana



'New Gold' Lantana

### LANTANA O Lantana camara

#### 'Dallas Red'

**Height:** 15 to 20 in. (38 to 51 cm) **Spread:** 18 to 24 in. (46 to 61 cm)

Mounded; useful in combination plantings. Clusters of red flowers fade to orange and yellow.

#### 'New Gold'

**Height:** 15 to 20 in. (38 to 51 cm) **Spread:** 18 to 24 in. (46 to 61 cm)

Mounded and spreading; well-suited to landscapes.



'Purple Trailing' Lantana



'Goldilocks' Lysimachia

#### LANTANA 🜕

Lantana montevidensis

#### 'Purple Trailing'

**Height:** 20 to 24 in. (51 to 61 cm) **Spread:** 15 to 20 in. (38 to 51 cm)

Good selection for combination plantings.

### LYSIMACHIA • 1 Lysimachia nummularia

#### 'Goldilocks'

**Height:** 2 to 4 in. (5 to 10 cm) **Spread:** 12 in. (30 cm)

Low-care, trailing plant has lime green leaves that turn iridescent in the sun. Self-cleaning. Recommended for use in mixed containers. Temperate perennial in Zones 3 to 10.



'Jade Frost' Lamium




'Beacon Silver' Lamium



'Anne Greenaway' Lamium



'White Nancy' Lamium



LAMIUM • Lamiastrum galeobdolon

#### 'Jade Frost'

**Height:** 8 to 10 in. (20 to 25 cm) **Spread:** 36 to 48 in. (91 to 122 cm)

Fast-growing, trailing accent plant is well-suited to mixed planters and baskets.



#### 'Anne Greenaway'

Height: 6 to 8 in. (15 to 20 cm) **Spread:** 36 to 48 in. (91 to 122 cm)

Groundcover features a mixture of green, silver and chartreuse leaves that turn mauve in the Spring.

#### 'Beacon Silver'

**Height:** 6 to 8 in. (15 to 20 cm) Spread: 36 to 48 in. (91 to 122 cm)

Trailing, mounded variety has silver leaves with green margins, and pinkish-purple flowers at the end of the stems all Summer. Prefers evenly moist, well-drained soil.

#### 'White Nancy'

Height: 6 in. (15 cm) Spread: 36 to 48 in. (91 to 122 cm)

One of the fastest-growing groundcovers has silver and green variegated foliage, with pure white flowers in early Summer.



Little Sunshine Mecardonia

**MECARDONIA** Mecardonia hybrida

#### Little Sunshine

Height: 4 to 6 in. (10 to 15 cm) **Spread:** 14 to 18 in. (36 to 46 cm)

USDA Zone: 10

This easy-to-produce variety flowers from Spring to Fall, making it versatile in programs all year long.


It is very tolerant of cool and warm conditions, and it will not cycle out of color at the point of sale.

It works well in 4-in. (10-cm) pots to hanging baskets, and offers great performance in the landscape.



## **NEW Easy Breezy**<sup>™</sup>

The easy choice for longer-flowering lobularia





White



Pink



#### **NEW** Easy Breezy™

**Height:** 10 to 12 in. (25 to 30 cm) **Spread:** 12 to 16 in. (30 to 41 cm)

Excellent branching and 2 to 3 weeks longer flowering in the heat make Easy Breezy the only choice in lobularia.

Features a non-split habit late in the production cycle for higher sell-through.

Medium habit makes for perfectly balanced mixes.

Requires less to no PGRs for reduced production costs.

Easy to ship, with more plants per rack.



### **Direct-stick Callused Cuttings**

Less labor. Shortened crop time. Less shrink. Reduced input costs. Get retail-ready, top-quality osteospermums in as little as 14 weeks.

#### **Genesis™ Cuttings**

All our osteos are also available as Genesis cuttings. For more information on Genesis cuttings, see pages 52-53.



Genesis cuttings arrive ready to direct-stick in the finish container. Genesis cuttings 8 days: With the callus already on, roots initiate quickly.

### Genesis cuttings 6 weeks: Direct-stuck Genesis cutting

Direct-stuck Genesis cuttings branch sooner and stronger for a better-quality finished plant.

#### Genesis cuttings 14 weeks:

The Genesis osteo is in full bloom, out the door and ready to sell, while the traditional URC osteo is just starting to open flowers.

### **Traditional Unrooted Cuttings**



## Blue Eyed Beauty & Blushing Beauty

A perfectly pretty pair







Blue Eyed Beauty



Blushing Beauty

#### OSTEOSPERMUM

Osteospermum ecklonis

#### **Blue Eyed Beauty**

**Height:** 10 to 14 in. (25 to 36 cm) **Spread:** 14 to 20 in. (36 to 51 cm)

Change the way you look at osteos – perfect for premium, early Spring sales.

The bright Spring yellow and contrasting center grab your eye from afar.

Exceptional bicolor has excellent habit, flower presentation and shelf life.

Also available as Genesis directstick callused cuttings.

#### **Blushing Beauty**

**Height:** 10 to 14 in. (25 to 36 cm) **Spread:** 14 to 20 in. (36 to 51 cm)

Makes a colorful pair with Blue Eyed Beauty, matching well in habit and timing.

The golden yellow color and purple/pink center offer a warm, romantic touch.

Fits in our collection of exciting colors for unique-looking osteospermum.

Also available as Genesis directstick callused cuttings.

### **Voltage<sup>™</sup> Yellow & Voltage<sup>™</sup> White**

**Electrifying color for Summer gardens** 







Voltage Yellow



Voltage White

### OSTEOSPERMUM Osteospermum hybrid

#### Voltage™ Yellow

**Height:** 10 to 16 in. (25 to 41 cm) **Spread:** 24 to 28 in. (61 to 71 cm)

First osteo in bloom is also the last out of bloom – vibrant color shouts SPRING!

Mounded habit with flexible stems that sleeve, ship and show well.

Needs fewer PGRs to produce naturally full and compact plants.

Ideal for large baskets, quarts and gallons.

Also available as Genesis directstick callused cuttings.

#### Voltage™ White

**Height:** 12 to 18 in. (30 to 46 cm) **Spread:** 14 to 20 in. (36 to 51 cm)

The best Summer-performing osteo is great for growing in all climates.

Traditional daisy has white petals with a bright yellow center.

Blooms a little later than Voltage Yellow, with a more compact habit.

Also available as Genesis directstick callused cuttings.

## **Serenity**<sup>™</sup>

Low-stress production with high-interest color



#### **OSTEOSPERMUM**



Osteospermum ecklonis

#### Serenity™

Height: 10 to 14 in. (25 to 36 cm) **Spread:** 14 to 20 in. (36 to 51 cm)

Exceptional habit and uniform timing for early-season bench-run production.

"Magic" colors change as flowers fully open - a plus in consumers'

Low-energy crop produces full, mounded plants with tighter bench spacing and fewer PGRs.

All varieties feature the same excellent branching.

Well-suited to cool-season containers and landscapes: a full-season performer in coastal

Also available as Genesis directstick callused cuttings.

#### **OSTEOSPERMUM**



## **ColorRush**<sup>™</sup>

Bursting with bold color for large baskets and landscapes



Gail Shafer Breeder

We've trialed **ColorRush** in the ground in various climates. Time and time again, it lives up to its name by providing massive mounds of vibrant color. Here are some best practices you can follow to get ColorRush ready for landscape applications.

#### **West Region**

Finish in an outdoor cold frame, where it can receive natural night temperatures as low as 32° F (0°C), but have some form of greenhouse roof protection to avoid frost exposure. PGRs in our trials were not needed when average daily temperature was below 54° F (12°C) in outdoor tunnels.

### Midwest, Canada and Northeast Regions

Based on our Midwest trials, we recommend a Bonzi spray at 5 ppm 10 days after stick and a Bonzi drench at 5 ppm 3 to 4 weeks after transplant, if needed. This keeps plants from growing together on the bench.

#### **South or Southeast Region**

Finish in an outdoor cold frame, where it can receive natural night temperatures as low as 32°F (0°C), but should not be exposed to frost during the production cycle. Since many locations in the South or Southeast will not be able to provide an average daily temperature under 54°F (12°C), we recommend a Bonzi drench between 1 to 3 ppm to control finished growth.









Blue





Blue and Pink

### PETUNIA Petunia x hybrida

#### ColorRush™

**Height:** 10 to 12 in. (25 to 30 cm) **Spread:** 24 to 36 in. (61 to 91 cm)

Notable for big vigor and big garden performance.

Our most vigorous line is ideal for 12-in. (30-cm) and larger containers and baskets, as well as landscapes.

Mounds of color hold up in the heat and rain.

Includes a range of bright, eyecatching colors and novelties.

These varieties have nicely matched habits, making production planning easier.

## **ColorBlitz**<sup>™</sup>

### Redefining medium petunias



Kris Carlsson Product Launch and Assortment Manager

We have trialed ColorBlitz up against all other medium-vigor petunias and found it to be the most uniform of all. This makes growing it very simple.

#### **West Region**


ColorBlitz 12-in. (30-cm) baskets were successfully grown without PGRs. We held our transplanted basket in a greenhouse for 4 weeks with minimum night temperatures at 60°F (16°C). Once rooted in, we moved baskets to an outdoor tunnel with an average daily temperature of 50°F (10°C) and minimum night temperatures above 32°F (0°C).


### Midwest, Canada and Northeast Regions

Pinching 2 weeks after transplant will develop better branching habits when finishing 12-in. (30-cm) baskets. An application of 1 ppm Bonzi drench is recommended 3-4 weeks after transplant.

#### South and Southeast Regions

ColorBlitz will make an excellent 12-in. (30-cm) basket with high light and cool nights. When night temperatures increase, we recommend a Bonzi drench at 2-4 ppm within 3-4 weeks after transplant to tone finished growth.





## Sun Spun®

Spin early-season selling gold from these compact performers





### **PETUNIA**



'Jelly Roll' - Darkest flower under Midwest Spring conditions.

Petunia x hybrida

### **NEW 'Jelly Roll'**

**Height:** 8 to 10 in. (20 to 25 cm) **Spread:** 16 to 22 in. (41 to 56 cm)

An exciting bicolor that doesn't exist in the current market.

Offers early flowering and reliable greenhouse performance under lower light and low-temperature production. Makes a great addition to mixed containers and mediumsized baskets. Best for gallon and 12-in. (30-cm) hanging baskets.



Phantom



Cha-Ching Cherry

### **Phantom**

**Height:** 8 to 12 in. (20 to 30 cm) **Spread:** 8 to 12 in. (20 to 30 cm)

A must-have for any petunia program – alone or in combos. Phantom shows off a black base color with a distinctive yellow star pattern. It's the perfect companion to Black Magic and Pinstripe at retail and in the garden.

### Cha-Ching Cherry

**Height:** 10 to 16 in. (25 to 41 cm) **Spread:** 16 to 20 in. (41 to 51 cm)

Exciting multi-color variety wows with cherry red blooms and creamy yellow star pattern. Easy to grow – times with other Ball FloraPlant novelty petunia varieties. Mounding habit, vigor and timing match other Ball FloraPlant novelty varieties like Pinstripe for efficient production. Mixes well with other species in combinations.



Pinstripe



Black Magic

### **Pinstripe**

**Height:** 8 to 12 in. (20 to 30 cm) **Spread:** 8 to 12 in. (20 to 30 cm)

Adds a stylish and sophisticated look to mixed containers. Each of the dark purple blooms shows off a creamy white star pattern. Easy-to-grow mounded habit matches Sun Spun.

### **Black Magic**

**Height:** 10 to 16 in. (25 to 41 cm) **Spread:** 16 to 20 in. (41 to 51 cm)

The blackest black petunia on the market! Features stable, nonstriping blooms with excellent flower form and a controlled, mounded, trailing habit.



Cascadias Indian Summer



Lime Light

### Cascadias™ Indian Summer

**Height:** 10 to 12 in. (25 to 30 cm) **Spread:** 12 to 18 in. (30 to 46 cm)

Striking blooms open orange and mature to salmon pink – sure to drive impulse sales. Well-branched habit is ideal for 12-in. (30-cm) hanging baskets and patio pots. Unique color option pairs with excellent garden performance.

### **Lime Light**

**Height:** 8 to 12 in. (20 to 30 cm) **Spread:** 8 to 12 in. (20 to 30 cm)


This distinctive compact variety has trumpet-shaped blooms in rose with a lime border. Lime Light is early blooming and highly floriferous, with a mounding habit. With its premium, sought-after color on cost-effective, grower-friendly plants, Lime Light is perfect for small pots and hanging baskets. Extremely sensitive to any PGR treatment.



Ragtime



Rhythm And Blues





### Ragtime

**Height:** 12 to 18 in. (30 to 46 cm) **Spread:** 24 to 48 in. (61 to 122 cm)

Slightly more compact in early finished pot production, making it easier to grow in a basket or gallon pot. Excellent purple and white picotee flowered petunia pairs nicely with Rhythm And Blues. Early-flowering variety has the perfect habit for dramatic displays in hanging baskets at retail and in the garden.

### **Rhythm And Blues**

**Height:** 8 to 12 in. (20 to 30 cm) **Spread:** 12 to 16 in. (30 to 41 cm)

This mounded, spreading and very free-flowering petunia is adaptable to cold finishing programs, making it a low-energy input item. Rhythm And Blues has a stable white rim and excellent vigor, and is easy to grow for early-season premium baskets and containers.



Double Wave Pink



Double Wave White



Double Wave Purple



Double Wave



Double Wave Blue Vein



Double Wave Blue Velvet

## SPREADING DOUBLE PETUNIA Petunia X hybrida

### **Double Wave®**


**Height:** 6 to 8 in. (15 to 20 cm) **Spread:** 18 to 24 in. (46 to 61 cm)

Delivers the same high performance and versatile uses that have made the entire Wave® family the most asked-for-by-name plant brand ever! Fully double flowers in vibrant colors cover the mounded and spreading, dark green-leafed plants to make outstanding mixed containers, baskets and gardens.



# **SuperCal®**

The all weather petunia, rain or shine





Premium Cinnamon



Premium Caramel Yellow



Premium Bordeaux



Premium French Vanilla



Premium Sunray Pink

PETCHOA • • Petunia (Inter-generic hybrid)

### **NEW SuperCal® Premium**

**Height:** 14 to 20 in. (36 to 51 cm) **Spread:** 14 to 22 in. (36 to 56 cm)

New series offers the same excellent performance as SuperCal, with larger flowers, an improved habit and a more mounded, refined growth.



Violet

Terracotta

Summer Sensation Mix



Aromatica Royal Blue Nemesia



Aromatica Rose Pink Nemesia



'Nico' Plectranthus



Brilliant Scaevola



Bondi Blue Scaevola



Aromatica White Nemesia



'Nicolleta' Plectranthus



Variegata White Plectranthus Scaev



White Sparkle Scaevola



'Blue Fan' Scaevola



Bondi White Scaevola

NEMESIA O Nemesia fruticans

### Aromatica™

**Height:** 12 to 14 in. (30 to 36 cm) **Spread:** 10 to 12 in. (25 to 30 cm)

The best-matched nemesias for size and flower timing, with a wide color array. Very freeflowering, well-branched plants are economical and easy to produce. Compact, upright, fragrant plants.

### PLECTRANTHUS OPERATION Plectranthus coleoides

### 'Nico'

**Height:** 8 to 10 in. (20 to 25 cm) **Spread:** 12 to 36 in. (30 to 91 cm)

Vigorous accent plant is known for its dark green foliage and semiprostrate habit. Useful in combos, patio planters and landscapes.

### 'Nicolleta'

**Height:** 8 to 10 in. (20 to 25 cm) **Spread:** 12 to 36 in. (30 to 91 cm)

Fuzzy, silvery gray leaves make this a stunning container accent plant.

### **Variegata**

**Height:** 8 to 10 in. (20 to 25 cm) **Spread:** 12 to 18 in. (30 to 46 cm)

Trailing and vigorous, this whiteedged foliage plant is useful in combinations and baskets.

### SCAEVOLA Scaevola hybrid

### **Brilliant**

**Height:** 12 to 20 in. (30 to 51 cm) **Spread:** 24 to 28 in. (61 to 71 cm)

Well-branched plants with medium, controlled vigor won't fall apart in final stages of production. Habit complements White Sparkle.

Also available as Genesis directstick callused cuttings.

BRILLIANT is bred by J & H Westhoff Interpel.



### White Sparkle

**Height:** 12 to 20 in. (30 to 51 cm) **Spread:** 24 to 28 in. (61 to 71 cm)

Starts flowering white, then displays light blue stripes later in the season. Medium, controlled vigor means plants won't fall apart in final stages of production. Ideal for 1-gallon pots and hanging baskets.

Also available as Genesis directstick callused cuttings.

WHITE SPARKLE is bred by Kings Park and Botanic Garden, Western Australia.



### SCAEVOLA O

Scaevola aemula

### 'Blue Fan'

**Height:** 12 to 14 in. (30 to 36 cm) **Spread:** 8 to 10 in. (20 to 25 cm)

Trailing variety is well-suited to baskets, containers and landscapes.

Also available as Genesis directstick callused cuttings.

### Bondi™

**Height:** 6 to 10 in. (15 to 25 cm) **Spread:** 12 to 18 in. (30 to 46 cm)

Compact series is easy to grow in small pots for high-density production. Upright habit and good branching keep Bondi looking neat and tidy at retail. Ideal for Summer heat programs – nice in hanging baskets and mixed containers.

Also available as Genesis directstick callused cuttings.

BONDI is bred by Kings Park and Botanic Garden, Western Australia









Río Grande Scarlet Purslane



Río Grande Orange Purslane



Río Grande Yellow Purslane



Río Grande White Purslane





Magilla Purple Perilla



Mona Lavender Plectranthus



'Persian Shield' Strobilanthes

PURSLANE OPERATION Portulaca oleracea

### RÍo Grande™

**Height:** 3 to 4 in. (8 to 10 cm) **Spread:** 10 to 12 in. (25 to 30 cm)


Well-matched in vigor, controlled habit and good branching. Exceptionally large flowers in a vibrant range of core colors – beautiful in baskets. Rugged performer thrives in heat and keeps flowering all Summer.

### PURSLANE O Portulaca grandiflora

### Fairytales Cinderella

**Height:** 4 to 8 in. (10 to 20 cm) **Spread:** 14 to 16 in. (36 to 41 cm)

The largest double blooms on the market. Heat and drought-tolerant, this easy-care, low-spreading plant works well in baskets, large containers, landscapes and rock gardens.



### PERILLA O Perilla frutescens

### Magilla® Purple

**Height:** 24 to 36 in. (61 to 91 cm) **Spread:** 12 to 18 in. (30 to 46 cm)

Striking, multi-color accent plant is extremely well-branched and vigorous, so fewer inputs are needed. Fills in mixed containers fast, and delivers great heat tolerance and Summer performance.

### PLECTRANTHUS Plectranthus x hybrida

### Mona Lavender

**Height:** 12 to 16 in. (30 to 41 cm) **Spread:** 24 to 36 in. (61 to 91 cm)

Easy to program for flower timing. Versatile Mona Lavender stands up to high heat in production – it's a terrific northern Fall product and a staple in the South. Requires short days to flower.

KIRSTENBOSCH is a U.S. registered trademark of the South African National Biodiversity Institute.



### STROBILANTHES • • Strobilanthes dyerianus

### 'Persian Shield'

**Height:** 18 to 24 in. (46 to 61 cm) **Spread:** 24 in. (61 cm)

Very vigorous with excellent heat tolerance. Works well in mixed containers, baskets and window boxes.

## **Mysty & Mystic Spires**

Soaring pinnacles of success



Luis Munoz Culture Research Technician

### **Compact Mysty is Great for Combos**

Mysty brings a whole new spec to salvia, and actually produces well in small pots and plays well in combos.

### Regional culture recommendations West Region

We found that Mysty Salvia can be successfully grown without PGR. PGR applications shortened flower spikes. A B-Nine 2,500 ppm spray application 2 weeks after transplant will slightly tone plant. See picture below showing Mysty with no PGR.

### Midwest, Canada and **Northeast Regions**

Mysty Salvia can be successfully grown without PGRs. If needed, low B-Nine or B-Nine/Cycocel tank mix applications help slightly tone plant. See ballfloraplant.com for full trial details, including PGR rates.

### South and **Southeast Regions**

Mysty Salvia can be produced with no PGR for all target production weeks later than week 5. For all target production before week 5, a 1 ppm Bonzi drench will help to reduce the length of the flower stems.





SALVIA 🔍 Salvia longispicata x farinacea

### **Mystic Spires**

Height: 18 to 24 in. (46 to 61 cm) Spread: 12 to 18 in. (30 to 46 cm)

This impressive salvia offers excellent Summer garden performance, with longer flower hold for a brighter blue flower color in the garden. A premium variety that can command a higher price point. The sturdy, dark green-leafed plants are naturally compact, well-branched and very free-flowering. Heat-hardy plants are great for late Spring/ Summer programs. This dwarf 'Indigo Spires' type is well-suited to landscapes and mixed containers.

### Mysty

Height: 12 to 18 in. (30 to 46 cm) **Spread:** 12 to 18 in. (30 to 46 cm)

This compact salvia is about 25 to 35% less vigorous than Mystic Spires, making it a better variety for mixes. Covered with true blue flowers all season, the dark greenleafed plants are naturally more compact, well-branched and very free-flowering. Heat-hardy plants are great for late Spring/Summer programs. Ideal for middle of the garden borders and 10 to 12-in. (25 to 30-cm) mixed containers.



'Black & Bloom' Salvia



Burgundy Wink



Sunny Arizona Glow Thunbergia



'Black & Blue' Salvia



Violet Wink



Sunny Lemon Star Thunbergia



Sunny Orange Wonder Thunbergia

SALVIA Salvia guaranitica

### 'Black & Bloom'

**Height:** 36 to 48 in. (91 to 122 cm) **Spread:** 36 to 48 in. (91 to 122 cm)

Makes a big impact with a thicker leaf, bigger bloom and darker stem than Black & Blue. Tough as nails – it thrives in heat, drought and humidity. Very fast to finish and easy to grow, requiring very little attention. Desirable deep blue color against a black stem stands out in every landscape or container. Ideal for 4-in. (10-cm), 1-gallon and 2-gallon pots.

### 'Black & Blue'

**Height:** 24 to 36 in. (61 to 91 cm) **Spread:** 12 to 18 in. (30 to 46 cm)

Very vigorous, well-branched plants show off large, dark blue flowers over dark green, velvety leaves. Heat-hardy plants are great for late Spring/Summer programs.



### **Burgundy Wink and Violet Wink**

**Height:** 8 to 10 in. (20 to 25 cm) **Spread:** 12 to 18 in. (30 to 46 cm)

Excellent Powdery Mildew resistance – needs fewer chemical applications.

Fast off the bench and on to retail shelves.


Performs beautifully in baskets, mono and mixed containers.

### THUNBERGIA O Thunbergia alata

### Sunny™

**Height:** 60 to 96 in. (152 to 244 cm) **Spread:** 16 to 24 in. (41 to 61 cm)

Ball FloraPlant is the only source for in-demand unrooted thunbergia cuttings. This vigorous vine produces very large, brightly colored flowers all Summer. Sunny has a short crop time under warm conditions. Great for baskets, large containers and upright vining areas.



# **NEW Cadet Upright**<sup>™</sup>

Falls in line with an upright habit



Eric Pitzen
Territory Manager Southeast/
Southwest

Cadet Upright is the best choice for your 1 qt. verbena production. It is naturally compact. Follow these regional culture recommendations to get the perfect quart every time.

### **West Region**

We were able to successfully grow Cadet Upright Verbena with no PGRs under cool nights with average daily temperatures of 60°F (16°C) or less. We pinched approximately 4 weeks after stick and transplanted 2 weeks after



pinch. When ADT exceeds 60°F (16°C), we recommend B-Nine 2,500/Cycocel 750 ppm tank mix spray 2 weeks after transplant.

### Midwest, Canada and Northeast Regions

With low light levels during Midwest Spring conditions, a 1 ppm Bonzi drench 4 weeks after transplant held plants and controlled excessive growth with no effect on flowering.

### **South and Southeast Regions**

An early spray application to liners of 3 ppm Bonzi 2 weeks prior to transplant is recommended to promote branching and tone plants. We were able to successfully grow Cadet Upright Verbena with no finishing PGRs with average daily temperatures in excess of 72°F (22°C). If temperatures spike late in the crop cycle, use a Bonzi 1 ppm drench.





Hot Pink Wink

Red



Purple

White

### VERBENA • • Verbena peruviana

### **NEW** Cadet Upright™

**Height:** 8 to 10 in. (20 to 25 cm) **Spread:** 12 to 14 in. (30 to 36 cm)

Flowers one week earlier than other upright verbena on the market.

Most uniform habit across the series compared to the competition.

Features the same heat performance as EnduraScape in a compact patio pot habit.

All colors can be treated the same culturally.

Proven superior Powdery Mildew resistance when compared to the competition.

Ideal for quart and high-density, pot-tight production, as they won't tangle on the bench.

## **NEW Firehouse**<sup>™</sup>

### Stands tough when the heat rises



Santiago Brown Director of Research and Development

I am so excited to bring you Firehouse, a true game-changer in the medium-vigor verbena class. We put a stop to verbenas cycling out of color in baskets and combos.

### West Region

To finish Firehouse, use B-Nine 2,500/Cycocel 750 ppm spray applications 2 weeks after transplant. **NEW Firehouse Light Pink**, pictured below, was treated with B-Nine/Cycocel 750 ppm spray in California trials.





### Midwest, Canada and Northeast Regions

An application of Florel at 300 ppm 2 weeks after transplant produces tighter, more toned gallons. A Bonzi 1 ppm drench can be helpful 3 to 4 weeks prior to shipping product, especially if greenhouse temperatures increase rapidly.

### **South and Southeast Regions**

Firehouse starts with good liner production, and it is recommended to tone liners with B-Nine 2,500 ppm or a very light Bonzi spray of 0.5-1 ppm. An application of Florel at 300 ppm 2 weeks after transplant produces tighter, more toned gallons.





### **NEW** Firehouse™

**Height:** 8 to 10 in. (20 to 25 cm) **Spread:** 18 to 22 in. (46 to 56 cm)

The perfect medium-mounded basket and mixed container verbena.

Offers a full range of colors to replace the Aztec® series for medium-habit verbena.

Same superior garden performance in the heat as EnduraScape.

Less cycling means more color in the garden for Summer.

Excellent Powdery Mildew resistance.

# **EnduraScape**<sup>™</sup>

### Color that won't quit



Rick Mast Sales Manager

## Regional culture recommendations West Region

Finish in an outdoor cold frame, where it can receive natural night temperatures as low as 32°F (0°C). PGRs are generally not needed unless average daily temperatures (ADT) exceed 54°F (12°C), at which time we would recommend a 2 ppm Bonzi drench. EnduraScape Red generally does not need PGRs when ADT exceeds 54°F (12°C).



### Midwest, Canada and Northeast Regions

Cultural trials show an application of Bonzi at 2 ppm 10 days after transplant controls the growth of this series. A second Bonzi at 2 ppm roughly 38 days after transplant further improves EnduraScape's habit. For EnduraScape Red production, it responds to a B-Nine 2,500 ppm spray at 2 weeks and 4 weeks after transplant.

### **South and Southeast Regions**

Finish in an outdoor cold frame, where it can receive natural night temperatures as low as 32°F (0°C). PGRs are generally not needed unless average daily temperatures (ADT) exceed 54°F (12°C), at which time we would recommend a 2-4 ppm Bonzi drench. EnduraScape Red generally does not need PGRs when ADT exceeds 54°F (12°C).





## Canada



Yves Cournoyer
Regional Sales Director



Bliss-Cooling
Beamsville, ON
289 668-2810
Fax: 630 520-9075
bbcooling@ballhort.com
Eastern portion of Ontario's
Niagara Region

**Brenda** 



Mireille Bourgon

1051 Rte. 340
Saint-Telesphore, QC J0P 1Y0
450 269-2580
Fax: 450 269-1004
mbourgon@ballhort.com
Northern and Eastern Quebec



Karen Brown
Chilliwack, BC
604 997-2737
Fax: 630 520-9107
kabrown@ballhort.com
Eastern Fraser Valley,
Northern BC and Yukon



4883 42B Avenue Delta, BC V4K 1A6 **604 940-7002** Fax: 604 940-7069 ccrofton@ballhort.com Vancouver (Lower Mainland); British Columbia

**Carla Crofton** 



Max Epp, Jr.
36 Elite Road
Caledon, ON L7K 0L1
519 939-8110
Fax: 630 520-9097
mepp@ballhort.com
Eastern and Central Ontario



Duayne Friesen
165 Camirant Crescent
Winnipeg, MB R3X 1T1
204 253-8927
Fax: 630 520-9138
dfriesen@ballhort.com
Manitoba; Northwestern
Ontario



Joey Gordon
P.O. Box 348
1846 Black River Road
Oxford, NS BOM 1P0
902 447-2211
Fax: 630 520-9100
jgordon@ballhort.com
Atlantic Provinces



Manon Lemieux
634 Rue Du Berger
Deux Montagnes,
QC J7R 6G9
450 983-7042
Fax: 866 549-7210
Cellular: 514 799-5259
mlemieux@ballhort.com
Southwestern Quebec



James Robertson

10793 McSween Road
Chilliwack, BC V2P 6H5
604 792-0477
Fax: 604 792-0887
jrobertson@ballhort.com
Eastern Fraser Valley,
British Columbia



388 Park Ridge Place Qualicum Beach, BC V9K 2S6 250 668-8525 Fax: 630 520-9130 jvanbeveren@ballhort.com Vancouver Island, British Columbia; Saskatchewan

John Van Beveren



Allan van Staalduinen 273 Strathcona Drive Burlington, ON L7L 2C9 905 978-2255 Fax: 888 873-2212 astaalduinen@ballhort.com Southwestern Ontario





100 Eastcott Drive
St. Albert, AB T8N 7G5
780 418-1769
Fax: 630 520-9133
Cellular: 780 218-3898
gwood@ballhort.com
Alberta

**Geoff Wood** 

## **Great Lakes**



Yves Cournoyer Regional Sales Director



Jason C. Adams 2325 Chartwell St. Carmel, IN 46032 317 442-0778 Fax: 317 245-2100 jadams@ballhort.com Indiana



Chris Bernacchi Marysville, OH 937 644-5050 Fax: 630 520-9086 cbernacchi@ballhort.com Central and Southwestern Ohio



Matt Freeman
Portage, MI
269 760-8616
Fax: 630 520-9099
mfreeman@ballhort.com
Southwestern Michigan



Doug Gortsema
222 Howard Ave.
Grand Haven, MI 49417
616 292-4886
Fax: 630 520-9101
dgortsema@ballhort.com
Northwestern section of
Michigan's Lower Peninsula



Ginny Hodgson
114 S. Sunrise St.
Roanoke, IL 61561
217 801-0811
Fax: 630 520-9159
ghodgson@ballhort.com
Central and
Northwestern Illinois



Clay Johnson
Oxford, MI
586 232-4446
Fax: 630 520-9152
Cellular: 810 459-4394
ClayJohnson@ballhort.com
Northeastern section of
Michigan's Lower Peninsula




Sara Sturt
Swanton, OH
419 356-4240
Fax: 630 520-9073
ssturt@ballhort.com
Southeastern Michigan



Thomas-Stachon 6N179 Old Farm Lane St. Charles, IL 60175 630 945-3348 Fax: 630 945-3349 Ithomas@ballhort.com Chicagoland area of Illinois

Laura



## **Midwest**



Ron Brum
Regional Sales Director



Greg Bogart
537 Sunset Drive
Hartford, WI 53027
262 673-0266
Fax: 262 673-0160
gbogart@ballhort.com
Michigan's Upper Peninsula;
Eastern Wisconsin



Coy H. Butner III

4 Ridgecrest Lane
Dallas Center, IA 50063
816 262-1865
Fax: 630 520-9090
cbutner@ballhort.com
Western lowa; Northwestern
Missouri; Eastern Nebraska



Bob Cashman
535 Rowena Curve
New Market, MN 55054
952 461-6501
Fax: 630 520-9091
Cellular: 612 978-3194
bcashman@ballhort.com
South Central Minnesota



Mike DeRee
922 W. Maywood Street
Wichita, KS 67217
316 258-0032
Fax: 316 462-5529
mderee@ballhort.com
Kansas; West Central and
Southwestern Missouri;
Central Nebraska



Russell K. Emerson
3526 10th Street South
Fargo, ND 58104
701 261-1175
Fax: 630 520-9096
remerson@ballhort.com
North Dakota; Eastern South
Dakota; Northern, Western
and Southwestern Minnesota;
and Wisconsin



Kevin Roethle
Ridgeway, WI
608 553-1283
Fax: 630 293-2572
kroethle@ballhort.com
Central and Northwestern
Wisconsin



Derek Schrof 3042 Bella Vista Ct. Highland, IL 62249 618 654-4574 Fax: 630 520-9121 dschrof@ballhort.com Southern Illinois; Eastern Missouri



Tom Seery
1600 Red Oak Drive
Coralville, IA 52241
319 541-2809
Fax: 319 351-6951
tseery@ballhort.com
Eastern and Central Iowa



Parker, CO
303 551-2515
Fax: 630 520-9127
sstauber@ballhort.com
Colorado; Western Nebraska;
Northern New Mexico;
Wyoming, except for western
and northern counties



## **Northeast**



Jerry Mahoney
Regional Sales Director
P.O. Box 329
Southbury, CT 06488
630 291-4176
Fax: 630 293-2549
jmahoney@ballhort.com
Fairfield County, Connecticut;
New York – Rockland and
Westchester Counties,
Metropolitan New York City,
Long Island



Lynne Blye
Epsom, NH
603 724-1361
Fax: 630 520-9149
Iblye@ballhort.com
Maine; Essex County,
Massachusetts;
New Hampshire; Clinton,
Essex, Franklin, Warren and
Washington Counties, New
York; Vermont



Andy Brown
4520 Crooked Hill Road
Harrisburg, PA 17110-3404
717 540-9709
Fax: 630 520-9089
Cellular: 717 579-7123
abrown@ballhort.com
Maryland panhandle;
Central Pennsylvania;
Eastern West Virginia;
Frederick County, Virginia



John Jensen

Pittsford, NY
585 330-5751

Fax: 630 520-9104

jjensen@ballhort.com
Upstate New York, except
Clinton, Essex, Franklin,
Rockland, Warren,
Washington and
Westchester Counties



Bob Luczai
8 Gould Road
Bedford, MA 01730
508 935-8264
Fax: 781 275-8668
bluczai@ballhort.com
Eastern Massachusetts,
except Essex County



Jeremy Mahoney
Westchester, PA
203 233-3634
Fax: 630 520-9137
jeremymahoney@
ballhort.com
Southern New Jersey;
Eastern Pennsylvania




Mitchell Rand
Guilford, CT
203 453-5567
Fax: 630 520-9080
Cellular: 203 506-7783
mrand@ballhort.com
Connecticut, except
Fairfield County;
Western Massachusetts;
Rhode Island



Gene Stickley
Yardley, PA
610 952-1159
Fax: 215 750-1461
gstickley@ballhort.com
Northern and Central
New Jersey



Ken Swimkosky
20 Schuler Lane
Coraopolis, PA 15108
412 264-0078
Fax: 412 264-0079
Cellular: 412 491-8175
kswimkosky@ballhort.com
Eastern Ohio; Western
Pennsylvania; Northern
West Virginia



## **Pacific**



Ron Brum
Regional Sales Director



John Alexander

Arroyo Grande, CA

805 720-0654

Fax: 866 634-9595

jalexander@ballhort.com

Central California – Peninsula
and South Bay to Santa

Barbara and east to the

Sierra Nevadas



John Crisp
Wilsonville, OR
541 604-0533
Fax: 630 520-9157
jcrisp@ballhort.com
Western and Central Oregon



Brian Harned
Temecula, CA
951 312-9463
Fax: 630 520-9102
bharned@ballhort.com
California – Orange,
Riverside and
San Bernardino Counties;
Hawaii



Don Humphries
St. George, UT
435 668-3306
Fax: 630 520-9103
dhumphries@ballhort.com
Arizona; Eastern Nevada;
Utah; far western counties
of Wyoming



Miriam Levy
Carlsbad, CA
760 929-0681
Fax: 760 929-0684
Cellular: 760 522-1899
mlevy@ballhort.com
California – San Diego and
Imperial Counties



Jose Sanchez

Placentia, CA

805 223-1785

Fax: 630 520-9118

jsanchez@ballhort.com
(Se habla Espanol)

California – Kern, Kings,
Los Angeles, Tulare and
Ventura Counties in the south;
North Bay and Northern
California; Western Nevada



P.O. Box 129
Nine Mile Falls, WA 99026
509 599-0281
Fax: 630 520-9124
dsontag@ballhort.com
Alaska; Idaho; Montana;
Eastern Oregon; Western
South Dakota; Eastern
Washington;
Northern Wyoming



Craig Yoshida
Redmond, WA
425 836-4550
Fax: 630 520-9134
Cellular: 503 481-7680
cyoshida@ballhort.com
Western Washington



## **Southeast**



**Glenn Wilson**Regional Sales Director



Ryan Brandt
Charlotte, NC
919 606-5560
Fax: 630 562-7990
rbrandt@ballhort.com
Western North Carolina;
Central and Northeastern
South Carolina



Chris Corwin
3700 Chaneyville Road
Owings, MD 20736
410 286-9774
Fax: 630 520-9093
Cellular: 301 366-3235
ccorwin@ballhort.com
Delaware; Maryland, except the
Western Panhandle; Delmarva
Peninsula, Virginia; Washington DC



Matt Higgs
Cincinnati, OH
513 464-1355
Fax: 630 562-7622
mhiggs@ballhort.com
Eastern Kentucky;
Western Virginia; Southern
West Virginia



Nathan D. King P.O. Box 6462 Athens, GA 30604 706 540-1613 Fax: 630 520-9106 nking@ballhort.com Georgia; Northwestern and Southeastern South Carolina




John McBryde
4351 Bell Road
Montgomery, AL
36116-2205
334 324-7399
Fax: 630 520-9111
jmcbryde@ballhort.com
Alabama; Florida, except
Broward, Collier, Miami-Dade
and Monroe Counties



Al Newsom
Raleigh, NC
919 274-7578
Fax: 630 520-9114
anewsom@ballhort.com
Eastern North Carolina



Peter Scherzer
Midlothian, VA
804 363-5550
Fax: 630 520-9120
pscherzer@ballhort.com
Eastern Virginia, except
Delmarva Peninsula and
Frederick County



## Southwest



Glenn Wilson Regional Sales Director



Michele André
New Orleans, LA
504 554-9737
Fax: 630 520-9081
mandre@ballhort.com
Southern Louisiana; Southern
Mississippi



Maria Bolinger

1004 Falling Leaf Lane
Hendersonville, TN 37075
615 308-1049
Fax: 630 520-9088
mbolinger@ballhort.com
Western Kentucky; Tennessee



Sabrina Childs
3950 CR 422
Ripley, MS 38663
662 587-5472
Fax: 630 520-9092
schilds@ballhort.com
Arkansas; Northern
Louisiana; Northern
Mississippi; Eastern
Oklahoma; Northeastern Texas



George A. Freas
P.O. Box 1362
Glen Rose, TX 76043
254 897-3696
Fax: 254 897-3198
Cellular: 254 326-8144
gfreas@ballhort.com
Southern New Mexico;
Southwestern Texas



Susannah McCoy
Northlake, TX
940 391-6983
Fax: 630 520-9168
smccoy@ballhort.com
Western Oklahoma; Texas –
Dallas and counties northwest
to the Oklahoma border, and
select counties east to the
Louisiana border



Bill Wilson
400 Juniper Trail
Kingsland, TX 78639
512 751-7351
Fax: 630 520-9132
bwilson@ballhort.com
South-Central Texas



## **Product Forms**

Ball FloraPlant offers the most flexible options of any producer, including unrooted and Genesis™ cuttings, plus several liner choices and pre-finished material. The freshest cuttings and liners from the top regional supply network grow into the most fantastic plants.

















#### **UNROOTED CUTTINGS**

- Wide range of products from a single supplier... "one-stop shopping"
- · Lowest input cost
- Cuttings arrive in-line in perforated bags for easy handling
- · Guaranteed freight rates

NOTE: Minimum order of 1,000 quantity for GE and SG cuttings

### GENESIS™ DIRECT-STICK CUTTINGS

- Shorter crop time than URCs cuts rooting time in half
- Reduces propagation time and eliminates transplanting labor
- Faster root development, improved branching, better-quality plants
- · Requires less heat, so input costs are lower

### AUTOSTIX™ STRIP CUTTINGS

- Same high-quality unrooted cuttings from Las Limas in a form for automated transplanting
- Comes in a biodegradable strip

### MIXMASTERS™ MULTILINERS

- All components sourced from Las Limas
- Three single-stuck cuttings grow together into one healthy multiliner to produce perfectly balanced combos
- Offers 100% complete "recipes" with nothing missing
- Produces more predictable, programmable mixes

### STANDARD ROOTED LINERS

- 100% transplantable yield means reduced shrink
- Widest range of products available
- Truck delivery from the Ball Regional Supplier Network assures economical, efficient shipping – see more on our rooting stations on page 5.
   FedEx delivery is also available.
- Many varieties are available in the Ball Spring Speculation program fill your last-minute needs easily and affordably

### **HIGH-DENSITY LINERS**

- 100% transplantable yield means reduced shrink
- Eliminates handling of unrooted cuttings
- Freight savings compared to standard liners
- Similar finish time as standard liners

### **QUICK TURN LINERS**

- 4-week finish time on 4-in. (10-cm) pots and quarts for quick turns and added turns
- Saves energy
- Truck delivery from the Ball Regional Supplier Network assures economical, efficient shipping see more on our rooting stations on page 5

### PRE-FINISHED PLANTS

- Fast finish for quick turns and added turns
- · Saves energy
- Reduces costs no transplanting, materials or special handling required, and there is no need for specialized expertise or facility
- Truck delivery from the Ball Regional Supplier Network assures economical, efficient shipping see more on our rooting stations on page 5

## Propagation guide

CROP	TRAY SIZE(S) (CELLS/TRAY)	ROOTING HORMONE	AVERAGE DAYS WITH MIST	PINCH	AVERAGE PROPAGATION TIME (WEEKS)	COMMENTS
ALTERNANTHERA	50, 72, 84, 104, 209	No	6-8	Yes	3-4	Stick cuttings immediately upon arrival to avoid breakdown.
ANGELONIA	50, 72, 84, 105	No	7-9	Yes	3-4	Avoid stretch. Pinch 18-21 days after sticking.
ARGYRANTHEMUM	50, 72, 84, 105	No	4-7	No	3-4	Avoid water stress.
BACOPA (SUTERA)	50, 72, 84, 105	No	6-8	Yes	3	Stick 1 cutting per cell.
BIDENS	32, 50, 72, 84, 105	No	6-9	Yes	3-4	Reduce mist as soon as possible.
BRACHYSCOME	32, 50, 72, 84, 105	Yes	6-8	Yes	4-5	Avoid burying growing point. Reduce mist as soon as possible. Stick 2 cuttings per cell.
BRACTEANTHA	50, 72, 84, 105	No	6-9	No	3	Reduce mist as soon as possible.
CALIBRACHOA	50, 72, 84, 105	No	6-8	Yes	3-4	Avoid wide fluctuations in soil moisture. Apply preventative fungicide drench at 18-21 days after sticking.
COLEUS	50, 72, 84, 105	No	4-6	No	2-3	Avoid stretch. Transplant on time. A B-Nine spray (1,500-2,000 ppm) 10-12 days after stick can help to reduce stem elongation.
CUPHEA	50, 72, 84, 105	No	6-8	Yes	3-4	Stick 2 cuttings per cell for Allyson Heather.
DAHLIA	50, 72, 84, 105	Yes	7-10	Optional	3-4	Hormone will improve rooting. Night-break lighting (10 p.m. to 2 a.m.) will reduce likelihood of tuber formation.
DIASCIA	50, 72, 84, 105	No	6-9	Yes	3-4	Stick 2 cuttings per cell.
EUPHORBIA	50, 72, 84, 105	Optional	7-10	Yes	3-4	Ethylene sensitive – stick as soon as possible. Flower buds are common in propagation. Reduce mist as soon as possible.
EVOLVULUS	50, 72, 84, 105	Optional	6-10	Yes	3-4	Apply preventative fungicide spray after sticking. Reduce mist as soon as possible.
GAURA	32, 50, 72, 84, 105	No	6-9	Yes	4-9*	Pinch 14-21 days after sticking.
GERANIUM (IVY)	See Comments	Optional (increases uniformity/ speed of rooting)	9-13	No	4-5	Stick immediately upon arrival. Geraniums are best rooted in a media in strip form to allow for maximum air flow and avoid foliage overlap. Ivy geraniums require 25-30% less mist in propagation compared to zonals. Propagate under separate mist programs. Remove flower buds at transplanting.
GERANIUM (ZONAL)	See Comments	Optional (increases uniformity/ speed of rooting)	9-12	No	3-4	Stick immediately upon arrival. Geraniums are best rooted in media in strip form to allow for maximum airflow and avoid foliage overlap. After initial rehydration, careful misting is required to optimize callus and root initiation. Mature leaves should show slight wilting at midday and regain turgor in the late afternoon under ideal mist conditions. Leaf petiole wilting indicates undermisting. Overmisting leads to <i>Botrytis</i> . Remove flower buds at transplanting.
HELICHRYSUM	50, 72, 84, 105	Optional	7-10	Optional	3-4	Propagate in low-volume mist group. Avoid high feed on foliage. High humidity tents are effective. Pinch as needed to shape plants or hold crop.
HELIOTROPE	50, 72, 84, 105	Optional	6-9	No	3-4	Stick immediately upon arrival. Apply preventative fungicide spray after sticking. Reduce mist as soon as possible.
IMPATIENS (DOUBLE)	50, 72, 84, 105	No	5-8	No	2-3	Reduce mist as soon as possible to reduce stretch. Transplant on time.
IMPATIENS (EXOTIC)	50, 72, 84, 105	No	5-8	No	3	Avoid saturated media. Reduce mist as soon as possible. To reduce stretch, transplant on time.
IMPATIENS (INTERSPECIFIC)	50, 72, 84, 105	No	6-8	No	3	Reduce mist as soon as possible to reduce stretch. Transplant on time.
IMPATIENS (NEW GUINEA)	50, 72, 84, 105	No	7-8	No	3-4	Apply preventative fungicide spray after sticking. Reduce mist as soon as possible. Scout regularly for <i>Botrytis</i> .

CROP	TRAY SIZE(S) (CELLS/TRAY)	ROOTING HORMONE	AVERAGE DAYS WITH MIST	PINCH	AVERAGE PROPAGATION TIME (WEEKS)	COMMENTS
IPOMOEA	50, 72, 84, 105	No	3-4	Optional	3-4	Move rooted cuttings off mist quickly to avoid stretch. Ipomoea URC do not like to be stored, so stick immediately. Cooling cuttings can actually do damage, so it is recommended that if you do store cuttings, do not put them in a cooler and maintain temperatures at 55-60°F (13-16°C).
IRESINE	50, 72, 84, 105	No	4-7	No	3-4	Apply Bonzi spray 3-5 ppm on Blazin' Rose between Days 7-11 to control early stretch.
LAMIUM	32, 50, 72, 84, 105	No	6-9	Yes	3-4*	Reduce mist as soon as possible to reduce stretch. Transplant on time.
LANTANA	50, 72, 84, 105	Optional	7-11	Yes	4-5	Stick immediately upon arrival. Apply preventative fungicide spray after sticking.
LOBELIA	50, 72, 84, 105	Optional	6-9	Optional	4-5	Hormone will improve rooting. Pinch 18-21 days after sticking to improve branching.
LOBULARIA	50, 72, 84, 105	No	6-9	Yes	3-4	Apply preventative fungicide spray after sticking. Reduce mist as soon as possible.
LYSIMACHIA	32, 50, 72, 84, 105	No	6-9	Yes	3-4	Reduce mist as soon as possible to reduce stretch. Transplant on time.
MECARDONIA	105, 207	Yes	6-8	Yes	4	Rooting hormone is recommended but not required.
NEMESIA	50, 72, 84, 105	No	6-9	Yes	3-4	Stick 2 cuttings per cell.
OSTEOSPERMUM	32, 50, 72, 84, 105	Yes	9-12	Optional	3-4	Maintain uniformity in mist and soil temperature. Do not allow cuttings to wilt. Pinch to increase branching.
PERILLA	50, 72, 84, 105	No	4-7	No	2-3	Avoid stretch. Reduce mist as soon as possible to reduce stretch. Transplant on time.
PETCHOA	50, 72, 84, 105	No	6-8	Yes	3-4	Avoid wide fluctuations in soil moisture. Apply preventive fungicide drench at 18-21 days after sticking.
PETUNIA	50, 72, 84, 105	No	6-9	No	3-4	Avoid stretch by moving crop to cooler air temperature in second and third weeks of propagation. Transplant on time.
PLECTRANTHUS	50, 72, 84, 105	No	6-10	Optional	3-4	Apply preventative fungicide spray after sticking.
PURSLANE	50, 72, 84, 105	No	4-7	Yes	2-3	Pinch as needed to remove flower buds and improve habit.
SALVIA	32, 50, 72, 84, 105	No	5-8	Optional	3-6*	Apply B-Nine (2,500 ppm) spray in propagation once between Day 9 and 11. Reapply after transplant if growing under long days.
SCAEVOLA	50, 72, 84, 105	Optional	7-10	Yes	3-4	Reduce mist as soon as possible. Maintain warm soil temperature to optimize rooting.
STROBILANTHES	50, 72, 84, 105	No	7-12	Optional	4-5	Pinch 18-21 days after sticking to improve branching. Allow root system to develop sufficiently before transplanting.
THUNBERGIA	50, 72, 84, 105	No	7-12	Yes	4-5	Stick immediately upon arrival. Spray immediately after sticking with a surfactant such as CapSil to help rehydrate unrooted cuttings. Use night mist for 7-8 days as needed. Avoid wilt during first 24-48 hours.
VERBENA	50, 72, 84, 105	No	6-9	Yes	3-4	Reduce and then eliminate mist as soon as possible. Apply preventative fungicide spray after sticking.

<sup>\*</sup>Average propagation time for perennials includes 3-5 weeks to bulk-up the liner before beginning cold treatment when started in late Summer or early Autumn.

## Annual culture guide

CROP	SERIES/VARIETY	SOIL PH	LIGHT LEVELS (FC)	TEMPERATURE DAY	TEMPERATURE NIGHT	FERTILIZATION (PPM N)	NO. OF PINCHES	
				1				
ALTERNANTHERA	Red Threads	5.8-6.2	4,000-8,000	74-85°F (23-29°C)	62-70°F (16-21°C)	175-225	1	
ANGELONIA	AngelMist <sup>®</sup>	5.8-6.2	6,000-10,000	74-85°F (23-29°C)	62-70°F (16-21°C)	175-225	0-2	
ANGELONIA	Archangel™	5.8-6.2	6,000-10,000	74-85°F (23-29°C)	62-70°F (16-21°C)	175-225	0-2	
ARGYRANTHEMUM	Madeira™	5.8-6.2	6,000-9,000	65-79°F (18-26°C)	50-61°F (10-16°C)	225-300	0-1	
BACOPA	MegaCopa™	5.4-5.8	4,000-8,000	65-76°F (18-24°C)	56-61°F (13-16°C)	175-225	1-2	
BIDENS	Bee Alive	5.8-6.2	5,000-9,000	59-76°F (15-24°C)	53-61°F (11-16°C)	175-225	1-3	
BIDENS	Bee Bold, Bee Happy	5.8-6.2	5,000-9,000	59-76°F (15-24°C)	53-61°F (11-16°C)	175-225	1-2	
BIDENS	Sun Drop Compact, Sunbeam	5.8-6.2	5,000-9,000	59-76°F (15-24°C)	53-61°F (11-16°C)	175-225	1-3	
BIDENS	Sun Drop™	5.8-6.2	5,000-9,000	59-76°F (14-24°C)	62-65°F( 11-16°C)	175-225	1-3	
BRACHYSCOME	Amethyst, Enduring Blue	5.8-6.2	5,000-9,000	65-73°F (18-22°C)	56-61°F (13-16°C)	175-225	0-1	
BRACHYSCOME	Radiant Magenta	5.8-6.2	5,000-9,000	65-76°F (18-24°C)	62-67°F (16-19°C)	200-225	0-1	
BRACTEANTHA	Dreamtime®	5.8-6.2	5,000-8,000	65-76°F (18-24°C)	56-61°F (13-16°C)	175-225	0-1	

Crop Time from Rooted Cutting\*

4 TO 5-IN. (10 TO 13-CM) POTS	6-IN. (15-CM) POTS, GALLONS	10 TO 12-IN. (25 TO 30-CM) POTS OR BASKETS	PLANT GROWTH REGULATORS (S) SPRAY (D) DRENCH	PESTS	DISEASES	COMMENTS
1 ppp, 6-8 weeks	1-2 ppp, 8-10 weeks	3-5 ppp, 10-12 weeks	Generally not needed. B-Nine(S) 2,500 ppm.	Spider mites	None	Pinch for better branching and shape.
1 ppp, 4-6 weeks	1-3 ppp, 7-9 weeks	3-5 ppp, 10-12 weeks	Generally not needed. B-Nine(S) 1,500-3,000 ppm and Cycocel 750-1,000 ppm tank mix(S). Avoid Florel use.	Whitefly, caterpillars	Root rot, Botrytis	High light will significantly improve plant quality by encouraging branching, earlier flowering and the ideal plant habit growth. Best-suited to mid to late Spring and Summer programs.
1 ppp, 5-8 weeks	1-3 ppp, 7-9 weeks	3-5 ppp, 10-12 weeks	Generally not needed. B-Nine (S) 1,500-3,000 ppm and Cycocel 750-1,000 ppm tank mix (S). Avoid Florel use.	Whitefly, caterpillars	Root rot, Botrytis	High light will significantly improve plant quality by encouraging branching, earlier flowering and the ideal plant habit growth. Best suited to mid to late Spring and Summer programs.
1 ppp, 6-9 weeks	1-3 ppp, 7-10 weeks	3-5 ppp, 9-12 weeks	B-Nine 1,500-2,000 ppm and Cycocel 750-1,000 ppm tank mix(S) or Bonzi(D) 2-5 ppm to control growth.	Whitefly, leafminers, aphids	Root rot, Botrytis	High light and cool temperatures produce high-quality plants.
1-2 ppp, 5-7 weeks	2-3 ppp, 7-10 weeks	4-5 ppp, 8-12 weeks	Generally not needed. B-Nine spray 1,000-1,500 ppm can be used sparingly to tone and control spread. Florel spray 150-200 ppm will reduce early flowering and increase branching.	Thrips, aphids	Root rot, Botrytis	Pinch as needed to shape. Grow Bacopa bright and cool to maximize branching and encourage best possible habit. Test soil regularly for high pH/iron deficiency. Refer to the MegaCopa Series Bacopa Grower Facts at ballfloraplant.com for detailed culture information.
1 ppp, 5-7 weeks	2-3 ppp, 6-8 weeks	4-5 ppp, 6-9 weeks	PGR is generally not needed, as the genetic is genetically compact. Bee Alive responds well to B-Nine applications at rates below 2,500 ppm.	Fungus gnats	Root and stem rot	Pinch for better branching and shape.
1-2 ppp, 5-7 weeks	1-3 ppp, 6-8 weeks	4-5 ppp, 6-9 weeks	B-Nine(S) 2,500 ppm. Also responds to Sumagic(S) 3-5 ppm or Sumagic(D) 0.25 ppm.	Fungus gnats	Root and stem rot	Pinch for better branching and shape.
1 ppp, 5-7 weeks	2-3 ppp, 6-8 weeks	4-5 ppp, 6-9 weeks	B-Nine(S) 2,500 ppm. Also responds to Sumagic(S) 3-5 ppm or Sumagic(D) 0.25 ppm.	Fungus gnats	Root and stem rot	Pinch for better branching and shape.
1ppp, 5-7 weeks	2-3ppp, 6-8 weeks	4-5ppp, 6-9 weeks	B-Nine(S) 2,500 ppm.	Fungus Gnats	Root and Stem Rot	Pinch for better branching and shape.
1 ppp, 4-6 weeks	2-3 ppp, 6-8 weeks	4-5 ppp, 12-14 weeks	Generally not needed. Enduring Blue is more naturally compact than Amethyst.	Thrips, whitefly	Botrytis, Thielaviopsis	Cool temperatures and high light will produce the best habit. Amethyst is best-suited for larger finish containers (1 gallon and up), while Enduring Blue is compact and suitable for finish containers up to 1 gallon.
1 ppp, 4-6 weeks	1-2 ppp, 6-8 weeks	4-5 ppp, 12-14 weeks	Generally not needed. Grow plants under high light with warm temperatures to achieve the best quality.	Thrips, whitefly	Botrytis, Thielaviopsis	Supplement fertilizers with extra Fe to avoid yellowing foliage. Avoid cold and wet conditions.
1 ppp, 6-8 weeks	1-2 ppp, 7-9 weeks	3-5 ppp, 10-12 weeks	Generally not needed. Is responsive to Bonzi(S) 20-30 ppm or Sumagic(S) 10-20 ppm to maintain habit as needed.	Thrips, aphids, whitefly	Root and stem rot	High light and cool temperatures will improve plant quality significantly.

<sup>\*</sup> ppp=plants per pot
\*\* Perennial varieties that can be grown cold without treatment for Spring and Summer sales.

## Annual culture guide

CROP	SERIES/VARIETY	SOIL PH	LIGHT LEVELS (FC)	TEMPERATURE DAY	TEMPERATURE NIGHT	FERTILIZATION (PPM N)	NO. OF PINCHES	
CALIBRACHOA	Cabaret®, Can-Can®	5.4-5.8	5,000-8,000	71-76°F (21-24°C)	50-58°F (10-14°C)	225-300	1-2	
CALIBRACHOA	Conga™	5.4-5.8	5,000-8,000	71-76°F (21-24°C)	50-58° F (10-14° C)	225-300	1-2	
COLEUS	Burgundy Wedding Train, Florida Sun Rose, Lava Rose, Pinkplosion	5.8-6.2	4,000-10,000	74-85°F (23-29°C)	59-70°F (15-21°C)	175-225	0-2	
COLEUS	Campfire, Coleosaurus, Electric Lime®, Henna, Indian Summer, Mint Mocha, Redhead, Trusty Rusty, Vino, Wasabi	5.8-6.2	4,000-10,000	74-85°F (23-29°C)	59-70°F (15-21°C)	175-225	0-2	
COLEUS	FlameThrower™	5.8-6.2	4,000-10,000	74-85°F (23-29°C)	59-70°F (15-21°C)	175-225	0-2	
COLEUS	French Quarter, Inferno	5.8-6.2	4,000-10,000	74-85°F (23-29°C)	59-70°F (15-21°C)	175-225	0-2	
COLEUS	Ruby Slipper, Special Effects	5.8-6.2	4,000-10,000	74-85°F (23-29°C)	59-70°F (15-21°C)	175-225	0-2	
СИРНЕА	Allyson Heather	5.4-5.8	6,000-12,000	71-79°F (21-26°C)	59-64°F (15-17°C)	175-225	1-2	
CUPHEA	Firecracker	5.4-5.8	6,000-12,000	71-79°F (21-26°C)	59-64°F (15-17°C)	175-225	1-2	
DAHLIA	Gardenetta™	5.8-6.2	4,000-6,000	65-76°F (18-24°C)	59-64°F (15-17°C)	225-300	1-2	
DIASCIA	Juliet™	5.8-6.2	5,000-8,000	62-76°F (16-24°C)	35-52°F (1-11°C)	175-225	1-2	

Crop Time from Rooted Cutting\*

4 TO 5-IN. (10 TO 13-CM) POTS	6-IN. (15-CM) POTS, GALLONS	10 TO 12-IN. (25 TO 30-CM) POTS OR BASKETS	PLANT GROWTH REGULATORS (S) SPRAY (D) DRENCH	PESTS	DISEASES	COMMENTS
1 ppp, 6-9 weeks	1-2 ppp, 7-11 weeks	3-5 ppp, 8-12 weeks	Use B-Nine(S) 2,500-5,000 ppm, Bonzi(D) 3-8 ppm or FloreI(S) 300-500 ppm applied 1 time up to 3 times for large baskets to maintain habit as needed.	Thrips, aphids, leafminers	Root rot	Cooler air temperatures and high light will reduce or eliminate any need for plant growth regulators. Maintain pH at 5.2-5.8 to optimize plant health. Crop times will be shortest as days lengthen in Spring. Apply preventative broad-spectrum fungicide drench early (7-10 days after transplant). Avoid saturated media and excessive feed levels.
1 ppp, 5-8 weeks	1-3 ppp, 6-10 weeks	3-5 ppp, 8-12 weeks	Plant growth regulators are generally not needed and should only be applied if plants show signs of requiring extra control.  B-Nine(S) 1,500-3,000 ppm applied 1 time up to 3 times should provide adequate control.	Thrips, aphids, leafminers	Root rot	Cooler air temperatures and high light will reduce or eliminate any need for plant growth regulators. Maintain pH at 5.2-5.8 to optimize plant health. Crop times will be shortest as days lengthen in Spring. Apply preventative broad-spectrum fungicide drench.
1 ppp, 5-7 weeks	1-2 ppp, 6-8 weeks	3-4 ppp, 8-11 weeks	Generally not needed. Sumagic(S) 5-10 ppm or a B-Nine 2,500-3,500 ppm and Cycocel 1,000-1,500 tank mix(S) can be used to maintain habit as needed.	Thrips, aphids, whitefly	Root rot	Lava Rose Coleus will generally not require any PGR applications during production. Plants should be pinched only as needed since Lava Rose is extremely free-branching.
1 ppp, 5-7 weeks	1-3 ppp, 6-8 weeks	4-5 ppp, 8-11 weeks	Is responsive to B-Nine(S) 2,500-3,500 ppm and Cycocel(S) 1,000-1,500 ppm tank mix or Sumagic(S) 5-10 ppm.	Whitefly, aphids, thrips	None	Pinch early to shape. Scout plants regularly for whitefly. Avoid crowding at all stages.
1 ppp, 5-7 weeks	1-2 ppp, 6-8 weeks	3-4 ppp, 8-11 weeks	Generally not needed. Sumagic(S) 5-10 ppm or a B-Nine 2,500-3,500 ppm and Cycocel 1,000-1,500 tank mix(S) can be used to maintain habit as needed.	Thrips, aphids, whitefly	Root rot	
1 ppp, 5-7 weeks	1-3 ppp, 6-8 weeks	4-5 ppp, 8-11 weeks	Is responsive to B-Nine(S) 2,500-3,500 ppm and Cycocel(S) 1,000-1,500 ppm tank mix or Sumagic(S) 5-10 ppm.	Whitefly, leafminer, aphids	None	Pinch early to shape. Scout plants regularly for whitefly. Avoid crowding at all stages.
1 ppp, 5-7 weeks	1-3 ppp, 6-8 weeks	4-5 ppp, 8-11 weeks	Is responsive to B-Nine(S) 2,500-3,500 ppm and Cycocel(S) 1,000-1,500 ppm tank mix or Sumagic(S) 5-10 ppm.	Thrips, aphids, whitefly	None	Pinch early to shape. Scout plants regularly for whitefly. Avoid crowding at all stages.
1-3 ppp, 6-8 weeks	2-5 ppp, 7-9 weeks	3-6 ppp, 10-12 weeks	None	Whitefly, aphids	Botrytis, Root rot	Pinch as needed to shape. Fertilize regularly. Crop times will be shortest under high light.
1-2 ppp, 6-8 weeks	1-2 ppp, 7-9 weeks	3-5 ppp, 10-12 weeks	None	Whitefly, aphids	Botrytis, Oedema, Root rot	Pinch as needed to shape. Keep soil moderately dry and maintain adequate air circulation during finishing to avoid <i>Oedema</i> . Fertilize regularly. Crop times will be shortest under high light.
1 ppp, 6-8 weeks	1 ppp, 7-9 weeks	3 ppp, 10-12 weeks	Use B-Nine(S) 2,500-4,000 ppm and Cycocel(S) 1,000-1,500 ppm tank mix.	Thrips, leafminers, whitefly	Botrytis	Night-break lighting will reduce likelihood of tuber formation.
1 ppp, 5-7 weeks	1-2 ppp, 7-9 weeks	3-4 ppp, 9-11 weeks	Use B-Nine(S) 3,000-5,000 ppm as needed to maintain habit. Florel(S) 200-300 ppm can be used to improve branching.	Thrips, aphids, leafminers	Root rot	If grown cool and with high light levels, Juliet diascia will generally require little, if any, PGRs.

<sup>\*</sup> ppp=plants per pot
\*\* Perennial varieties that can be grown cold without treatment for Spring and Summer sales.

## Annual culture guide

CROP	SERIES/VARIETY	SOIL PH	LIGHT LEVELS (FC)	TEMPERATURE DAY	TEMPERATURE NIGHT	FERTILIZATION (PPM N)	NO. OF PINCHES	
EUPHORBIA	Breathless <sup>®</sup>	5.8-6.2	6,000-9,000	65-76°F (18-24°C)	59-67°F (15-19°C)	175-225	1	
EVOLVULUS	Blue Daze	5.8-6.2	5,000-9,000	74-79°F (23-26°C)	59-64°F (15-17°C)	175-225	1-2	
GAURA	Belleza <sup>®</sup>	5.8-6.2	5,000-9,000	71-76°F (21-24°C)	56-61°F (13-16°C)	175-225	1-2	
GERANIUM (IVY)	Focus™	5.8-6.2	2,500-4,000	65-76°F (18-24°C)	62-67°F (16-19°C)	225-300	1-2	
GERANIUM (IVY)	Precision™	5.8-6.2	2,500-4,000	65-76°F (18-24°C)	62-67°F (16-19°C)	225-300	1-2	
GERANIUM (ZONAL)	Dynamo™, Allure™	6.2-6.6	3,500-6,000	65-76°F (18-24°C)	62-67°F (16-19°C)	225-300	0	
GERANIUM (ZONAL)	Fantasia®	6.2-6.6	3,500-6,000	65-76°F (18-24°C)	62-67°F (16-19°C)	225-300	0	
GERANIUM (ZONAL)	Presto™	6.2-6.6	3,500-6,000	65-76°F (18-24°C)	62-67°F (16-19°C)	225-300	0	
HELICHRYSUM	Licorice	5.8-6.2	4,000-9,000	65-76°F (18-24°C)	50-61°F (10-16°C)	175-225	1-2	
HELIOTROPE	Marine	5.8-6.2	5,000-9,000	71-76°F (21-24°C)	50-61°F (10-16°C)	175-225	1-2	
IMPATIENS (DOUBLE)	Fiesta Bonita™	5.8-6.2	4,000-6,000	68-76°F (20-24°C)	56-61°F (13-16°C)	175-225	0-1	
IMPATIENS (DOUBLE)	Fiesta <sup>™</sup>	5.8-6.2	4,000-6,000	68-76°F (20-24°C)	56-61°F (13-16°C)	175-225	0-1	

Crop Time from Rooted Cutting\*

4 TO 5-IN. (10 TO 13-CM) POTS	6-IN. (15-CM) POTS, GALLONS	10 TO 12-IN. (25 TO 30-CM) POTS OR BASKETS	PLANT GROWTH REGULATORS (S) SPRAY (D) DRENCH	PESTS	DISEASES	COMMENTS
1 ppp, 5-7 weeks	1-3 ppp, 6-9 weeks	3-5 ppp, 9-11 weeks	B-Nine(S) 2,500 ppm, Cycocel(S) 750 ppm tank mix 7-10 days after transplant. Do not use Florel.	None	None	Sensitive to overwatering. Pinch for a better habit, especially in larger containers.
1 ppp, 6-8 weeks	1-2 ppp, 8-9 weeks	3-4 ppp, 10-12 weeks	None	Whitefly, aphids	Pythium, Botrytis	Pinch as needed to shape. Fertilize regularly. Avoid extremely high humidity or saturated media, both of which will encourage <i>Botrytis</i> .
1 ppp, 7-10 weeks	1-3 ppp, 9-12 weeks	3-4 ppp, 11-13 weeks	Use B-Nine(S) 3,000-4,000 ppm, Bonzi(S) 30-50 ppm or Sumagic(S) 15-30 ppm to control final plant height.	Whitefly, aphids	Botrytis, Root rot	Pinch Gaura shortly after transplanting to encourage a full habit at flowering.
1 ppp, 8-10 weeks	1-2 ppp, 9-10 weeks	4-5 ppp, 11-13 weeks	Cycocel(S) 750-1,500 ppm to control growth; Florel (S) 200-300 ppm to improve branching. PGR generally not needed for basket production.	Fungus gnats, thrips, aphids, mites	Botrytis, Oedema, Pythium, Xanthomonas	Avoid drastic swings in soil moisture to reduce <i>Oedema</i> .
1 ppp, 8-10 weeks	1-2 ppp, 9-10 weeks	4-5 ppp, 11-13 weeks	Cycocel(S) 750-1,500 ppm to control growth; Florel(S) 200-300 ppm to improve branching.	Fungus gnats, thrips, aphids, mites	Botrytis, Oedema, Pythium, Xanthomonas	Avoid drastic swings in soil moisture to reduce <i>Oedema</i> .
1 ppp, 8-9 weeks	1-2 ppp, 9-10 weeks	4-5 ppp, 11-13 weeks	Cycocel(S) 750-1,000 ppm to control growth; Florel (S) 200-300 ppm to improve branching.	Fungus gnats, thrips, aphids, mites	Botrytis, Pythium, Xanthomonas	Keep foliage dry. Provide good air circulation.
1 ppp, 8-9 weeks	1-2 ppp, 9-10 weeks	4-5 ppp, 11-13 weeks	Cycocel(S) 750-1,000 ppm to control growth; Florel(S) 200-300 ppm to improve branching.	Fungus gnats, thrips, aphids, mites	Botrytis, Pythium, Xanthomonas	Day and night temperatures of 71 to 76°F (21 to 24°C) are ideal for the earliest stages of plant development. Fantasia Geraniums usually do not require PGRs to produce high-quality plants. Refer to the Fantasia Zonal Geranium Grower Facts at ballfloraplant.com for detailed culture information.
1 ppp, 8-9 weeks	1-2 ppp, 9-10 weeks	4-5 ppp, 11-13 weeks	Generally not needed. Cycocel(S) 750-1,000 ppm to control growth; Florel(S) 200-300 ppm to improve branching.	Fungus gnats, thrips, aphids, mites	Botrytis, Pythium, Xanthomonas	Presto Geraniums usually do not require PGRs to produce high-quality plants. They are naturally compact, well-branched and early to flower.
1 ppp, 5-7 weeks	2-3 ppp, 7-9 weeks	3-5 ppp, 9-11 weeks	None	Fungus gnats, whitefly	Root rot	Avoid saturated media at any time. Pinch regularly to shape.
1 ppp, 6-7 weeks	1-2 ppp, 8-9 weeks	3-5 ppp, 10-12 weeks	Use B-Nine 1,500-3,000 ppm and Cycocel 750-1,000 ppm tank mix(S).	Whitefly, mites, aphids	Root rot	Cool temperatures and high light will reduce or eliminate any need for plant growth regulators.
1 ppp, 5-7 weeks	1-2 ppp, 6-8 weeks	4-5 ppp, 9-12 weeks	Bonzi(S) 5-10 ppm can be used to control habit early; Bonzi(D) 0.5-1.0 ppm applied as crop matures will control final height but not delay flowering or reduce flower size. Florel(S) 100-200 ppm can be used to improve branching but will usually not be needed.	Leafminers, thrips	Impatiens Necrotic Spot Virus, Botrytis, Pythium	Start feeding immediately after transplanting. Avoid water stress in all stages of crop. Avoid cold stress (night temperatures below 65°F/18°C). Maintain EC above 1.0 (SME). Use early PGR applications to achieve ideal finished plants. Fiesta Bonita Double Impatiens require less PGRs than Fiesta Double Impatiens.
1 ppp, 6-9 weeks	1-2 ppp, 7-9 weeks	4-5 ppp, 10-12 weeks	Bonzi(S) 5-15 ppm can be used to control habit early; Bonzi(D) 0.5-1.0 ppm applied as crop matures will control final height but not delay flowering or reduce flower size. Florel(S) 100-200 ppm can be used to improve branching but will usually not be needed.	Leafminers, thrips	Impatiens Necrotic Spot Virus, Botrytis, Pythium	Start feeding immediately after transplanting. Avoid water stress in all stages of crop. Avoid cold stress (night temperatures below 65°F/18°C). Maintain EC above 1.0 (SME). Use early PGR applications to achieve ideal finished plants.

<sup>\*</sup> ppp=plants per pot \*\* Perennial varieties that can be grown cold without treatment for Spring and Summer sales.

## Annual culture guide

CROP	SERIES/VARIETY	SOIL PH	LIGHT LEVELS (FC)	TEMPERATURE DAY	TEMPERATURE NIGHT	FERTILIZATION (PPM N)	NO. OF PINCHES	
IMPATIENS (EXOTIC)	Fusion™, Patchwork™	5.8-6.2	4,000-6,000	68-76°F (20-24°C)	56-61°F (13-16°C)	175-225	0-1	
IMPATIENS (INTERSPECIFIC)	SunPatiens® Compact, SunPatiens® Vigorous	5.8-6.2	4,000-9,000	68-79°F (20-26°C)	59-64°F (15-17°C)	75-150	0	
IMPATIENS (NEW GUINEA)	Celebration	5.8-6.2	4,000-7,000	68-76°F (20-24°C)	59-64°F (15-17°C)	175-225	0	
IMPATIENS (NEW GUINEA)	Clockwork™	5.8-6.2	4,000-7,000	68-76°F (20-24°C)	59-64°F (15-17°C)	175-225	0	
IPOMOEA	SolarPower™, Spotlight™	5.8-6.2	6,000-10,000	70-75°F (21-24°C)	65-70°F (18-21°C)	175-225	0-1	
IPOMOEA	SolarTower™	5.8-6.2	6,000-10,000	70-75°F (21-24°C)	65-70°F (18-21°C)	175-225	0-1	
IRESINE	Blazin' Lime, Blazin' Rose	5.8-6.2	4,000-7,000	71-79°F (21-26°C)	62-67°F (16-19°C)	175-225	1-2	
LAMIUM	Anne Greenaway, Beacon Silver, Jade Frost, White Nancy	5.8-6.2	4,000-8,000	71-79°F (21-26°C)	59-64°F (15-17°C)	175-225	1-2	
LANTANA	Bloomify™	5.8-6.2	5,000-10,000	74-85°F (23-29°C)	62-67°F (16-19°C)	225-300	1-3	
LANTANA	Dallas Red, Little Lucky™, New Gold, Purple Trailing	5.8-6.2	5,000-10,000	74-85°F (23-29°C)	62-67°F (16-19°C)	225-300	1-3	

Crop Time from Rooted Cutting\*

4 TO 5-IN. (10 TO 13-CM) POTS	6-IN. (15-CM) POTS, GALLONS	10 TO 12-IN. (25 TO 30-CM) POTS OR BASKETS	PLANT GROWTH REGULATORS (S) SPRAY (D) DRENCH	PESTS	DISEASES	COMMENTS
1 ppp, 6-8 weeks	1-2 ppp, 7-9 weeks	3-5 ppp, 10-12 weeks	Bonzi(S) 5-15 ppm is effective for height control. Florei(S) 100-300 ppm can be used to improve branching but will not usually be needed.	Aphids, thrips	Impatiens Necrotic Spot Virus, Botrytis, Pythium	Start feeding immediately after transplanting. Avoid water stress in all stages of crop. Avoid cold stress (night temperatures below 65°F/18°C). Maintain EC above 1.0 (SME). Use early PGR application to achieve ideal finished plants. A light Bonzi drench when plant is three-quarters of finish size will promote flowering above the foliage.
1 ppp, 5-7 weeks	1 ppp, 7-9 weeks	3 ppp, 9-12 weeks	B-Nine/Bonzi (S) 1,000 ppm; B-Nine/2 ppm Bonzi (low rate) for Compact series.	Thrips, aphids, mites	Impatiens Necrotic Spot Virus, Botrytis, Pythium	Dry culture, low to moderate nutrition, and cool temperatures will promote toned plants.
1 ppp, 7-9 weeks	1-2 ppp, 9-10 weeks	3-5 ppp, 10-13 weeks	Bonzi(S) 2-15 ppm can be used to control habit early; Bonzi(D) 0.25-2.0 ppm applied as crop matures will control final height but not delay flowering or reduce flower size. Florel(S) 100-200 ppm can be used to improve branching but will usually not be needed.	Thrips, aphids, mites	Impatiens Necrotic Spot Virus, Botrytis, Pythium	Maintain 68°F (20°C) average daily temperature to optimize bloom size and reduce time to flower. Cooler temperatures will extend crop time. Grow crop somewhat dry to help control growth and hasten flowering. Avoid excess micro-nutrients in the soil. With good cultural practices and environmental conditions, no PGRs will be needed.
1 ppp, 6-8 weeks	1-2 ppp, 7-9 weeks	4-5 ppp, 8-11 weeks	Bonzi(S) 2-10 ppm can be used to control habit early; Bonzi(D) 0.25-1.0 ppm applied as crop matures will control final height but not delay flowering or reduce flower size. Florel(S) 100-200 ppm can be used to improve branching but will usually not be needed.	Thrips, aphids, mites	Impatiens Necrotic Spot Virus, <i>Botrytis</i> , <i>Pythium</i>	Maintain 68°F (20°C) average daily temperature to optimize bloom size and reduce time to flower. Cooler temperatures will extend crop time. Grow crop somewhat dry to help control growth and hasten flowering. Avoid excess micro-nutrients in the soil. With good cultural practices and environmental conditions, no PGRs will be needed.
1 ppp, 4-5 weeks	1-3 ppp, 5-6 weeks	3-5 ppp, 8-10 weeks	Generally not required. B-Nine(S) 2,500-3,500 ppm can be effective at controlling growth.	Aphids, whitefly, spider mites	Pseudomonas	Avoid cold and wet conditions.
1 ppp, 4-5 weeks	1-3 ppp, 5-6 weeks	3-5 ppp, 8-10 weeks	Generally not required. B-Nine(S) 2,500-3,500 ppm can be effective at controlling growth.	Aphids, whitefly, spider mites	Pseudomonas	Avoid cold and wet conditions. In order for the product to climb pots, it needs to have a stake or trellis included.
1 ppp, 7-9 weeks	2-3 ppp, 8-10 weeks	4-5 ppp, 10-13 weeks	Generally not needed. Responsive to Bonzi.	Whitefly	None	Pinch regularly to encourage branching and improve habit.
1 ppp, 4-5 weeks	2-3 ppp, 5-8 weeks	3-5 ppp, 8-10 weeks	Generally not needed. Soil moisture and cool temperatures are the most effective way to control growth.	Aphids, whitefly	Root and stem rot	Pinch plants to encourage branching and improve habit.
1-2 ppp, 7-8 weeks	1-3 ppp, 8-9 weeks	3-6 ppp, 11-13 weeks	Lantana is responsive to a B-Nine 2,500-5,000 ppm and Cycocel 1,000-1,500 ppm tank mix(S) as well as Florel(S) 300-400 ppm, Bonzi(S) 20-40 ppm and Sumagic(S) 10-20 ppm.	Whitefly, leafminers, aphids	Root rot	Allow plants to dry regularly between waterings. Pinch as needed to shape. Feeding at recommended levels will promote vigorous plants that will continue to actively grow and flower.
1-2 ppp, 6-7 weeks	1-3 ppp, 7-8 weeks	3-6 ppp, 10-12 weeks	Lantana is responsive to a B-Nine 2,500-5,000 ppm and Cycocel 1,000-1,500 ppm tank mix(S) as well as Florel(S) 300-400 ppm, Bonzi(S) 20-40 ppm and Sumagic(S) 10-20 ppm. Little Lucky should not need growth regulators due to its naturally compact habit.	Whitefly, leafminer, aphids	Root rot	Allow plants to dry regularly between waterings. Pinch as needed to shape. Feeding at recommended levels will promote vigorous plants that will continue to actively grow and flower.

<sup>\*</sup> ppp=plants per pot
\*\* Perennial varieties that can be grown cold without treatment for Spring and Summer sales.

## Annual culture guide

CROP	SERIES/VARIETY	SOIL PH	LIGHT LEVELS (FC)	TEMPERATURE DAY	TEMPERATURE NIGHT	FERTILIZATION (PPM N)	NO. OF PINCHES	
LANTANA	Landmark™, Lucky™	5.8-6.2	5,000-10,000	74-85°F (23-29°C)	62-67°F (16-19°C)	225-300	1-3	
LOBELIA	Early Springs™	5.8-6.2	5,000-8,000	71-76°F (21-24°C)	56-61°F (13-16°C)	175-225	1-2	
LOBELIA	Waterfall™	5.8-6.2	5,000-8,000	71-76°F (21-24°C)	56-61°F (13-16°C)	175-225	1-2	
LOBULARIA	Easy Breezy™	5.8-6.2	4,000-8,000	65-75°F (18-24°C)	56-61°F (13-16°C)	175-225	1-2	
LYSIMACHIA**	Goldilocks	5.8-6.2	4,000-8,000	71-79°F (21-26°C)	59-64°F (15-17°C)	175-225	1-2	
MECARDONIA	Little Sunshine	5.5-6.0	3,500-6,000	68-77°F (20-25°C)	68°F (20°C)	150-200	2 for pot sizes over 6 in. (15 cm)	
NEMESIA	Aromatica™	5.8-6.2	4,000-7,000	65-76°F (18-24°C)	35-52°F (1-11°C)	175-225	1-2	
OSTEOSPERMUM	Blue Eyed Beauty, Blushing Beauty, Serenity™	5.8-6.2	5,000-9,000	59-76°F (15-24°C)	44-55°F (6-12°C)	225-300	1	
OSTEOSPERMUM	Voltage™ White, Voltage™ Yellow	5.8-6.2	5,000-9,000	59-76°F (15-24°C)	44-55°F (6-12°C)	225-300	0-1	
PERILLA	Magilla® Purple	5.8-6.2	4,000-10,000	74-85°F (23-29°C)	59-70°F (15-21°C)	175-225	0-1	
PETCHOA	SuperCal® Premium	5.4-5.9	5,000-8,000	60-70°F (16-21°C)	50-58°F (10-14°C)	200-250	1 or 2	

Crop Time from Rooted Cutting\*

4 TO 5-IN. (10 TO 13-CM) POTS	6-IN. (15-CM) POTS, GALLONS	10 TO 12-IN. (25 TO 30-CM) POTS OR BASKETS	PLANT GROWTH REGULATORS (S) SPRAY (D) DRENCH	PESTS	DISEASES	COMMENTS
1-2 ppp, 6-7 weeks	1-3 ppp, 7-8 weeks	3-6 ppp, 10-12 weeks	Lantana is responsive to a B-Nine 2,500-5,000 ppm and Cycocel 1,000-1,500 ppm tank mix(S) as well as Florel(S) 300-400 ppm, Bonzi(S) 20-40 ppm and Sumagic(S) 10-20 ppm.	Whitefly, leafminers, aphids	Root rot	Allow plants to dry regularly between waterings. Pinch as needed to shape. Feeding at recommended levels will promote vigorous plants that will continue to actively grow and flower. Lucky varieties are naturally compact and free-branching, while Landmark varieties are more vigorous.
1 ppp, 7-9 weeks	1 ppp, 9-11 weeks	4-5 ppp, 10-12 weeks	Generally not needed.	Aphids, thrips	Botrytis	Transplant 24-28 days after stick, and optional pinch again 10-14 days after transplant. 4-in. (10-cm) size may skip second pinch. Keep on dry side.
1 ppp, 9-10 weeks	2-3 ppp, 10-11 weeks	4-5 ppp, 10-13 weeks	Generally not needed.	Thrips	Botrytis	Blue has a mounded, trailing habit, while Lavender has a trailing habit. Ideal for Spring and Summer throughout North America. Will flower in Autumn, Winter and early Spring in the Sunbelt.
1 ppp, 4-5 weeks	1-2 ppp, 5-7 weeks	3-5 ppp, 6-8 weeks	Generally not needed. Grow plants under high light and use negative differential of temperature to tone plant habits.	Fungus gnats, Whitefly	Root and stem rot	High light and cool temperatures produce high-quality plants.
1 ppp, 4-5 weeks	2-3 ppp, 5-8 weeks	3-5 ppp, 8-10 weeks	Generally not needed. Pinching is best for shaping the plant.	None	None	Goldilocks Lysimachia is grown primarily for its foliage.
1 ppp, 6-8 weeks	2-3 ppp, 6-8 weeks	5-6 ppp, 10-12 weeks	Plant Growth Regulators not needed when grown in high light.	Aphids, fungus gnats, slugs/snails	Botrytis, root and stem root	Mecardonia is heat and drought tolerant in the landscape. Generally, finished production pots can be produced with little to no maintenance required.
1 ppp, 5-7 weeks	2-3 ppp, 7-9 weeks	3-4 ppp, 9-11 weeks	Grow cool and bright to improve habit. Nemesia is responsive to B-Nine(S) 2,500-4,000 ppm, Sumagic(S) 20-30 ppm, and Florel(S) 200-300 ppm.	Thrips, aphids, leafminer	Root rot	If grown cool and with high light levels, Aromatica will generally require little, if any, PGRs. Avoid water-logged media.
1 ppp, 10-13 weeks	2-3 ppp, 11-14 weeks	3-4 ppp, 11-15 weeks	Is responsive to B-Nine(S) 2,500-4,000 ppm alone or as a tank mix(S) with Cycocel 750-1,000 ppm. Bonzi(S) 15-30 ppm is also effective.	Aphids, whitefly, thrips	Root and stem rot, Botrytis	After transplanting, allow plants to become established for 1-2 weeks at 60-65°F (15-18°C). Once plants are well established, begin growing at recommended cool temperatures. After 4-6 weeks of cool conditions, plants can be forced in 6-8 weeks.
1 ppp, 8-11 weeks	1-2 ppp, 8-11 weeks	3-5 ppp, 8-11 weeks	Is responsive to B-Nine(S) 2,500-4,000 ppm alone or as a tank mix(S) with Cycocel 750-1,000 ppm. Bonzi(S) 15-30 ppm is also effective.	Aphids, whitefly, thrips	Root and stem rot, Botrytis	After transplanting, allow plants to become established for 1-2 weeks at 60-65°F (15-18°C). Once plants are well established, begin growing at recommended cool temperatures. Pinch optional. After 4-6 weeks of cool conditions, plants can be forced in 6-8 weeks.
1 ppp, 5-7 weeks	1-2 ppp, 6-8 weeks	3-4 ppp, 8-11 weeks	B-Nine(S) 2,000-4,000 ppm, applied 1-3 times, can be used to control habit.	Thrips, aphids, whitefly	Root rot	Plants should be pinched as needed to control habit. Crop times will be shorter under long days or warmer temperatures.
1 ppp, 6-8 weeks	1-3 ppp, 7-9 weeks	3-5 ppp, 9-12 weeks	Foliar sprays of A-Rest 10- 30 ppm or sprays of B-Nine/ Bonzi tank mix, B-Nine 2,500-5,000 ppm/Bonzi 10- 30 ppm. Drench of A-Rest 1-3 ppm, or drench of Bonzi 1-4 ppm.	Whitefly, thrips, leafminers, aphids, mites	Botrytis, Crown rot, Tobacco Mosaic Virus	Cool temperatures and high light reduce need for PGR. SuperCal Blue, Purple and Terracotta are high vigor. Artist Rose, Blushing Pink, Cherry, Neon Rose, Pink Ice and Violet are medium vigor.

<sup>\*</sup> ppp=plants per pot
\*\* Perennial varieties that can be grown cold without treatment for Spring and Summer sales.

## Annual culture guide

CROP	SERIES/VARIETY	SOIL PH	LIGHT LEVELS (FC)	TEMPERATURE DAY	TEMPERATURE NIGHT	FERTILIZATION (PPM N)	NO. OF PINCHES	
PETUNIA	Black Magic	5.4-5.9	5,000-8,000	65-76°F (18-24°C)	53-61°F (11-16°C)	225-300	0-1	
PETUNIA	Cascadias™ Indian Summer	5.4-5.8	5,000-8,000	59-76°F (15-24°C)	53-61°F (11-16°C)	225-300	0-1	
PETUNIA	Cha-Ching Cherry	5.4-5.8	5,000-8,000	59-76°F (15-24°C)	53-61°F (11-16°C)	225-300	0-1	
PETUNIA	ColorBlitz™, Jelly Roll	5.4-5.8	5,000-8,000	59-76°F (15-24° C)	53-61°F (11-16° C)	225-300	0-1	
PETUNIA	ColorRush™	5.4-5.8	5,000-8,000	59-76°F (15-24°C)	53-61°F (11-16°C)	225-300	0-1	
PETUNIA	Lime Light	5.8-6.2	5,000-8,000	59-76°F (15-24°C)	53-61°F (11-16°C)	225-300	0-1	
PETUNIA	Phantom, Pinstripe, Sun Spun®	5.4-5.8	5,000-8,000	59-76°F (15-24°C)	53-61°F (11-16°C)	225-300	0-1	
PETUNIA	Ragtime	5.8-6.2	5,000-8,000	59-76°F (15-24°C)	53-61°F (11-16°C)	225-300	0-1	
PETUNIA	Rhythm And Blues	5.8-6.2	5,000-8,000	59-76°F (15-24°C)	53-61°F (11-16°C)	225-300	0-1	

Crop Time from Rooted Cutting\*

4 TO 5-IN. (10 TO 13-CM) POTS	6-IN. (15-CM) POTS, GALLONS	10 TO 12-IN. (25 TO 30-CM) POTS OR BASKETS	PLANT GROWTH REGULATORS (S) SPRAY (D) DRENCH	PESTS	DISEASES	COMMENTS
1 ppp, 5-7 weeks	2-3 ppp, 6-8 weeks	4-5 ppp, 8-11 weeks	B-Nine (S) 1,000-2,000 ppm, applied 2-4 times, can be used to control habit early; Bonzi(D) 0.25-1.0 ppm applied as crop matures will control final height but not delay flowering or reduce flower size.	Whitefly, thrips, leafminer	Botrytis, Root rot, Tobacco Mosaic Virus	Cool temperatures and high light will reduce or eliminate any need for PGRs. Monitor pH regularly for high pH and possible iron deficiency.
1 ppp, 6-8 weeks	2-3 ppp, 7-9 weeks	3-5 ppp, 9-12 weeks	B-Nine(S) 1,500-2,500 ppm, applied 2-4 times, can be used to control habit early; Bonzi(D) 0.25-1.0 ppm applied as crop matures will control final height but not delay flowering or reduce flower size.	Whitefly, thrips, leafminers	Botrytis, Root rot, Tobacco Mosaic Virus	Cool temperatures and high light will reduce or eliminate any need for PGRs. Monitor regularly for high pH and possible iron deficiency. Flowering will be best as days lengthen in late Spring and Summer. Daylength of more than 14 hours will hasten flowering.
1 ppp, 5-7 weeks	2-3 ppp, 6-8 weeks	3-5 ppp, 8-11 weeks	B-Nine (S) 1,500-2,500 ppm, applied 2-4 times, can be used to control habit early. Bonzi(D) 0.25-1.0 ppm applied as crop matures will control final height but not delay flowering or reduce flower size.	Whitefly, thrips, leafminer	Botrytis, Root Rot, Tobacco Mosaic Virus	Cool temperatures and high light will reduce or eliminate any need for PGRs. Monitor regularly for high pH and possible iron deficiency. First blooms in low light/short day will have less star; as crop matures, color pattern intensifies.
1 ppp, 5-7 weeks	2-3 ppp, 6-8 weeks	3-5 ppp, 8-11 weeks	B-Nine(S) 1,500-2,500 ppm, applied 2-4 times, can be used to control habit early. Bonzi(D) 0.25-1.0 ppm applied as crop matures will control final height but not delay flowering or reduce flower size.	Whitefly, thrips, leafminers	Botrytis, Root rot, Tobacco Mosaic Virus	Cool temperatures and high light will reduce need for PGRs. Monitor regularly for high pH and possible iron deficiency.
1 ppp, 6-8 weeks	1 ppp, 7-9 weeks	3-5 ppp, 9-12 weeks	B-Nine(S) 1,500-2,500 ppm, applied 2-4 times, can be used to control habit early. Bonzi(D) 0.25-1.0 ppm applied as crop matures will control final height but not delay flowering or reduce flower size.	Whitefly, thrips, leafminers	Botrytis, Root rot, Tobacco Mosaic Virus	Cool temperatures and high light will reduce or eliminate any need for PGRs. Monitor regularly for high pH and possible iron deficiency. Flowering will be best as days lengthen in late Spring and Summer. Daylength of more than 14 hours will hasten flowering.
1 ppp, 5-7 weeks	2-3 ppp, 6-8 weeks	3-5 ppp, 8-11 weeks	Generally not needed.	Whitefly, thrips, leafminer	Botrytis, Root rot, Tobacco Mosaic Virus	This variety is extremely sensitive to growth regulators, and is naturally well-branched and compact.
1 ppp, 5-7 weeks	2-3 ppp, 6-8 weeks	3-5 ppp, 8-11 weeks	B-Nine(S) 1,500-2,500 ppm, applied 2-4 times, can be used to control habit early. Bonzi(D) 0.25-1.0 ppm applied as crop matures will control final height but not delay flowering or reduce flower size. B-Nine applications late in the crop time can cause instability in flower color.	Whitefly, thrips, leafminer	Botrytis, Root rot, Tobacco Mosaic Virus	Cool temperatures and high light will reduce or eliminate any need for PGRs. Monitor regularly for high pH and possible iron deficiency. Flowering will be best as days lengthen in late Spring and Summer. Daylength of more than 14 hours will hasten flowering.
1 ppp, 6-8 weeks	1-3 ppp, 7-9 weeks	3-5 ppp, 9-12 weeks	Early applications of growth regulators are required. B-Nine 1,500-2,000 ppm/ Cycocel 750-1,000 ppm spray, Bonzi 2-3 ppm drench. Apply 2-3 times early in the crop cycle.	Whitefly, thrips, leafminers	Botrytis, Root rot, Tobacco Mosaic Virus	This is a vigorous variety that branches well. Early growth regulator applications help with tone and branching.
1 ppp, 6-8 weeks	1-3 ppp, 7-9 weeks	3-5 ppp, 9-12 weeks	Early applications of growth regulators are required. B-Nine 1,500-2,000 ppm/ Cycocel 750-1,000 ppm spray, Bonzi 2-3 ppm drench. Apply 2-3 times early in the crop cycle.	Whitefly, thrips, leafminer	Botrytis, Root rot, Tobacco Mosaic Virus	This is a vigorous variety that branches well. Early growth regulator applications help with tone and branching.

<sup>\*</sup> ppp=plants per pot
\*\* Perennial varieties that can be grown cold without treatment for Spring and Summer sales.

## Annual culture guide

CROP	SERIES/VARIETY	SOIL PH	LIGHT LEVELS (FC)	TEMPERATURE DAY	TEMPERATURE NIGHT	FERTILIZATION (PPM N)	NO. OF PINCHES	
PETUNIA (SPREADING DOUBLE)	Double Wave®	5.4-5.8	5,000-8,000	59-76°F (15-24°C)	53-61°F (11-16°C)	225-300	0-1	
PLECTRANTHUS	Mona Lavender	5.8-6.2	4,000-7,000	74-79°F (23-26°C)	59-64°F (15-17°C)	175-225	0-1	
PLECTRANTHUS	Nico, Nicolleta, Variegata	5.8-6.2	5,000-8,000	71-79°F (21-26°C)	56-61°F (13-16°C)	175-225	1-2	
PURSLANE	Fairytales Cinderella, Rio Grande™	5.8-6.2	5,000-10,000	71-79°F (21-26°C)	62-67°F (16-19°C)	225-300	1-2	
SALVIA	Black & Bloom, Black & Blue	5.4-5.8	6,000-9,000	71-79°F (21-26°C)	59-64°F (15-17°C)	175-225	1-2	
SALVIA	Mystic Spires, Mysty	5.8-6.2	6,000-10,000	71-79°F (21-26°C)	62-67°F (16-19°C)	175-225	1-2	
SCAEVOLA	Blue Fan, Bondi™, Brilliant, White Sparkle	5.8-6.2	5,000-9,000	74-79°F (23-26°C)	59-64°F (15-17°C)	175-225	1-2	
STROBILANTHES	Persian Shield	5.8-6.2	3,000-6,000	74-79°F (23-26°C)	59-64°F (15-17°C)	175-225	1-3	
THUNBERGIA	Sunny™	5.8-6.2	5,000-8,000	71-79°F (21-26°C)	59-64°F (15-17°C)	175-225	1-3	
VERBENA	Cadet Upright™	5.8-6.2	5,000-8,000	71-79°F (21-26°C)	62-64°F (16-17°C)	225-300	1-2	
VERBENA	EnduraScape™, Firehouse™	5.8-6.2	5,000-8,000	71-79°F (21-26°C)	62-64°F (16-17°C)	225-300	1-2	

Crop Time from Rooted Cutting\*

4 TO 5-IN. (10 TO 13-CM) POTS	6-IN. (15-CM) POTS, GALLONS	10 TO 12-IN. (25 TO 30-CM) POTS OR BASKETS	PLANT GROWTH REGULATORS (S) SPRAY (D) DRENCH	PESTS	DISEASES	COMMENTS
1 ppp, 6-8 weeks	2-3 ppp, 7-9 weeks	3-5 ppp, 9-12 weeks	B-Nine(S) 1,500-2,500 ppm, applied 2-4 times, can be used to control habit early; Bonzi(D) 0.25-1.0 ppm applied as crop matures will control final height but not delay flowering or reduce flower size.	Whitefly, thrips, leafminer	Botrytis, Root rot, Tobacco Mosaic Virus	Cool temperatures and high light will reduce or eliminate any need for PGRs. Monitor pH regularly for high pH and possible iron deficiency. Flowering will be best as days lengthen in late Spring and Summer. Daylength of more than 14 hours will hasten flowering.
1 ppp, 6-8 weeks	1-2 ppp, 7-9 weeks	3-5 ppp, 9-12 weeks	B-Nine 1,500-2,500 ppm and Cycocel 750-1,000 ppm tank mix(S) or Bonzi(S) 5-20 ppm applied as needed is effective.	Whitefly, worms	Root rot	Mona Lavender requires a short-day treatment to flower. Natural-day crops can be finished in southern climates for January to March sales. Spring, Summer and Fall crops can be achieved using black cloth/short days in all regions.
1 ppp, 6-8 weeks	1-3 ppp, 7-10 weeks	3-5 ppp, 9-12 weeks	Generally not needed.	Whitefly	Botrytis, Pythium, Rhizoctonia	Regularly allow the media to dry between waterings. Pinch regularly to improve habit.
1-2 ppp, 5-6 weeks	2-3 ppp, 6-8 weeks	3-5 ppp, 9-12 weeks	Generally not needed.	Whitefly	Root rot	Regularly allow the media to dry moderately between waterings, especially in cool periods. Regular pinching and constant feeding will improve habit and flowering.
1 ppp, 7-9 weeks	1-2 ppp, 8-10 weeks	2-3 ppp, 10-12 weeks	A B-Nine 2,000-3,500 ppm and Cycocel 1,000-1,500 ppm tank mix(S) will help control height.	Whitefly, fungus gnats, thrips	Botrytis, Pythium, Rhizoctonia	Regularly allow the media to dry between waterings, particularly during cool periods. Black & Blue Salvia prefers warm conditions to ensure early flowering.
1 ppp, 4-8 weeks	2-3 ppp, 6-10 weeks	4-5 ppp, 8-12 weeks	Responsive to B-Nine 2,500- 3,000 ppm. Increase rates as days lengthen in late Spring and Summer.	Whitefly	None	Regularly allow the media to dry moderately between waterings, especially in cool periods. Proper pinching and moderate feeding will improve habit and flowering.
1 ppp, 5-7 weeks	1-2 ppp, 7-8 weeks	3-5 ppp, 10-12 weeks	Generally not needed. Bonzi(D) 1-3 ppm or Bonzi(S) 20-40 ppm will control growth.	Whitefly	Pythium, Rhizoctonia	Scaevola prefers a well-drained soil.  Allow the media to dry between waterings. Night temperatures lower than recommended will significantly slow the crop and lead to problems with root rot.
_	1-2 ppp, 8-10 weeks	3-5 ppp, 10-13 weeks	Generally not needed.	Whitefly	Root rot	Moderate light levels produce more colorful foliage. Pinch early to shape. Feed regularly to maintain growth.
1 ppp, 6-8 weeks	1-2 ppp, 7-9 weeks	4-5 ppp, 10-12 weeks	Generally not needed.	Mites, whitefly, thrips	Botrytis	Thunbergia is a warm-season crop that prefers night temperatures above 60°F (15°C). Pinch regularly to shape.
1 ppp, 5-7 weeks	1-3 ppp, 7-8 weeks	4-5 ppp, 10-13 weeks	Generally not needed. Bonzi(D) at 1-3 ppm two to four weeks after transplant will tone finished growth when grown warm in the greenhouse. Cool night temperature during production cycle promotes tight habits.	Whitefly, leafminers, aphids	Root rot	Regularly allow plants to dry between irrigation.
1 ppp, 5-7 weeks	1-3 ppp, 7-8 weeks	4-5 ppp, 10-13 weeks	Responsive to a B-Nine 2,500-3,500 ppm/Cycocel 750-1,000 ppm tank mix(S) and Florel(S) 250-300 ppm to control growth and improve plant habit.	Whitefly, leafminers, aphids	Root rot	Regularly allow plants to dry between waterings. Pinch as needed to shape. EnduraScape varieties may require more PGR use under normal conditions.

<sup>\*</sup> ppp=plants per pot
\*\* Perennial varieties that can be grown cold without treatment for Spring and Summer sales.

### **Ball Horticultural Company Tag and Photography Policy**

All finished Ball FloraPlant® vegetative varieties must be sold with a Ball Horticultural Company supplied or approved plant label or tag. All materials promoting Ball FloraPlant varieties must include the following:

- Full commercial name to include trademark, as applicable; and full variety name
- U.S. Plant Patent number or PPAF (Plant Patent Applied For), as applicable; and/or U.S. Utility Patent number or PAF (Utility Patent Applied For), as applicable.
- "Propagation Prohibited", as applicable.

## Note: please refer to the Ball Horticultural Company website for current U.S. patent information.

All images featuring Ball products are to be used for promotional materials, including but not limited to point-of-purchase items, advertising, brochures, etc. They may not be used on plant tags or containers without permission from Ball.

All images loaned by Ball are copyrighted and are the property of Ball Horticultural Company. They are loaned to customers for promotional use only and are not to be reserved for future use. Images may not be licensed or resold. Any unauthorized use is prohibited. All loaned images must be used in connection with the proper trademarks. The correct commercial name and variety name must be listed on all images in connection with any reproduction.

For more information, please contact Ball's Image Archive Library at **630 231-3600** or photolibrary@ballhort.com.

### **BFP Cancellation Policy**

No cancellations or order reductions based on the schedule below. Exceptions to this policy will be reviewed on a case-by-case basis

No cancellations within:

- 2 weeks of ship date for unrooted cuttings
- 4 weeks of ship date for Genesis cuttings New/add-on orders: As always, new orders and order additions of unrooted cuttings are still possible within 2 weeks of ship date.

**BFP Production:** Floricultura, Guatemala; Las Limas, Nicaragua; Banner Greenhouse, NC, U.S.; Van Wingerden International, Inc., NC, U.S.

### Important Plant Protection and Licensing Information

### **Plant Protection**

All Ball FloraPlant varieties listed herein are covered by the terms and conditions of the Flowering-Only License Agreement. Many are also protected by U.S. Patents and/or Plant Breeders' Rights.

#### Licensing

Flowering Only License terms and conditions apply to the Ball FloraPlant varieties listed herein. By opening the box containing unrooted or rooted cuttings of these Ball FloraPlant varieties, customers agree to these terms and conditions. A copy of the Flowering Only License is available on our website. From the main page of the Ball FloraPlant website, click on the Propagation and Licensing link at the bottom of the page or enter the following web address into your browser:

### www.ballfloraplant.com/BFP/\_ Propagation.aspx.

A copy can also be obtained from Royalty Administration International® (RAI) by calling (800) 472-4724. RAI is our U.S. licensing agent.

### **Licensed Propagation**

Please see opposite page for more information.

### Flowering-Only Terms

- Allows for the growing and selling of "Finished Plants," defined as plants grown for at least five weeks in a 3-in. (7.5-cm) size pot/container or larger for at least four (4) weeks from planting of a rooted cutting, and seven (7) weeks from planting of an unrooted cutting.
- All finished product must be sold with a Ball supplied or approved label or tag.
- Sale of rooted or unrooted cuttings to any other company or individual is strictly prohibited as is propagation and/or the taking of tip cuttings.

### Flowering-Only Licensed Varieties Commercial Name Variety Name

Angelonia	
AngelMist® Spreading Berry Sparkler	Balangspery
AngelMist® Spreading Bluebird	Balangspird
AngelMist® Spreading Dark Purple	Balangsparkl
AngelMist® Spreading Pink	Balangbakin
AngelMist® Spreading White	Balangspri
Archangel™ Blue Bicolor	Balarclubi
Archangel™ Cherry Red	Balarcher
Archangel™ Dark Purple	Balarckle
Archangel™ Dark Rose	Balarcrose
Archangel™ Pink	Balarcorpin
Archangel™ Purple	Balarcpur
Archangel™ Raspberry	Balarcaspim
Archangel™ White	Balarcwite
Argyranthemum	

Argyrantnemum	
Madeira™ Crested Hot Pink	Bonmad 11277
Madeira™ Crested Merlot	Bonmadmerlo
Madeira™ Crested Yellow	Bonmadcrel
Madeira™ Deep Pink	Bonmadrosepi
Madeira™ Primrose	Bonmadprose
Madeira™ Red	Bonmadre
Madeira™ White	Bonmadwitim

Ruby Slipper Special Effects

Trusty Rusty Vino Wasabi

Cuphea

Firecracker

# Bacopa/Sutera MegaCopa™ Blue Balmecoblu MegaCopa™ Pink Balmecopin MegaCopa™ Sty Blue Balmecosklu MegaCopa™ Versa White Balmecoversi MegaCopa™ White Balmecowlet

Bidens	
Bee Alive	Bee Alive
Bee Bold	Bee Bold
Bee Happy Sunbeam	Bee Happy KLEBF07003
Sun Drop Compact	Balbisopac
Sun Drop	Balbisopim
Sair Brop	Баююрин
Brachyscome	
Enduring Blue	Enduring Blue
Radiant Magenta	Cherish
Bracteantha	
Dreamtime® Jumbo Pure White	Bondrepuho
Dreamtime® Jumbo Red	Bondre 11100
Dreamtime® Jumbo Rose	Bondre 1051
Dreamtime® Jumbo Yellow	Ohb003790
0-11	
Calibrachoa Cabaret® Bright Red	Balcabrite
Cabaret® Coral Kiss	Balcaboriss
Cabaret® Deep Blue	Balcabdebu
Cabaret® Deep Yellow	Balcabdepy
Cabaret® Golden Yellow	Balcaboldel
Cabaret® Hot Pink	Balcabhopi
Cabaret® Lavender	Balcablavim
Cabaret® Lemon Yellow Cabaret® Light Pink	Balcablemy
Jabaret® Little Pink Kiss	Balcablinkim
Cabaret® Midnight Blue	Balcablipisk Balcabightlu
Cabaret® Neon Rose	Balcabearnro
Cabaret® Orange	Balcaborg
Cabaret® Pink	Balcabin
Cabaret® Pink Star	Balcabinsta
Cabaret® Purple	Balcabpurim
Cabaret® Purple Heart	Balcabart
Cabaret® Rose Cabaret® Rose Kiss	Balcabrosim Balcaboski
Cabaret® Sky Blue	Balabsklu
Cabaret® White	Balcabwhite
Can-Can® Bumble Bee Pink	Balcanumbi
Can-Can® Dark Purple	Balcanark
Can-Can® Hot Pink Star	Balcanosar
Can-Can® Magenta Kiss	Balcanmiss
Can-Can® Orange	Balcanoran
Can-Can® Terracotta Conga™ Coral Kiss	Balcantera Balcongcriss
Conga™ Dark Blue	Balcongarlu
Conga™ Deep Yellow	Balcongdel
Conga™ Lavender	Balconglav
Conga™ Orange Kiss	Balcongraniss
Conga™ Pink	Balcongcink
Conga™ Red	Balcabscarim
Conga <sup>TM</sup> Rose	Balcongosiss
Conga™ Rose Kiss Conga™ Sun Kiss	Balcongrissim Balconguniss
Conga™ Sunset Kiss	Balcongetiss
Conga™ White	Balcongite
-	-
Coleus	
Burgundy Wedding Train	Kakegawa CE10
Campfire Coleosaurus	UF12221 UF104512
Soleosaurus Electric Lime®	UF04335
FlameThrower™ Chili Pepper	UF81910
FlameThrower™ Chipotle	UF12823
FlameThrower™ Habanero	UF9837
FlameThrower™ Salsa Roja	UF159709
FlameThrower™ Salsa Verde	UF14241
FlameThrower™ Serrano	UF150628
FlameThrower™ Spiced Curry French Quarter	UF12735 UF134827
-rench Quarter Henna	UF134827 Balcenna
ndian Summer	Balcinsu
nferno	UF13267
Lava Rose	Kakegawa CE1
Vlint Mocha	Balcimoa
Pinkplosion	UF152006
Redhead	UF0646

KLEBF07003		
Balbisopac	Diascia	
Balbisopim	Juliet™ Orange	Baljulorim
	Juliet™ Pink	Baljulink
F . 1	Juliet™ Red	Baljuled
Enduring Blue	Juliet™ Rose	Baljulose
Cherish	Juliet™ White	Baljulitim
	Euphorbia	
Bondrepuho	Breathless® Blush	Balbreblus
Bondre 11100	Breathless® White	Balbrewite
Bondre 1051		
Ohb003790	Gaura	
	Belleza™ Compact Light Pink	KLEGL06261
	Belleza™ Dark Pink	KLEAU04263
Balcabrite	Belleza™ White	KLEGL14844
Balcaboriss		
Balcabdebu	Impatiens, Compact	
Balcabdepy	SunPatiens® Compact Blush Pink	SAKIMP013
Balcaboldel	SunPatiens® Compact Coral Pink	SAKIMP042
Balcabhopi	SunPatiens® Compact Deep Rose	SAKIMP017
Balcablavim	SunPatiens® Compact Electric Orange	SAKIMP025
Balcablemy	SunPatiens® Compact Fire Red	SAKIMP039
Balcablinkim	SunPatiens® Compact Hot Coral	SAKIMP026
Balcablipisk	SunPatiens® Compact Lilac	SAKIMP012
Balcabightlu	SunPatiens® Compact Neon Pink	SAKIMP033
Balcabeamro	SunPatiens® Compact Orange	SAKIMP011
Balcaborg	SunPatiens® Compact Orchid	SAKIMP041
Balcabin	SunPatiens® Compact Pink	SAKIMP019
Balcabinsta	SunPatiens® Compact Pink Candy	SAKIMP046
Balcabpurim	SunPatiens® Compact Purple	SAKIMP044
Balcabart	SunPatiens® Compact Red	SAKIMP030
Balcabrosim	SunPatiens® Compact Royal Magenta	SAKIMP029
Balcaboski	SunPatiens® Compact Tropical Rose	SAKIMP037
Balabsklu	SunPatiens® Compact White	SAKIMP027
Balcabwhite		
Balcanumbi	Impatiens, Double	
Balcanark	Fiesta™ Appleblossom	Balfieplos
Balcanosar	Fiesta™ Burgundy	Balfiebur
Balcanmiss	Fiesta™ Deep Orange	Balfiedeor
Balcanoran	Fiesta™ Lavender Orchid	Balfielavori
Balcantera	Fiesta™ Pink Ruffle	Pink Ruffle
Balcongcriss	Fiesta™ Purple	Balfieprim
Balcongarlu	Fiesta™ Salsa Red	Balfiesaled
Balcongdel	Fiesta™ Sparkler Cherry	Balfiespray
Balconglav	Fiesta™ Sparkler Hot Pink	Balfiesink
Balcongraniss	Fiesta™ Stardust Pink	Balolestop
Balcongcink	Fiesta™ Stardust Purple	Balfiestarp
Balcabscarim	Fiesta™ Sunrise Red	Balfiesunre
Balcongosiss	Fiesta™ White	Balfiewite
Balcongrissim	Fiesta™ Bonita Burgundy	Balboniburg
Balconguniss	Fiesta™ Bonita Cherry	Balbonicher
Balcongetiss	Fiesta™ Bonita Pink	Balbonipink
Balcongite	Fiesta™ Bonita Rose	Balbonirose
	Fiesta™ Bonita Salmon	Balbonisal
	Fiesta™ Bonita Stardust Lavender	Balbonistar
akegawa CE10	Fiesta™ Bonita White	Balboniwite
UF12221		
UF104512	Impatiens, Exotic	
UF04335	Fusion™ Glow Yellow	Balfusimglo
UF81910	Fusion™ Heat Coral	Balfusheat
UF12823		
UF9837	Impatiens, New Guinea	
UF159709	Clockwork™ Appleblossom	DANCEL877
UF14241	Clockwork™ Cherry Strike	Balclorike
UF150628	Clockwork™ Hot Pink Glow	Balclohopi
UF12735	Clockwork™ Lavender	Balclolav
UF134827	Clockwork™ Orange	Balceborushi
Balcenna	Clockwork™ Orange Stripe	Balceboripi
Balcinsu	Clockwork™ Pink Star	Balceborcari
UF13267	Clockwork™ Purple	Balcebgushi
Kakegawa CE1	Clockwork™ Red	Balcebredim
Balcimoa	Clockwork™ Rose	Balclorose
UF152006	Clockwork™ White Improved	Balclowiti
UF0646		
UF13424	Impatiens, Vigorous	
UF12743	SunPatiens® Vigorous Clear Orange	SAKIMP040
UF06419	SunPatiens® Vigorous Clear White	SAKIMP036
Balcovino	SunPatiens® Vigorous Corona	SAKIMP008
UF0843	SunPatiens® Vigorous Lavender	SAKIMP006
	SunPatiens® Vigorous Orchid	SAKIMP053
	SunPatiens® Vigorous Pink Kiss	SAKIMP043
Firecracker	SunPatiens® Vigorous Red	SAKIMP048
	SunPatiens® Vigorous Rose Pink	SAKIMP052
	SunPatiens® Vigorous Salmon V/L	SAKIMP005

 $\mathsf{Gardenetta}^{\mathsf{TM}}\,\mathsf{Dark}\,\mathsf{Red}$ 

Gardenetta™ Lavender Swirl

Gardenetta™ Passion Fruit

Baldenrek

Baldenav

Baldenink

### **POLICIES AND LICENSING**

SunPatiens® Vigorous Shell Pink SunPatiens® Vigorous Tropical Orange	SAKIMP035 SAKIMP038	Voltage™ White Voltage™ Yellow	Balvowite Balvoyelo	<b>Salvia</b> Black & Bloom	Black & Bloom	Licensed Varieties Commercial Name	Variety Name
SunPatiens® Vigorous White V/L	SAKIMP018			Mysty Spires	Balsalmispim	Geranium	
		Perilla		Mysty	Balsalmysty	Allure™ Hot Coral	BFP-1568
Impatiens walleriana	D.I.	Magilla® Purple	Balmagpurp	0		Allure™ Light Pink	Ballurlitpi
Patchwork™ Cosmic Burgundy Patchwork™ Cosmic Orange	Balpacurn	Detunio		Scaevola Brilliant	Brillant	Allure™ Lilac Chiffon	Lilac Chiffon
Patchwork™ Cosmic Grange  Patchwork™ Peach Prism	Balpacorg Balpapesmi	Petunia Black Magic	Dray68	Bondi™ Blue	Kingscablin	Allure™ Pink Sizzle	Ballurpinzle
Patchwork™ Peach Frish Patchwork™ Pink Shades	Balpapinade	Cascadias™ Indian Summer	DCAS303	Bondi™ White	Kingscabowi	Allure™ Purple Rose Allure™ Salmon	Purple Rose
ration on the oracle	Барарінасо	Cha-Ching Cherry	Balpechay	White Sparkle	Kingscawite	Allure™ Salmon Allure™ Scarlet	Ballursal Ballurscim
Ipomoea		ColorBlitz™ Amethyst	Flortuniatwo		9	Allure™ Tangerine	Ballurtang
SolarPower™ Black	Balsolablim	ColorBlitz™ Blue	KLEC01037	Thunbergia		Allure™ White	Ballurwhi
SolarPower™ Black Heart	Balsolabart	ColorBlitz™ Blue Stardust	Flortunia Blusta	Sunny™ Arizona Glow	VOLTHU 1007	Dynamo™ Dark Red	BFP-838 Dark Red
SolarPower™ Lime	Balsolalimli	ColorBlitz™ Bluerific	Bluerific	Sunny™ Lemon Star	Lemon Star	Dynamo™ Dark Salmon	Sil Gatwig
SolarPower™ Lime Heart	Balsolalimart	ColorBlitz™ Lavender Shades	Glow Lavender Shades	Sunny™ Orange Wonder	Orange Wonder	Dynamo™ Hot Pink Improved	ToscaQ488
SolarPower™ Red	Balsolared	ColorBlitz™ Ocean Blue	FlortuniaOcBl			Dynamo™ Light Pink	Sil Gesa
SolarPower™ Red Heart	Balsolaredar	ColorBlitz™ Pinkceptional	Pinkceptional	Verbena	F1-11-	Dynamo™ Purple	Sil Merle
SolarTower™ Black SolarTower™ Lime	Balsotowac Balsotowime	ColorBlitz™ Purple ColorBlitz™ Purple	Flortunpur	Burgundy Wink Cadet Upright™ Hot Pink Wink	Florbenacher Balcadotinw	Dynamo™ Raspberry Sizzle	KLEPZ07197
Spotlight™ Black	Balspotack	ColorBlitz™ Red	Flortunpur KLEPH14248	Cadet Upright™ Lavender Blue	Balcadavlu	Dynamo™ Red	Baldyned
Spotlight™ Black Heart	Balspotack	ColorBlitz™ Redtastic	Redtastic	Cadet Upright™ Magenta Wink	Balcadentwi	Dynamo™ Salmon	Tosdynsal
Spotlight <sup>TM</sup> Lime	Balspotime	ColorBlitz™ Rose Stardust	Flortuniarostar	Cadet Upright™ Pink	Balcadpink	Dynamo™ Scarlet Dynamo™ Violet	SIL Friesia
Spotlight™ Lime Heart	Balspotimart	ColorBlitz™ Sky Blue	Flortunskbl	Cadet Upright™ Purple	Balcadurp	Dynamo™ White	Tosdynio Tosdynwitim
Spotlight™ Red	Balspotred	ColorBlitz™ Snowy White	Flortunswh	Cadet Upright™ Red	Balcadred	Fantasia® Appleblossom	Tosfanbloss
		ColorBlitz™ Yellow	KLEPH15261	Cadet Upright™ White	Balcadite	Fantasia® Cardinal Red	Balfanimcar
Lantana		ColorRush™ Blue	Balcushlu	EnduraScape™ Blue	Balendluim	Fantasia® Coral	Balfancori
Bloomify™ Red	UF1013A2A	ColorRush™ Pink	Balcushink	EnduraScape™ Dark Purple	Balendakle	Fantasia® Cranberry Sizzle	Tosfancriz
Bloomify™ Rose	UF10112	ColorRush™ Pink Vein	Balcushinein	EnduraScape™ Hot Pink	Balendopin	Fantasia® Dark Red	Sil Magnus
Landmark™ Citrus	Balandcit	Double Wave® Blue Vein	Kirimaji Double Blue Vein	EnduraScape™ Magenta	Balendmag	Fantasia® Flamingo Rose	Tosfanflam
Landmark™ Gold	Balandgold		Kirimaji Double Blue Velvet	EnduraScape™ Pink Bicolor	Balendpibi	Fantasia® Neon Rose	Balfanero
Landmark™ Red	Balandred	Double Wave® Pink	Kirimaji Double Pink Vein	EnduraScape™ Pink Fizz EnduraScape™ Purple	Balendinz	Fantasia® Pink	Tosfanpink
Landmark™ Rose Glow Landmark™ Sunrise Rose	Balandroglim Balandsunrim	Double Wave® Purple Double Wave® Red	Kirimaji Double Purple Kirimaji Double Red	EnduraScape™ Purple EnduraScape™ Red	Balendurim Balendred	Fantasia® Purple Sizzle	Sil Baldo 448
Landmark™ White	Balucwhit	Double Wave® Rose	Kirimaji Double Rose	EnduraScape™ White	Balendwite	Fantasia® Raspberry Twizzle	Balfanrazl
Landmark™ Yellow	Balucyell	Double Wave® White	Kirimaji Double White	EnduraScape™ White Blush	Balendish	Fantasia® Salmon Fantasia® Scarlet	Sil Sören Tosfanscarim
Little Lucky™ Hot Pink	Flortanapi	Jelly Roll	Jelly Roll	Firehouse™ Burgundy	Balfireburgim	Fantasia® Shocking Pink	Balfanshoci
Little Lucky™ Lemon Cream	Ballucream	Lime Light	Balpelite	Firehouse™ Grape	Balfireape	Fantasia® Strawberry Sizzle	Sil Claudio
Little Lucky™ Orange	Ballucor	Phantom	Balpephan	Firehouse™ Lavender	Balfirelav	Fantasia® Violet	Balfanimvio
Little Lucky™ Peach Glow	Balluceagl	Pinstripe	Balpepin	Firehouse™ Light Pink	Balfirelitpi	Fantasia® White	Toscat0535
Little Lucky™ Pink	Ballucink	Ragtime	Balpetagim	Firehouse™ Pink	Balfireinkim	Focus™ Burgundy	Florpeltburg
Little Lucky™ Pot of Gold	Balucgold	Rhythm and Blues	Balperblues	Firehouse™ Purple	Balfirepur	Focus™ Hot Pink	Tosfohopi
Little Lucky™ Red	Balluced	Sun Spun® Blue	Balspunlu	Firehouse™ Purple Fizz	Balfirepuriz	Focus™ Red	Toscat1141
Lucky™ Flame	Balucraim	Sun Spun® Burgundy	Balspunburg	Firehouse™ Red	Balendred	Focus™ Red Ice	Tosforice
Lucky™ Lavender	Baluclav	Sun Spun® Coral	Balspuncor	Firehouse™ White Violet Wink	Balfireitim	Focus™ Rose	Florpeltpipu
Lucky™ Lemon Glow Lucky™ Pot of Gold	Balucemlow Balucgold	Sun Spun® Lavender Star Sun Spun® Neon Pink	Balspunlar Balspunepi	VIOIET WITK	KLEVP12449	Precision™ Burgundy	Balcolbugi
Lucky™ Pure Gold	Balucpure	Sun Spun® Pink	KLEPH11199	Licensed Drenowstian		Precision™ Burgundy Ice	Sil Nixe Red
Lucky™ Red	Balucred	Sun Spun® Pink Ice	Balspunpice	Licensed Propagation		Precision™ Dark Burgundy	KLEP01042
Lucky™ Sunrise Rose	Balandrise	Sun Spun® Purple Star	Balspunurst	A propagation license is a	, ,	Precision™ Dark Salmon Precision™ Lavender Blue	KLEPP08218 Florpeltlav
Lucky™ White	Balucwite	Sun Spun® Raspberry Star	Balspunrast	license that must be signe		Precision™ Pink Flamingo	Toscat1068
Lucky™ Yellow	Balucimyel	Sun Spun® Red	Balspunredim	to receive stock plants or		Precision™ Pink	Tosprelipim
		Sun Spun® White	Balspunwhi	A propagation license is o	*	Precision™ Red Ice	Sil Chris
Lobelia		Sun Spun® Yellow	KLEPH13238	for Ball FloraPlant Geraniu	ım and New	Precision™ Rose	Tosprerose
Early Springs™ Dark Blue	KLELE12472			Guinea Impatiens varieties	s. Propagation of	Precision™ Ruby	Sil Ruben
Early Springs™ Lavender Pink	KLELE12474	Petunia x calibrachoa (Petchoa)		these varieties without a li-	cense is strictly	Precision™ Scarlet Red	KLEPP08207
Early Springs™ Magenta	Balspringma	SuperCal® Artist Rose	SAKPXC010	prohibited.		Precision™ White Red Eye	Sil Insa
Early Springs™ Sky Blue	KLELE12471	SuperCal® Blue	SAKPXC006			Presto™ Brilliant Red	KLEPZ08224
Early Springs™ White Waterfall™ Blue	KLELE12473 Balobwablu	SuperCal® Blushing Pink SuperCal® Cherry	SAKPXC008 SAKPXC012	Contact information to ob	tain a	Presto™ Dark Fuchsia	KLEPZ05137
Waterfall™ Purple	Balwapur	SuperCal® Crimson Red	SAKPXC012 SAKPXC018	propagation license:		Presto™ Dark Red	Tospresdared
Waterfall™ White Blush	Balwawish	SuperCal® Light Yellow	SAKPXC017	U.S. Growers: Royalty Ad	ministration	Presto™ Dark Salmon	KLEPZ08220
		SuperCal® Neon Rose	Kakegawa S89	International at (800) 472-		Presto <sup>™</sup> Deep Scarlet Presto <sup>™</sup> Light Salmon	Sil Ronja KLEPZ09251
Lobularia		SuperCal® Pink	SAKPXC016	Canada Growers: Ball Flor		Presto™ Pink	Balshopink
Easy Breezy™ Pink	Balbeezink	SuperCal® Pink Ice	SAKPXC009	Administration at (630) 58		Presto™ Pink+Eye	KLEP01007
Easy Breezy™ White	Balbeezite	SuperCal® Purple	Kakegawa S90	7 (000) 00	0 0111.	Presto™ Pink Sizzle	Sil Linus
		SuperCal® Salmon Glow	SAKPXC014	Licensed Propagation 1	Forms	Presto™ Rose Sizzle	Balshorozle
Mercardonia		SuperCal® Terracotta	Kakegawa S91			Presto™ Violet	KLEPZ07200
Little Sunshine		SuperCal® Violet	SAKPXC011	Any cuttings taken from		Presto™ White	Sil Cato
		SuperCal® Premium Bordeaux	SAKPXC023	plants must be used for fir	nisnea production		
Nemesia		SuperCal® Premium Caramel Yellow		only.		New Guinea Impatiens	
Aromatica™ Rose Pink Aromatica™ Royal Blue	Balarropi	SuperCal® Premium Cinnamon SuperCal® Premium French Vanilla	SAKPXC021 SAKPXC020	<ul> <li>Any and all growing don</li> </ul>		Celebration Apricot	Balcelapt
Aromatica™ White	Balaroyble Balarwitim	SuperCal® Premium Sunray Pink	SAKPXC020	license must be performed	d solely at the	Celebration Bright Salmon	Balcelbrisal
Alomatica White	Dalai Witii II	SuperOai Fremium Suriay Fink	3AN A0022	"ship to" address as show	n on the shipping	Celebration Deep Red	BFP-523 Deep Red
Osteospermum		Plectranthus		documents for the license	d plants.	Celebration Electric Rose	Balcelelro
Blue Eyed Beauty	Balostlueye	Nico	Nico	<ul> <li>Any and all growing don</li> </ul>	e under this	Celebration I cyandar Clau	Balcebibu
Blushing Beauty	Balostush	Nicolleta	Nicolleta	license shall be solely for t	the purpose of	Celebration Lavender Glow Celebration Orange	Balcelavgo BFP-605 Orange
Serenity™ Bronze	Balseronze	Mona Lavender	Plepalila	producing flowering (finish		Celebration Pink	Balcelimpik
Serenity <sup>™</sup> Dark Purple	Balserdarp		:	U.S. and Canada sales.	, In	Celebration Purple Star	Balcelipurt
Serenity™ Deep Yellow	Balserdelo	Purslane		"Finished Plants" are der	fined as plants	Celebration Rose Star	Balcelrost
Serenity™ Lavender Frost	Balserlavosim	Fairytales Cinderella	Cindy	grown for at least five (5) v		Celebration Tropical Peach	Balceltrop
Serenity™ Lemonade	Balserlem	Río Grande™ Magenta	KLEP014001			Celebration White	Balcelwitim
Serenity™ Pink	Balserpinkim	Río Grande™ Orange	KLEPO14824	(7.5-cm) size pot/containe			
Serenity™ Pink Magic	Balserpima	Río Grande™ Scarlet	KLEPO14002	at least four (4) weeks from			
Serenity™ Red	Balsered	Río Grande™ White	Balriowite	rooted cutting, and seven			
Serenity™ Rose Magic	Balseroma	Río Grande™ Yellow	KLEPO14825	planting of an unrooted cu	•		
Serenity™ Spring Day Serenity™ White	Balseringda Balseringudi			<ul> <li>Licensee is not allowed</li> </ul>			
Seremy ···· writte	Balserimwhi			to any party unrooted cutt			
				cuttings, or young (prefinis	shed) plants of		
				these varieties at any time	ł.		

# Terms & Conditions of Sale

Visit ballfloraplant.com for current Terms & Conditions of Sale.

#### ACCEPTANCE OF TERMS

These terms and conditions shall govern orders for plants (merchandise) placed with Seller. All negotiations with sales representatives or other agents of Seller are merged herein. No modification of these terms and conditions shall be effective unless in writing signed by Seller. Placement of the order shall constitute Purchaser's acceptance of these terms and conditions. All orders are subject to acceptance by Seller at our offices in West Chicago, Illinois.

#### LIMITATION OF WARRANTY

Seller warrants, to the extent required by law, that merchandise conforms to the description appearing in Seller's catalog and on container labels, within recognized tolerances. SELLER MAKES NO OTHER OR FURTHER WARRANTY, EXPRESS OR IMPLIED. ALL OTHER OR FURTHER WARRANTIES, INCLUDING ANY WARRANTIES OF MERCHANTABILITY, TITLE, NON-INFRINGEMENT AND FITNESS FOR A PARTICULAR PURPOSE, ARE EXCLUDED. Certain merchandise may be separately warranted by the manufacturer. Seller does not adopt or ratify any manufacturer warranties, express or implied, and Seller shall have no liability thereunder. Seller does not adopt or ratify any manufacturer warranties, express or implied, made by Purchaser upon resale of the merchandise, and Seller shall have no liability thereunder.

### LIMITATION OF REMEDY

PURCHASER'S SOLE AND EXCLUSIVE REMEDY SHALL BE REFUND OF THE PURCHASE PRICE. SELLER'S LIABILITY, WHETHER FOR BREACH OF CONTRACT, BREACH OF WARRANTY, NEGLIGENCE, PRODUCTS LIABILITY OR ANY OTHER THEORY OF LIABILITY, IS LIMITED TO THE AMOUNT OF THE PURCHASE PRICE. UNDER NO CIRCUMSTANCES SHALL SELLER BE LIABLE FOR DAMAGES IN EXCESS OF THE PURCHASE PRICE, OR FOR ANY SPECIAL, INCIDENTAL, INDIRECT OR CONSEQUENTIAL DAMAGES.

### MANDATORY ARBITRATION

ANY CLAIM WHICH PURCHASER MAY HAVE AGAINST SELLER ARISING OUT OF OR RELATING TO THE SALE OF THE MERCHANDISE SHALL BE SETTLED BY BINDING ARRITRATION IN ACCORDANCE WITH THE COMMERCIAL ARBITRATION RULES OF THE AMERICAN ARBITRATION ASSOCIATION, SAID ARBITRATION TO BE VENUED IN COOK OR DUPAGE COUNTIES, ILLINOIS. The laws of several states require arbitration, conciliation or mediation of disputes involving allegedly defective plants before legal action may be taken. Purchaser should contact the State Department Of Agriculture for information. Such laws typically require that a complaint be filed with the State Department of Agriculture in time to permit inspection of the crops or plants. If such a complaint is filed, a copy must be sent to Seller by registered or certified mail.

### GOVERNING LAW, JURISDICTION & VENUE

The laws of the State of Illinois, including but not limited to the Uniform Commercial Code as adopted therein, shall govern all matters arising out of or relating to Seller's sale of merchandise. ANY DISPUTE NOT SUBJECT TO ARBITRATION AND ANY ACTION TO ENFORCE AN ARBITRATION AWARD ARISING OUT OF OR RELATING TO THE SALE OF MERCHANDISE HEREUNDER SHALL BE MAINTAINED IN THE STATE OR FEDERAL COURTS LOCATED IN DUPAGE OR COOK COUNTIES, ILLINOIS, AND PURCHASER SUBMITS TO THE JURISDICTION OF AND VENUE IN SAID COURTS.

### INDEMNITY

By accepting merchandise, Purchaser agrees to defend Seller, to hold it harmless and indemnify it from and against any claim or loss asserted by any or all transferees of such merchandise or users of the products of such merchandise who are not notified by Purchaser in writing of Limitation of Warranty, Limitation of Remedy, Mandatory Arbitration, Governing Law Jurisdiction and Venue, and Notice Regarding Seed-Borne Diseases in language substantially equivalent to that contained in these Terms & Conditions of Sale.

#### MINIMUM ORDERS

The minimum quantity for each order is 500 unrooted cuttings. Total orders less than 2,000 unrooted cuttings will be subject to a minimum charge of \$30.

#### **PRICES**

All prices are subject to change without notice. The price in effect at time of shipment will prevail. Prices do not include installation; Seller takes no responsibility, and shall have no liability for installation.

#### **PAYMENT**

Payment is due in invoiced currency and in accordance with the terms specified on invoice. In the event of default in the payment of any amount when due, and in addition to all other rights and remedies available to Seller, SELLER SHALL BE ENTITLED TO COLLECT A LATE CHARGE OF 2% PER MONTH (24% PER YEAR) OR THE MAXIMUM RATE ALLOWED BY LAW, WHICHEVER IS LESS, ON ALL AMOUNTS PAST DUE FROM THE DATE DUE UNTIL THE DATE PAID. A FEE OF \$25.00 WILL BE CHARGED FOR ANY RETURNED CHECK, DECLINED BANKCARD TRANSACTION.

### FREIGHT & HANDLING CHARGES, INSPECTION, DAMAGED GOODS

The freight and handling charge on Purchaser's invoice covers shipment of the merchandise to Purchaser's destination, and replacement or credit for damaged merchandise if the steps listed here are followed. PURCHASER WILL NOT REFUSE OR RETURN GOODS, OR THE RIGHT TO FILE A CLAIM IS LOST AND PURCHASER WILL STILL BE LIABLE FOR THE MATERIAL AND THE FREIGHT. When Purchaser receives shipment: 1) Count all cartons. 2) Inspect all cartons for external damage. 3) Check for open or resealed cartons. 4) Note any damages, shortages, open or resealed cartons on the delivery receipt; the carrier's representative must also sign the receipt. 5) Open all boxes immediately and inspect for damage due to weather related issues such as scorched, frozen or broken plants: material shortages: etc. NOTIFY SELLER IMMEDIATELY IF A SHIPMENT IS DAMAGED. Call the Ball Traffic Department at 800 879-BALL to report the damage and receive details on what is needed to file a claim. Damaged unrooted cuttings will be replaced by Ball FloraPlant. Damaged rooted cuttings

will be replaced by Ball Seed.

### **CANCELLATION POLICY**

Cancellations for unrooted cuttings must be received at least thirty (30) days prior to scheduled ship date. Cancellations for liners or seed-raised plugs must be received prior to stick or sow date.

### **NOTICE & RETURN**

No returns will be accepted. Seller shall have no liability for any defect unless notice is given promptly, not to exceed five (5) days after receipt of delivery of merchandise. Notice of defect should be addressed to Ball at 800 879-BALL.

### DELAYS, SHORTAGES & SUBSTITUTIONS

Seller shall not be responsible for delays in delivery or for losses resulting from such delays. Seller reserves the right to make partial shipment. In the event of shortages, Seller may substitute such other, similar merchandise as is available.

### PLANT PROTECTION

Varieties described herein may be covered by the Flowering-Only License Agreement, United States Plant Patents, Utility Patents, and/or Plant Breeders Rights. These varieties may not be reproduced without authorization. The breeder or authorized representative has the right to inspect customers' nurseries during normal business hours to assess compliance with the restrictions on use of protected varieties.

#### **TRADEMARKS**

Trademarks are the property of Ball Horticultural Company, unless otherwise indicated.

### SALES LIMITATIONS

THE COMPANY'S PRODUCTS MAY NOT BE SOLD, DIVERTED, TRANSFERRED OR RE-EXPORTED, DIRECTLY OR INDIRECTLY, TO ANY INDIVIDUAL, ENTITY, OR DESTINATION THAT IS SUBJECT TO UNITED STATES OR UNITED NATIONS SANCTIONS PROGRAMS OR EMBARGOS (INCLUDING BUT NOT LIMITED TO OFAC SANCTIONS PROGRAMS AND THOSE LISTED ON OFAC'S "SPECIALLY DESIGNATED NATIONALS" LIST) WITHOUT AN APPROPRIATE EXPORT LICENSE.

ALL SHIPMENTS MUST BE SHIPPED IN COMPLIANCE WITH THE FOREIGN CORRUPT PRACTICES ACT AND THE UK BRIBERY ACT.

# **Discontinued Ball FloraPlant Varieties for 2019**

### **VARIETY**

### Calibrachoa Can-Can Apricot Calibrachoa Can-Can Neon Pink Calibrachoa Can-Can Pink Flamingo Geranium, Zonal Allure True Red Impatiens, Interspecific SunPatiens Spreading Carmine Red Impatiens, Interspecific SunPatiens Spreading Lavender Impatiens, Interspecific SunPatiens Spreading Pink Flash Impatiens, Interspecific SunPatiens Spreading Scarlet Red Impatiens, Interspecific SunPatiens Vigorous Magenta Impatiens, Interspecific SunPatiens Vigorous Orange Impatiens, Interspecific SunPatiens Vigorous White Impatiens, New Guinea Celebrette Appleblossom Impatiens, New Guinea Celebrette Bonfire Orange Impatiens, New Guinea Celebrette Cherry Stripe Impatiens, New Guinea Celebrette Frost Impatiens, New Guinea Celebrette Grape Crush Impatiens, New Guinea Celebrette Lavender Impatiens, New Guinea Celebrette Orange Crush Impatiens, New Guinea Celebrette Orange Stripe Impatiens, New Guinea Celebrette Orchid Star Impatiens, New Guinea Celebrette Red Improved Impatiens, New Guinea Celebrette Salmon Frost Impatiens, New Guinea Celebrette Strawberry Star Impatiens, New Guinea Celebration Purple Impatiens, New Guinea Clockwork White MixMasters Color Theory

MixMasters Do you Lilac it?
MixMasters Laguna Beach
Petunia ColorBlitz Fire
Petunia ColorBlitz Bright Red
Petunia ColorBlitz Prink Morn
Petunia Sun Spun Silver
Verbena Aztec Blue Velvet
Verbena Aztec Coral
Verbena Aztec Dark Red
Verbena Aztec Lavender
Verbena Aztec Pink
Verbena Aztec Pink
Verbena Aztec Violet
Verbena Aztec White
Verbena Aztec White

Verbena Aztec Magic Magenta

Verbena Aztec Magic Orchid

Verbena Aztec Magic Plum

Verbena Aztec Magic Purple

Verbena Aztec Magic Red

Verbena Aztec Magic Silver

Verbena Aztec Magic White

### RECOMMENDED REPLACEMENT

Calibrachoa Cabaret Coral Kiss Calibrachoa Cabaret Neon Rose Calibrachoa Cabaret Light Pink Geranium, Zonal Allure Scarlet Impatiens, Interspecific SunPatiens Vigorous Red Impatiens, Interspecific SunPatiens Vigorous Orchid Impatiens, Interspecific SunPatiens Vigorous Shell Pink Impatiens, Interspecific SunPatiens Vigorous Red Impatiens, Interspecific SunPatiens Vigorous Rose Impatiens, Interspecific SunPatiens Vigorous Clear Orange Impatiens, Interspecific SunPatiens Vigorous Clear White Impatiens, New Guinea Clockwork Appleblossom Impatiens, New Guinea Clockwork Orange Impatiens, New Guinea Clockwork Cherry Strike Impatiens, New Guinea Clockwork White Improved Impatiens, New Guinea Clockwork Purple Impatiens, New Guinea Clockwork Lavender Impatiens, New Guinea Clockwork Orange Stripe Impatiens, New Guinea Clockwork Orange Stripe Impatiens, New Guinea Clockwork Pink Star Impatiens, New Guinea Clockwork Red Impatiens, New Guinea Clockwork Appleblossom Impatiens, New Guinea Clockwork Hot Pink Glow Impatiens, New Guinea Celebration Lavender Glow Impatiens, New Guinea Clockwork White Improved MixMasters Santa Fe Sunset MixMasters Eye Caramba MixMasters Laguna Beach Improved Petunia ColorBlitz Redtastic Petunia ColorBlitz Redtastic Petunia ColorBlitz Rose Stardust Petunia Sun Spun Lavender Star Verbena Firehouse Purple Verbena Firehouse Light Pink Verbena Firehouse Red Verbena Firehouse Lavender Verbena Firehouse Pink Velvet Verbena Firehouse Red Verbena Firehouse Purple Verbena Firehouse White Verbena Firehouse Purple Fizz Verbena Firehouse Burgundy Verbena Firehouse Pink Verbena Firehouse Purple Verbena Firehouse Purple Verbena Firehouse Red Verbena Firehouse Lavender

## Index

Alternanthera	29
Angelonia	24
Argyranthemum	28
Васора	30
Bidens	32
Brachyscome	29
Bracteantha	34
Calibrachoa	36
Coleus	42
Culture Guide1	32
Cuphea	48
Dahlia	50
Diascia	51
Euphorbia	49
Evolvulus	49
Gaura	66
Genesis™ Direct-stick Cuttings52,	07
Geranium (Ivy)	
Geranium (Zonal)	
Helichrysum	
Heliotrope	
Impatiens	34
(Compact Interspecific)	74
Impatiens	
(Double)	68
Impatiens (Exotic)	67
Impatiens	
(New Guinea)	76
Impatiens (Spreading Interspecific)	72
Impatiens (Vigorous Interspecific)	72
Ipomoea	
ιροποσα	-00

11001110
Lamium 95
Lantana85
Las Limas 4
Lobelia92
Lobularia96
Lysimachia94
Mecardonia95
MixMasters™ Multiliners6
Nemesia112
Osteospermum98
Perilla113
Petchoa110
Petunia102
Petunia (Mounded Trailing)106
Petunia (Spreading Double)109
Petunia (Trailing)109
Plectranthus112
Policies & Licensing146
Product Forms129
Propagation Guide130
Purslane113
Sales Reps122
Salvia114
Scaevola112
Strobilanthes113
Supplier Network5
Terms & Conditions148
Thunbergia115
Verbena115

Iresine



### ACCESS THE BIGGEST ONLINE PRODUCT LINEUP 24/7.

Live inventory from hundreds of seed and young plant suppliers at your fingertips...Ball WebTrack® is the only single-source site in the industry! Find it at ballseed.com/webtrack.

VISIT **BALLFLORAPLANT.COM** FOR THE LATEST TRENDS, CULTURE TIPS, VIDEOS, PRODUCT LISTINGS AND OTHER VALUABLE INFORMATION.

Verbena Firehouse White

