Marine

Ball Flora Plant...

Upright plant performs well in landscapes, baskets and patio planters.

General & Information

Height: Spread: Exposure: 10-14" (25-36cm)12-18" (30-46cm)Partial Sun

Propagation Guide

Tray Sizes Rooting Average Days Pinch: Average Propagation Comments:

(cells/tray): Hormone: with Mist: No Time (weeks): Stick immediately upon arrival. Apply preventative fungicide spray after

50, 72, 84, 105 Optional 6-9 3-4 sticking. Reduce mist as soon as possible.

Finishing

Soil Light Temperature Temperature Fertilization No. of Plant Growth Regulators (S) Pests: Diseases:Comments:

pH: Levels Night: (ppm N): Pinches: =spray / (D) =drench: Whitefly, Root rot Cool temperatures and high light will Day: 71-76°F (22- 50-61°F (10- 175-225 Use B-Nine 1,500-3,000 5.8- (fc): 1-2 mites, aphids reduce or eliminate any need for 6.2 5,000ppm and Cycocel 750-24°C) 16°C) plant growth regulators.

9,000 1,000 ppm tank mix(S).

Crop Time

4- to 5-inch (10- to 13-cm) Pots, Quarts :6-inch (15-cm) Pots, Gallons:10- to 12-inch (25- to 30-cm) Tubs or Baskets:

1 ppp, 6-7 weeks 1-2 ppp, 8-9 weeks 3-5 ppp, 10-12 weeks

NOTE: Growers should use the information presented here as guidelines only. Ball Floraplant recommends that growers conduct a trial of products under their own conditions. Crop times will vary depending on the climate, location, time of year, and greenhouse environmental conditions. It is the responsibility of the grower to read and follow all the current label directions relating to the products. Nothing herein shall be deemed a warranty or guaranty by Ball Floraplant of any products listed herein. Ball Floraplant's terms and conditions of sale shall apply to all products listed herein.

Other Heliotrope Varieties



Heliotrope Marine