## $SunGlow^{TM} \\$



Blooms from early Spring to Summer and offers great heat tolerance. Easy to finish and perfect for quart production. Fragrant, delicate flowers are showstoppers in the garden in early Spring through Summer. SUNGLOW is a U.S. trademark of Penhow Nurseries Ltd.

General & Information

Height: Spread: Exposure: 12-14" (30-36cm)10-12" (25-30cm)Sun

Propagation Guide

Tray Sizes Rooting Average Days with Pinch: Average Propagation Time Comments:

(cells/tray): Hormone: Mist: Recommended(weeks): Better with 2 cuttings per cell. Liner can be pinched at 3

72, 84, 105, 128 No 6-9 3-4 weeks or when well rooted.

Finishing

Soil Light Temperature Temperature Fertilization No. of Plant Growth Regulators (S) = spray / (D) =Pests: Diseases: Comments: pH: Levels Night: (ppm N): Pinches: Thrips, Root rot, Day:

5.7- (fc): 64-75°F (18- 45-55°F (7- 175-225 1-2 If necessary, B-Nine spray at 2,500-3,500 ppm aphids Botrytis

6.2 4,000- 24°C) 13°C) can be effective. Growing cool helps to prevent

7,000 stretch.

Crop Time

4- to 5-inch (10- to 13-cm) Pots, Quarts :6-inch (15-cm) Pots, Gallons:10- to 12-inch (25- to 30-cm) Tubs or Baskets:

1 ppp, 5-7 weeks 2 ppp, 7-8 weeks 3-4 ppp, 9-12 weeks

**NOTE:** Growers should use the information presented here as guidelines only. Ball Floraplant recommends that growers conduct a trial of products under their own conditions. Crop times will vary depending on the climate, location, time of year, and greenhouse environmental conditions. It is the responsibility of the grower to read and follow all the current label directions relating to the products. Nothing herein shall be deemed a warranty or guaranty by Ball Floraplant of any products listed herein. Ball Floraplant's terms and conditions of sale shall apply to all products listed herein.

## Other SunGlow<sup>TM</sup> Varieties





Nemesia SunGlow<sup>TM</sup> Purple Bicolor

Nemesia SunGlow<sup>TM</sup> Yellow Bicolor