

Pink Brilliance Scaevola



NEW 'Pink Brilliance' partners with 'Blue Brilliance' as a heat and drought-tolerant, low-maintenance scaevola. Great for Summer basket programs.

General & Information

Height:	Spread:	Exposure:
12-20" (30-51cm)	24-28" (61-71cm)	Sun

Propagation Guide

Tray Sizes (cells/tray):	Rooting Hormone:	Average Days with Mist:	Pinch: Yes	Average Propagation Time (weeks):	Comments:
50, 72, 84, 105	Yes	10-15		3-4	Reduce mist as soon as possible. Maintain warm soil temperature to optimize rooting.

Finishing

Soil pH:	Light Levels (fc):	Temperature Day:	Temperature Night:	Fertilization (ppm N):	No. of Pinches:	Plant Growth Regulators (S) = spray / (D) = drench:	Pests:	Diseases:	Comments:
5.8- 6.2	5,000- 10,000	74-79°F (23-26° C)	59-64°F (15-18° C)	175-225	1-2	Generally not needed. Bonzi(D) 1- 3 ppm or Bonzi(S) 20-40 ppm will control growth.	Whitefly, leafminers	Pythium, Rhizoctonia	Scaevola prefers a well- drained soil. Allow the media to dry between waterings. Night temperatures lower than recommended will significantly slow the crop and lead to problems with root rot.

Crop Time

4- to 5-inch (10- to 13-cm) Pots, Quarts :	6-inch (15-cm) Pots, Gallons:	10- to 12-inch (25- to 30-cm) Tubs or Baskets:
1 ppp, 5-7 weeks	1-2 ppp, 7-8 weeks	3-5 ppp, 10-12 weeks

NOTE: Growers should use the information presented here as guidelines only. Ball Floraplant recommends that growers conduct a trial of products under their own conditions. Crop times will vary depending on the climate, location, time of year, and greenhouse environmental conditions. It is the responsibility of the grower to read and follow all the current label directions relating to the products. Nothing herein shall be deemed a warranty or guaranty by Ball Floraplant of any products listed herein. Ball Floraplant's terms and conditions of sale shall apply to all products listed herein.

Other Scaevola Varieties



New Scaevola Pink
Brilliance