





Ball Flora Plant  
Research & Development

725 Zenon Way  
Arroyo Grande CA 93420  
(805) 489-0228


# Salvia Black & Bloom PGR Trial

1 Gallon Containers

BallFloraPlant



- Stick week: 7
- Pinch in 25mm liner: week 10
- 1 plant per pot
- Transplant: week 10
- PGR: week 13
- Finish: week 17
- Total Crop Time: 10 weeks
- ADT: 65° F
- Average Moles: 16.5 M/m2d
- Fertilizer Feed: 17-5-17
- Soil pH: 5.7



2500ppm B9  
750ppm CCC Spray  
3 weeks after transplant

- Recommended treatment
- Best overall control of height, while still producing a strong flowering and retail appeal



## Control

- Too much height
- Branch break



2500ppm B9 Spray  
3 weeks after transplant

- Too much height
- Did not provide adequate height control



5000ppm B9 Spray  
3 weeks after  
transplant

- Delayed overall  
flowering





1ppm Bonzi Drench  
3 weeks after transplant

- Too compact of habit
- Provided adequate height control, but had negative effect on foliage and habit



3ppm Bonzi Drench  
3 weeks after  
transplant

- Too compact of habit
- Too much control of growth, producing an overall stunted look with limited retail appeal





# Recommended Treatment

**B-Nine 2,500 ppm/Cycocel 750 ppm  
spray application  
3 weeks after transplant**

Helps achieve best overall control of height, while still producing a strong flowering and retail appeal.

