

# Licorice Helichrysum



Low-growing and semi-trailing, silvery green-leafed plant is useful as an accent in containers and baskets.

## General & Information

Height:	Spread:	Exposure:
8-10" (20-25cm)	18-24" (46-61cm)	Sun

## Propagation Guide

Tray Sizes (cells/tray):	Rooting Hormone:	Average Days with Mist:	Pinch: Optional	Average Propagation Time (weeks): (see note 1.)	Comments:
50, 72, 84, 105	Optional	7-10		3-4	Propagate in low-volume mist group. Avoid high feed on foliage. High humidity tents are effective. Pinch as needed to shape plants or hold crop.

## Finishing

Soil pH:	Light Levels (fc):	Temperature Day:	Temperature Night:	Fertilization (ppm N):	No. of Pinches:	Plant Growth Regulators (S) = spray / (D) = drench:	Pests:	Diseases:	Comments:
5.8-6.2	4,000-9,000	65-76°F (18-24°C)	50-61°F (10-16°C)	175-225	1-2	None	Fungus gnats, whitefly	Root rot	Avoid saturated media at any time. Pinch regularly to shape.

## Crop Time

4- to 5-inch (10- to 13-cm) Pots, Quarts :	6-inch (15-cm) Pots, Gallons:	10- to 12-inch (25- to 30-cm) Tubs or Baskets:
1 ppp, 5-7 weeks	2-3 ppp, 7-9 weeks	3-5 ppp, 9-11 weeks

### 1. Propagation time:

Average propagation time for perennials includes 3-5 weeks to bulk-up the liner before beginning cold treatment when started in late Summer or early Autumn.

**NOTE:** Growers should use the information presented here as guidelines only. Ball Floraplant recommends that growers conduct a trial of products under their own conditions. Crop times will vary depending on the climate, location, time of year, and greenhouse environmental conditions. It is the responsibility of the grower to read and follow all the current label directions relating to the products. Nothing herein shall be deemed a warranty or guaranty by Ball Floraplant of any products listed herein. Ball Floraplant's terms and conditions of sale shall apply to all products listed herein.

## Other Helichrysum Varieties



Helichrysum Licorice