Marine Heliotrope



Upright plant performs well in landscapes, baskets and patio planters.

Height:		Spread:	Exposure:							
10-14" (25-36cm)		12-18" (30-46cm)	Partial Sun							
Propa	gation G	uide								
Tray Sizes		Rooting	Average Days	Pinch:	Average Propagation		Comments:			
(cells/tray):		Hormone:	with Mist:	No	Time (weeks):		Stick immediately upon arrival. Apply preventative fungicide spray			
50, 72, 84, 105		Optional	6-9		3-4		after sticking. Reduce mist as soon as possible.			
Finish	ing									
Soil	Light	Temperature	Temperature	Fertilization	No. of	Plant Growth	1	Pests:	Diseases:	Comments:
oH:	Levels	Day:	Night:	(ppm N):	Pinches:	Regulators (S	S) =	Whitefly, mites, aphids	tes,	Cool temperatures and high light will reduce or eliminate any need for plant growth regulators.
5.8-	(fc):	71-76°F (22-24°	50-61°F (10-16°C)	175-225	1-2	spray / (D) =				
6.2	5,000-	C)				drench:				
	9,000					Use B-Nine 1,50 3,000 ppm and Cycocel 750-1,0 ppm tank mix(S)	0-			
	Гime					ppin tank mix(3).	•			

NOTE: Growers should use the information presented here as guidelines only. Ball Floraplant recommends that growers conduct a trial of products under their own conditions. Crop times will vary depending on the climate, location, time of year, and greenhouse environmental conditions. It is the responsibility of the grower to read and follow all the current label directions relating to the products. Nothing herein shall be deemed a warranty or guaranty by Ball Floraplant of any products listed herein. Ball Floraplant's terms and conditions of sale shall apply to all products listed herein.

3-5 ppp, 10-12 weeks

1-2 ppp, 8-9 weeks

Other Heliotrope Varieties

1 ppp, 6-7 weeks



Heliotrope Marine