

Lamium maculatum Anne Greenaway



Groundcover features a mixture of green, silver and chartreuse leaves that turn mauve in the Spring.

General & Information

Height:	Spread:	Exposure:
6-8" (15-20cm)	36-48" (91-122cm)	Shade, Partial Sun

Propagation Guide

Tray Sizes (cells/tray):	Rooting Hormone:	Average Days with Mist:	Pinch: Yes	Average Propagation Time (weeks): (see note 1.)	Comments:
32, 50, 72, 84, 105	No	6-9		3-4*	Reduce mist as soon as possible to reduce stretch. Transplant on time.

Finishing

Soil pH:	Light Levels (fc):	Temperature Day:	Temperature Night:	Fertilization (ppm N):	No. of Pinches:	Plant Growth Regulators (S) = spray / (D) = drench:	Pests:	Diseases:	Comments:
5.8-6.2	4,000-8,000	71-79°F (22-26°C)	59-64°F (15-18°C)	175-225	1-2	Generally not needed. Soil moisture and cool temperatures are the most effective way to control growth.	Aphids, whitefly	Root and stem rot	Pinch plants to encourage branching and improve habit.

Crop Time

4- to 5-inch (10- to 13-cm) Pots, Quarts :	6-inch (15-cm) Pots, Gallons:	10- to 12-inch (25- to 30-cm) Tubs or Baskets:
1 ppp, 4-5 weeks	2-3 ppp, 5-8 weeks	3-5 ppp, 8-10 weeks

1. Propagation time:

Average propagation time for perennials includes 3-5 weeks to bulk-up the liner before beginning cold treatment when started in late Summer or early Autumn.

NOTE: Growers should use the information presented here as guidelines only. Ball Floraplant recommends that growers conduct a trial of products under their own conditions. Crop times will vary depending on the climate, location, time of year, and greenhouse environmental conditions. It is the responsibility of the grower to read and follow all the current label directions relating to the products. Nothing herein shall be deemed a warranty or guaranty by Ball Floraplant of any products listed herein. Ball Floraplant's terms and conditions of sale shall apply to all products listed herein.

Other Lamium maculatum Varieties



Lamium maculatum Anne Greenaway