

Voltage™ White Osteospermum



The best Summer-performing osteo is great for growing in all climates. Traditional daisy has white petals with a bright yellow center. Blooms a little later than Voltage Yellow, with a more compact habit.

General & Information

| Height: | Spread: | Exposure: |
|------------------|------------------|-----------|
| 12-18" (30-46cm) | 14-20" (36-51cm) | Sun |

Propagation Guide

| Tray Sizes (cells/tray): | Rooting Hormone: | Average Days with Mist: | Pinch: Optional | Average Propagation Time (weeks): (see note 1.) | Comments: |
|--------------------------|------------------|-------------------------|-----------------|---|---|
| 32, 50, 72, 84, 105 | Yes | 9-12 | | 3-4 | Maintain uniformity in mist and soil temperature. Do not allow cuttings to wilt. Pinch to increase branching. |

Finishing

| Soil pH: | Light Levels (fc): | Temperature Day: | Temperature Night: | Fertilization (ppm N): | No. of Pinches: | Plant Growth Regulators (S) = spray / (D) = drench: | Pests: | Diseases: | Comments: |
|----------|--------------------|-------------------|--------------------|------------------------|-----------------|--|--------------------------|-----------------------------|--|
| 5.8-6.2 | 5,000-9,000 | 59-76°F (15-24°C) | 44-55°F (7-13°C) | 225-300 | 0-1 | Is responsive to B-Nine(S) 2,500-4,000 ppm alone or as a tank mix(S) with Cycocel 750-1,000 ppm. Bonzi(S) 15-30 ppm is also effective. | Aphids, whitefly, thrips | Root and stem rot, Botrytis | After transplanting, allow plants to become established for 1-2 weeks at 60-65°F (15-18°C). Once plants are well established, begin growing at recommended cool temperatures. Pinch optional. After 4-6 weeks of cool conditions, plants can be forced in 6-8 weeks. |

Crop Time


| 4- to 5-inch (10- to 13-cm) Pots, Quarts : | 6-inch (15-cm) Pots, Gallons: | 10- to 12-inch (25- to 30-cm) Tubs or Baskets: |
|--|-------------------------------|--|
| 1 ppp, 8-11 weeks | 1-2 ppp, 8-11 weeks | 3-5 ppp, 8-11 weeks |

1. Propagation time:

Average propagation time for perennials includes 3-5 weeks to bulk-up the liner before beginning cold treatment when started in late Summer or early Autumn.

NOTE: Growers should use the information presented here as guidelines only. Ball FloraPlant recommends that growers conduct a trial of products under their own conditions. Crop times will vary depending on the climate, location, time of year, and greenhouse environmental conditions. It is the responsibility of the grower to read and follow all the current label directions relating to the products. Nothing herein shall be deemed a warranty or guaranty by Ball FloraPlant of any products listed herein. Ball FloraPlant's terms and conditions of sale shall apply to all products listed herein.

Other Osteospermum Varieties



Osteospermum Voltage™ White