

# SolarPower™ Ipomoea



New heart-shaped leaf varieties join the series!  
 Densely branched SolarPower holds its shape and color in the landscape and mixed combos all Summer long, and it works well with companion plants.  
 Medium vigor and a well-branched habit.  
 Most efficient in production.  
 SolarPower's tidy habit allows for more plants per rack at retail. Best for gallon containers, 10 to 12-in. (25 to 30-cm) hanging baskets, mixed containers and landscapes.  
 A small-pot solution for northern regions.

New color has a slight lobe in the heart shape of the foliage.


General & Information									
<b>Height:</b>	<b>Spread:</b>	<b>Exposure:</b>							
10-12" (25-30cm)	24-36" (61-91cm)	Partial Sun, Sun							
Propagation Guide									
<b>Tray Sizes (cells/tray):</b>	<b>Rooting Hormone:</b>	<b>Average Days with Mist:</b>	<b>Pinch:</b>	<b>Average Propagation Time (weeks):</b>	<b>Comments:</b>				
50, 72, 84, 105	No	3-4	Optional	(see note 1.) 3-4	Move rooted cuttings off mist quickly to avoid stretch. Ipomoea URC do not like to be stored, so stick immediately. Cooling cuttings can actually do damage, so it is recommended that if you do store cuttings, do not put them in a cooler and maintain temperatures at 55-60°F (13-16°C).				
Finishing									
<b>Soil pH:</b>	<b>Light Levels (fc):</b>	<b>Temperature Day:</b>	<b>Temperature Night:</b>	<b>Fertilization (ppm N):</b>	<b>No. of Pinches:</b>	<b>Plant Growth Regulators (S) = spray / (D) = drench:</b>	<b>Pests:</b>	<b>Diseases:</b>	<b>Comments:</b>
5.8-6.2	6,000-10,000	70-75°F (21-24°C)	65-70°F (18-21°C)	175-225	0-1	Generally not required. B-Nine(S) 2,500-3,500 ppm can be effective at controlling growth.	Aphids, whitefly, spider mites	Pseudomonas	Avoid cold and wet conditions.
Crop Time									
<b>4- to 5-inch (10- to 13-cm) Pots, Quarts :</b>			<b>6-inch (15-cm) Pots, Gallons:</b>			<b>10- to 12-inch (25- to 30-cm) Tubs or Baskets:</b>			
1 ppp, 4-5 weeks			1-3 ppp, 5-6 weeks			3-5 ppp, 8-10 weeks			

**1. Propagation time:**

Average propagation time for perennials includes 3-5 weeks to bulk-up the liner before beginning cold treatment when started in late Summer or early Autumn.

**NOTE:** Growers should use the information presented here as guidelines only. Ball Floraplant recommends that growers conduct a trial of products under their own conditions. Crop times will vary depending on the climate, location, time of year, and greenhouse environmental conditions. It is the responsibility of the grower to read and follow all the current label directions relating to the products. Nothing herein shall be deemed a warranty or guaranty by Ball Floraplant of any products listed herein. Ball Floraplant's terms and conditions of sale shall apply to all products listed herein.


Other SolarPower™ Varieties




**New SolarPower™**  
Black Heart



**New SolarPower™**  
Lime Heart



**New SolarPower™** Red Heart



SolarPower™ Red