

# SunPatiens® Spreading Interspecific Impatiens



Provides twice as much coverage and color as standard bedding plants.  
Plants get better looking the longer they're in the garden.  
Robust, disease-resistant variety performs right up until hard frost, with nonstop color.

SunPatiens offers mixes containing three colors that have been trialed and proven to grow well together. The components are packaged and shipped together, so you can stick them in the same container to create these sensational color combos. Contains Compact Royal Magenta, Vigorous Pink Kiss and Vigorous Shell Pink impatiens. SUNPATIENS is bred by Sakata. SUNPATIENS is a registered trademark of Sakata.

## General & Information

Height:	Spread:	Exposure:
20-34" (51-86cm)	24-36" (61-91cm)	Shade, Sun

## Propagation Guide

Tray Sizes (cells/tray):	Rooting Hormone:	Average Days with Mist:	Pinch:	Average Propagation Time (weeks): (see note 1.)	Comments:
50, 72, 84, 105	No	6-8	No	3	Reduce mist as soon as possible to reduce stretch. Transplant on time.

## Finishing

Soil pH:	Light Levels (fc):	Temperature Day:	Temperature Night:	Fertilization (ppm N):	No. of Pinches:	Plant Growth Regulators (S) = spray / (D) = drench:	Pests:	Diseases:	Comments:
5.8-6.2	4,000-9,000	68-79°F (20-26° C)	59-64°F (15-18° C)	75-150	0	B-Nine/Bonzi (S) 1,500 ppm; B-Nine/4 ppm Bonzi (med rate) for Spreading series.	Thrips, aphids, mites	Impatiens Necrotic Spot Virus, Botrytis, Pythium	Dry culture, low to moderate nutrition, and cool temperatures will promote toned plants.

## Crop Time


4- to 5-inch (10- to 13-cm) Pots, Quarts :	6-inch (15-cm) Pots, Gallons:	10- to 12-inch (25- to 30-cm) Tubs or Baskets:
1 ppp, 5-7 weeks	1 ppp, 7-9 weeks	3 ppp, 9-12 weeks

### 1. Propagation time:

Average propagation time for perennials includes 3-5 weeks to bulk-up the liner before beginning cold treatment when started in late Summer or early Autumn.

**NOTE:** Growers should use the information presented here as guidelines only. Ball Floraplant recommends that growers conduct a trial of products under their own conditions. Crop times will vary depending on the climate, location, time of year, and greenhouse environmental conditions. It is the responsibility of the grower to read and follow all the current label directions relating to the products. Nothing herein shall be deemed a warranty or guaranty by Ball Floraplant of any products listed herein. Ball Floraplant's terms and conditions of sale shall apply to all products listed herein.

## Other SunPatiens® Spreading Varieties



SunPatiens® Spreading Kiss'n Cousins