

- A one-of-a-kind spreading ageratum that monarch butterflies can't resist!
- Vigorous, spreading habit is ideal for use in baskets and mixes.
- Drought tolerant.
- Great for landscapes and patios.

2024 Colorado State University Outstanding Plants award winner.

General & Information

Height: Spread: Exposure: 6-12" (15-30cm)8-16" (20-41cm)Partial Sun, Sun

Propagation Guide

Tray Sizes Rooting Average Days Pinch: Average Propagation Comments:

(cells/tray): Hormone: with Mist: Yes Time (weeks): B-Nine/chlormequat chloride tank mix at 3,000/1,000 ppm applied at 10-14 days or 50, 72, 105 Yes 10-15 4-5 when roots hit the edge of the cell. Configure 300 ppm or Florel 300 ppm will

increase branching.

Finishing

Soil	Light	Temperature	Temperature	Fertilization	No. of	Plant Growth Regulators $(S) = \text{spray} /$	Pests:	Diseases:	Comments:
pH:	Levels	Day:	Night:	(ppm N):	Pinches:	(D) = drench:	Mites,	Botrytis,	Let it dry
6-	(fc):	70-78°F (21-	50-60°F (10-	175-225	1	Paclobutrazol 1-2 ppm drench, or B-	whitefly,	Pythium,	between
6.8	5,000-	26°C)	16°C)			Nine 2,500-3,500 ppm and chlormequat	thrips, aphids	Rhizoctonia	watering.
	10,000					chloride 1,000-1,500 tank mix (S).			

Crop Time

4- to 5-inch (10- to 13-cm) Pots, Quarts :6-inch (15-cm) Pots, Gallons:10- to 12-inch (25- to 30-cm) Tubs or Baskets:

1 ppp, 6-9 weeks 1 ppp, 7-11 weeks 3 ppp, 8-10 weeks

NOTE: Growers should use the information presented here as guidelines only. Ball Floraplant recommends that growers conduct a trial of products under their own conditions. Crop times will vary depending on the climate, location, time of year, and greenhouse environmental conditions. It is the responsibility of the grower to read and follow all the current label directions relating to the products. Nothing herein shall be deemed a warranty or guaranty by Ball Floraplant of any products listed herein. Ball Floraplant's terms and conditions of sale shall apply to all products listed herein.

Other Ageratum Varieties



Ageratum Monarch Magic