

AngelFlare™



Open, v-shaped habit flares out in mixes, especially with other heat-loving lantana, cuphea and scaevola. Excellent garden performance.

Tall, rosy-pink spikes.

General & Information

Height:	Spread:	Exposure:
8-12" (20-30cm)	12-18" (30-46cm)	Sun

Propagation Guide

Tray Sizes (cells/tray):	Rooting Hormone:	Average Days with Mist:	Pinch:	Average Propagation Time (weeks):	Comments:
50, 72, 105	No	7-10	Yes	4-5	Pinch before transplant.

Finishing


Soil pH:	Light Levels (fc):	Temperature Day:	Temperature Night:	Fertilization (ppm N):	No. of Pinches:	Plant Growth Regulators (S) = spray / (D) = drench:	Pests:	Diseases:	Comments:
5.8-6.2	6,000-10,000	74-85°F (23-29° C)	62-70°F (17-21° C)	175-225	1	Generally not needed. Daminozide(S) 1,500-3,000 ppm and chlormequat chloride 750-1,000 ppm tank mix (S). Avoid ethephon use.	Whitefly, caterpillars	Root rot, Botrytis	Let it dry between watering. High light will significantly improve plant quality by encouraging branching, earlier flowering and the ideal plant habit growth.

Crop Time

4- to 5-inch (10- to 13-cm) Pots, Quarts :	6-inch (15-cm) Pots, Gallons:	10- to 12-inch (25- to 30-cm) Tubs or Baskets:
1 ppp, 6 weeks	1 ppp, 7-9 weeks	3 ppp, 10-12 weeks

NOTE: Growers should use the information presented here as guidelines only. Ball Floraplant recommends that growers conduct a trial of products under their own conditions. Crop times will vary depending on the climate, location, time of year, and greenhouse environmental conditions. It is the responsibility of the grower to read and follow all the current label directions relating to the products. Nothing herein shall be deemed a warranty or guaranty by Ball Floraplant of any products listed herein. Ball Floraplant's terms and conditions of sale shall apply to all products listed herein.

Other AngelFlare™ Varieties



Angelonia AngelFlare™ Black Angelonia AngelFlare™ Cranberry Angelonia AngelFlare™ Orchid Pink