

Sunbeam



High vigor, early-season color and cool growing.
A must-have for large basket and combo programs.

General & Information

Height:	Spread:	Exposure:
10-14" (25-36cm)	18-28" (46-71cm)	Sun

Propagation Guide

Tray Sizes (cells/tray):	Rooting Hormone:	Average Days with Mist:	Pinch: Yes	Average Propagation Time (weeks):	Comments:
32, 50, 72, 84, 105	No	6-9		3-4	Reduce and eliminate mist as soon as possible.

Finishing


Soil pH:	Light Levels	Temperature Day:	Temperature Night:	Fertilization (ppm N):	No. of Pinches:	Plant Growth Regulators (S) = spray / (D) = drench:	Pests:	Diseases:	Comments:
5.8- 6.2	(fc): 5,000- 9,000	59-76°F (15-24°C)	53-61°F (12-16°C)	175-225	1-3	Daminozide(S) 2,500 ppm. Also responds to uniconazole(S) 3-5 ppm or uniconazole(D) 0.25 ppm.	Fungus gnats	Root and stem rot	Pinch for better branching and shape.

Crop Time

4- to 5-inch (10- to 13-cm) Pots, Quarts :	6-inch (15-cm) Pots, Gallons:	10- to 12-inch (25- to 30-cm) Tubs or Baskets:
1 ppp, 5-7 weeks	2-3 ppp, 6-8 weeks	4-5 ppp, 6-9 weeks

NOTE: Growers should use the information presented here as guidelines only. Ball Floraplant recommends that growers conduct a trial of products under their own conditions. Crop times will vary depending on the climate, location, time of year, and greenhouse environmental conditions. It is the responsibility of the grower to read and follow all the current label directions relating to the products. Nothing herein shall be deemed a warranty or guaranty by Ball Floraplant of any products listed herein. Ball Floraplant's terms and conditions of sale shall apply to all products listed herein.

Other Bidens Varieties



Bidens Sunbeam