Bee Alive

Controlled habit for small pots, hanging baskets.
Easy production for retail.
Exciting novelty for Spring, Summer and Fall sales.
Perfect for Fall mixed combos.
Pollinator attractor!

General & Information

Height:	Spread:	Exposure:
8 - 10" (20 - 25 cm)	18 - 24" (46 - 61 cm)	Sun

Propagation Guide

Tray Sizes (cells/tray):	Rooting Hormone:	Average Days with Mist:	Pinch:	Average Propagation Time (weeks):	Comments:
32, 50, 72, 84, 105	No	6-9	Yes	3-4	Reduce and eliminate mist as soon as possible.

Finishing

Soil pH:	Light Levels (fc):	Temperature Day:	Temperature Night:	Fertilization (ppm N):	No. of Pinches:	Plant Growth Regulators (S) = spray / (D) = drench:	Pests:	Diseases:	Comments:
5.8-6.2	5,000-9,000	59-76°F (15-24° C)	53-61°F (12-16°C)	175-225	1-3	PGR is generally not needed, as it is genetically compact. Bee Alive responds well to daminozide applications at rates below 2,500 ppm.	Fungus gnats	Root and stem rot	Pinch for better branching and shape.

Crop Time

4- to 5-inch (10- to 13-cm) Pots, Quarts :	6-inch (15-cm) Pots, Gallons:	10- to 12-inch (25- to 30-cm) Tubs or Baskets:
1 ppp, 5-7 weeks	2-3 ppp, 6-8 weeks	4-5 ppp, 6-9 weeks

NOTE: Growers should use the information presented here as guidelines only. Ball Floraplant recommends that growers conduct a trial of products under their own conditions. Crop times will vary depending on the climate, location, time of year, and greenhouse environmental conditions. It is the responsibility of the grower to read and follow all the current label directions relating to the products. Nothing herein shall be deemed a warranty or guaranty by Ball Floraplant of any products listed herein. Ball Floraplant's terms and conditions of sale shall apply to all products listed herein.

Varieties



Bidens Bee Alive