

Special Effects



Stunning colors and patterns for full sun and shade.
 Versatile, premium varieties are very late to never flowering.
 Low-maintenance, high-impact plants are perfect for large pot programs and landscaping.

Compact and densely branched.
 Bold foliage colors and unique leaf shape.

General & Information

| Height: | Spread: | Exposure: |
|------------------|------------------|------------|
| 14-24" (36-61cm) | 14-16" (36-41cm) | Shade, Sun |

Propagation Guide

| Tray Sizes (cells/tray): | Rooting Hormone: | Average Days with Mist: | Pinch: | Average Propagation Time (weeks): | Comments: |
|--------------------------|------------------|-------------------------|--------|-----------------------------------|--|
| 50, 72, 84, 105 | No | 4-6 | No | 2-3 | Avoid stretch. Transplant on time. A daminozide spray (1,500-2,000 ppm) 10-12 days after stick can help to reduce stem elongation. |

Finishing

| Soil pH: | Light Levels (fc): | Temperature Day: | Temperature Night: | Fertilization (ppm N): | No. of Pinches: | Plant Growth Regulators (S) = spray / (D) = drench: | Pests: | Diseases: | Comments: |
|----------|--------------------|--------------------|--------------------|------------------------|-----------------|--|--------------------------|-----------|--|
| 5.8-6.2 | 4,000-10,000 | 74-85°F (23-29° C) | 59-70°F (15-21° C) | 175-225 | 0-2 | Is responsive to daminozide (S) 2,500-3,500 ppm and chlormequat chloride(S) 1,000-1,500 ppm tank mix or uniconazole-P(S) 5-10 ppm. | Thrips, aphids, whitefly | None | Pinch early to shape. Scout plants regularly for whitefly. Avoid crowding at all stages. |

Crop Time

| 4- to 5-inch (10- to 13-cm) Pots, Quarts : | 6-inch (15-cm) Pots, Gallons: | 10- to 12-inch (25- to 30-cm) Tubs or Baskets: |
|--|-------------------------------|--|
| 1 ppp, 5-7 weeks | 1-3 ppp, 6-8 weeks | 4-5 ppp, 8-11 weeks |

NOTE: Growers should use the information presented here as guidelines only. Ball Floraplant recommends that growers conduct a trial of products under their own conditions. Crop times will vary depending on the climate, location, time of year, and greenhouse environmental conditions. It is the responsibility of the grower to read and follow all the current label directions relating to the products. Nothing herein shall be deemed a warranty or guaranty by Ball Floraplant of any products listed herein. Ball Floraplant's terms and conditions of sale shall apply to all products listed herein.

Other Coleus Varieties



Coleus Special Effects