Special Effects



Stunning colors and patterns for full sun and shade. Versatile, premium varieties are very late to never flowering. Low-maintenance, high-impact plants are perfect for large pot programs and landscaping.

Compact, densely-branched collection shines in small container production. Bold foliage colors and unique leaf shapes are great in mixed containers – excellent landscape performance, too.

Gene	ral & Infor	mation								
Height:		Spread:	Exposure:							
14-24" (36-61cm)		14-16" (36-41cm)	Shade, Sun							
Propa	gation G	uide								
Tray Sizes		Rooting	Average Days	Pinch:	Average Propagation Time (weeks):		Comments: Avoid stretch. Transplant on time. A daminozide spray (1,500-2,000			
(cells/tray):		Hormone:	with Mist:	No						
50, 72, 84, 105		No	4-6		2-3		ppm) 10-12 days after stick can help to reduce stem elongation.			
Finish	ing									
Soil	Light	Temperature	Temperature	Fertilization	No. of	Plant Grow	/th	Pests:	Diseases:	Comments:
рН:	Levels	Day:	Night:	(ppm N):	Pinches:	Regulators (S) = spray / (D) = drench:		Thrips,	None	Pinch early to shape.
5.8-	(fc):	74-85°F (23-29°	59-70°F (15-21°	175-225	0-2			aphids,		Scout plants regularly
6.2	4,000- 10,000	C)	C)			Is responsive	to daminozide	whitefly		for whitefly. Avoid crowding at all stages.
						(S) 2,500-3,50	00 ppm and			
						chlormequat of	chloride(S)			
						1,000-1,500 p	pm tank mix or			
						uniconazole(S	s) 5-10 ppm.			
Crop	Time									

NOTE: Growers should use the information presented here as guidelines only. Ball Floraplant recommends that growers conduct a trial of products under their own conditions. Crop times will vary depending on the climate, location, time of year, and greenhouse environmental conditions. It is the responsibility of the grower to read and follow all the current label directions relating to the products. Nothing herein shall be deemed a warranty or guaranty by Ball Floraplant of any products listed herein. Ball Floraplant's terms and conditions of sale shall apply to all products listed herein.

4-5 ppp, 8-11 weeks

1-3 ppp, 6-8 weeks

Other Coleus Varieties

1 ppp, 5-7 weeks



Coleus Special Effects