## FlameThrower™



10- to 12-inch (25- to 30-cm) Tubs or Baskets:

Compact-to-medium vigor. Bold foliage colors and shapes. Add texture in gardens and containers.

Dark red leaves highlighted with a pop of lime green edging.

	ral & Infor									
Heigh	t:	Spread:	Exposure:							
12-18" (30-46cm)		16-18" (41-46cm)	Shade, Sun							
Propa	agation Gu	uide								
Tray Sizes		Rooting	Average Days	Pinch:	: Average Propagation Time (weeks): 2-3		Comments:  Avoid stretch. Transplant on time. A daminozide spray (1,500-2,000 ppm) 10-12 days after stick can help to reduce stem elongation.			
(cells/tray):		Hormone:	with Mist:	No						
50, 72, 84, 105		No	4-6							
Finish	ning									
Soil	Light	Temperature	e Temperature	Fertilization	No. of	Plant Grov	Plant Growth Regulators		Diseases:	Comments:
рН:	Levels	Day:	Night:	(ppm N):	Pinches:	(S) = spray / (D) = drench:		Thrips,	Root rot	Scout plants
5.8-	(fc):	74-85°F (23-29°	59-70°F (15-21°	175-225	0-2			aphids, whitefly		regularly for whitefly. Avoid crowding at all
6.2	4,000- 10,000	C)	C)			Generally not needed. Uniconazole(S) 5-10 ppm or a				
							quat chloride 1,000-			
								ix(S) can be used		
						to maintain n	abit as needed.	_		
Cron	Time									

NOTE: Growers should use the information presented here as guidelines only. Ball Floraplant recommends that growers conduct a trial of products under their own conditions. Crop times will vary depending on the climate, location, time of year, and greenhouse environmental conditions. It is the responsibility of the grower to read and follow all the current label directions relating to the products. Nothing herein shall be deemed a warranty or guaranty by Ball Floraplant of any products listed herein. Ball Floraplant's terms and conditions of sale shall apply to all products listed herein.

3-4 ppp, 8-11 weeks

6-inch (15-cm) Pots, Gallons:

1-2 ppp, 6-8 weeks

## Other FlameThrower™ Varieties

1 ppp, 5-7 weeks

4- to 5-inch (10- to 13-cm) Pots, Quarts:

