## Firecracker



Mounded and trailing plants are useful in baskets, mixed containers and as a groundcover. Bright red and purple flowers top solid green foliage.

Gene	ral & Infor	mation							
Height:		Spread:	Exposure:						
10-14" (	(25-36cm)	20-24" (51-61cm)	Sun						
Propa	gation G	uide							
Tray Sizes		Rooting A		ge Days with	Pinch:	Average Propagation Time (weeks):		Comments: Roots quickly; avoid excessive water after	
(cells/tray):		Hormone: Mist:			Yes				
50, 72, 84, 105		No	o 6-8		3-4			rooting.	
Finish	ing								
Soil	Light	Temperature	Temperature	Fertilization	No. of	Plant Growth	Pests:	Diseases:	Comments:
pH:	Levels	Day:	Night:	(ppm N):	Pinches:	Regulators (S)	Whitefly,	Botrytis,	Pinch as needed to shape. Keep
5.4-	(fc):	71-79°F (22-26°	59-64°F (15-18°	175-225	1-2	= spray / (D) =	aphids	Oedema,	soil moderately dry and maintain
5.8	6,000-	C)	C)			drench:		Root rot	adequate air circulation during
	12,000					None			finishing to avoid Oedema. Fertilize regularly. Crop times will be shortest under high light
Crop	Time								
4- to 5	-inch (10-	to 13-cm) Pots, Q	uarts : 6-inch (	15-cm) Pots, Gal	lons: 10-	to 12-inch (25- to 30-	-cm) Tubs (	or Baskets:	
1-2 ppp, 6-8 weeks 1-2				ppp, 7-9 weeks 3-5		opp, 10-12 weeks			

**NOTE:** Growers should use the information presented here as guidelines only. Ball Floraplant recommends that growers conduct a trial of products under their own conditions. Crop times will vary depending on the climate, location, time of year, and greenhouse environmental conditions. It is the responsibility of the grower to read and follow all the current label directions relating to the products. Nothing herein shall be deemed a warranty or guaranty by Ball Floraplant of any products listed herein. Ball Floraplant's terms and conditions of sale shall apply to all products listed herein.

Other Cuphea Varieties



Cuphea Firecracker