Presto[™]

Ball Flora Plant.

Compact, dark leaf.

The most uniform, compact, dark-leafed zonal geranium series. Presto produces a strong first flush of flowers – 3 to 4 blooms. Naturally compact habit needs no PGRs, saving you time and money. Best suited to 4 to 6-in. (10 to 15-cm) pots and 10 to 14-in. (25 to 35-cm) baskets.

Adds a true orange to the series. It replaces Dark Salmon.

General & Information				
Height:	Spread:	Exposure:		
8-10" (20-25cm)	8-10" (20-25cm)	Sun		

Propa	

Tray Sizes (cells/tray):	Rooting Hormone:	Average Days with	Pinch:	Average Propagation
See Comments	Optional	Mist:		Time (weeks):
		9-12		3-4

Comments:

Stick immediately upon arrival. Geraniums are best rooted in a media in strip form to allow for maximum air flow and avoid foliage overlap. After initial rehydration, careful misting is required to optimize callus and root initiation. Mature leaves should show slight wilting at midday and regain turgor in the late afternoon under ideal mist conditions. Leaf petiole wilting indicates undermisting. Overmisting leads to Botrytis. Remove flower buds at transplanting.

Finishing									
Soil	Light	Temperature	Temperature	Fertilization	No. of	Plant Growth	Pests:	Diseases:	Comments:
pH:	Levels	Day:	Night:	(ppm N):	Pinches:	Regulators (S) =	Fungus	Botrytis,	Presto Geraniums usually
6.2-	(fc):	65-76°F (18-24°	62-67°F (17-19°	225-300	0	spray / (D) =	gnats,	Pythium,	do not require PGRs to
6.6	3,500-	C)	C)			drench:	thrips,	Xanthomonas	produce high-quality
	6,000					Generally not needed.	aphids, mites		plants. They are naturally compact, well-branched
						chlormequat chloride(S)	IIIIles		and early to flower.
						750- 1,000 ppm to control growth;			and carry to no non
						ethephon(S) 200-300			
						ppm to improve			
						branching.			
Cran	T:								

Crop Time

4- to 5-inch (10- to 13-cm) Pots, Quarts: 6-inch (15-cm) Pots, Gallons:

10- to 12-inch (25- to 30-cm) Tubs or Baskets:

1 ppp, 8-9 weeks 1-2 ppp, 9-10 weeks 4-5 ppp, 11-13 weeks

NOTE: Growers should use the information presented here as guidelines only. Ball Floraplant recommends that growers conduct a trial of products under their own conditions. Crop times will vary depending on the climate, location, time of year, and greenhouse environmental conditions. It is the responsibility of the grower to read and follow all the current label directions relating to the products. Nothing herein shall be deemed a warranty or guaranty by Ball Floraplant of any products listed herein. Ball Floraplant's terms and conditions of sale shall apply to all products listed herein.

Other Presto™ Varieties





Zonal Geranium Presto™ Pink Sizzle