Piñata

Mounding-to-upright habit. Bold, bright, hot pink blooms. Cream and gold-striped foliage. Exceptional heat and drought tolerance.



General & Information

Height: Spread: Exposure:

14-16" (36-41cm) 10-12" (25-30cm) Sun

Pro	nan	ation	Gi	ıide

Tray Sizes	Rooting	Average Days with	Pinch:	Average Propagation Time	Comments:
(cells/tray):	Hormone:	Mist:	Yes	(weeks):	Bottom heat speeds up root
78	Yes	14-21		3-4	development.

oil	Light	Temperature	Temperature	Fertilization	No. of	Plant Growth	Pests:	Diseases:	Comments:
H:	Levels	Day:	Night:	(ppm N):	Pinches:	Regulators (S) =	Thrips	Botrytis	Pinch once 2 weeks after
.8-	(fc):	65-72°F (18-22°	66°F (19°C)	150-200	1-2	spray / (D) =	·	·	transplant, unless growing in larger containers. Piñata is a heat-loving plant. Keep this in mind when growing on – to not start too early in the northern regions. Keep soil moderately dry.
.2	3,500-	C)				drench:			
	5,000					If necessary, applying daminozide at 1,500 ppm/0.15% is an option to control plant height and/or help tone the			

Crop Time

4- to 5-inch (10- to 13-cm) Pots, Quarts : 6-inch (15-cm) Pots, Gallons: 10- to 12-inch (25- to 30-cm) Tubs or Baskets:

1 ppp, 7-8 weeks 1-2 ppp, 8-10 weeks 2-3 ppp, 10-12 weeks

NOTE: Growers should use the information presented here as guidelines only. Ball Floraplant recommends that growers conduct a trial of products under their own conditions. Crop times will vary depending on the climate, location, time of year, and greenhouse environmental conditions. It is the responsibility of the grower to read and follow all the current label directions relating to the products. Nothing herein shall be deemed a warranty or guaranty by Ball Floraplant of any products listed herein. Ball Floraplant's terms and conditions of sale shall apply to all products listed herein.

Other Gomphrena Varieties



Gomphrena Piñata