Licorice



Low-growing and semi-trailing, silvery green-leafed plant is useful as an accent in containers and baskets.

Gener	ral & Info	rmation										
Height	t:	Spread:	Exposure:									
8-10" (2	:0-25cm)	18-24" (46-61cm)	Sun									
Propa	gation G	uide										
Tray Sizes		Rooting	Average Days	Pinch: Ave		rage Propagation		Comments:				
(cells/tray):		Hormone:	with Mist:	Optional	Time	ie (weeks):		Propagate in low-volume mist group. Avoid high feed on foliage. High				
50, 72, 84, 105		Optional	7-10		3-4			humidity tents are effective. Pinch as needed to shape plants or hold crop.				
Finish	ing											
Soil	Light	Temperature	e Temperature	Fertilization		No. of	Plant Growt	Growth	Pests:	Diseases:	Comments:	
pH:	Levels	Day:	Day: Night: (ppm N): 65-76°F (18-24°C) 50-61°F (10-16°C) 175-225		(ppm N):		Regulators (S) =		Fungus	Root rot	Avoid saturated media	
5.8-	(fc):	65-76°F (18-24°				1-2 spray		/ (D) =	gnats,		at any time. Pinch	
6.2	4,000-						drench	1:	whitefly		regularly to shape.	
	9,000						None					
Crop ⁻	Time											
4- to 5	-inch (10	- to 13-cm) Pots, C	Quarts : 6-inch (15-	cm) Pots, C	Gallons	s: 10- to 12	inch (25-	to 30-cm) T	ubs or Baske	ets:		
1 ppp, 5-7 weeks 2-3 ppp			2-3 ppp, 7-9	7-9 weeks		3-5 ppp, 9-	3-5 ppp, 9-11 weeks					

NOTE: Growers should use the information presented here as guidelines only. Ball Floraplant recommends that growers conduct a trial of products under their own conditions. Crop times will vary depending on the climate, location, time of year, and greenhouse environmental conditions. It is the responsibility of the grower to read and follow all the current label directions relating to the products. Nothing herein shall be deemed a warranty or guaranty by Ball Floraplant of any products listed herein. Ball Floraplant's terms and conditions of sale shall apply to all products listed herein.

Other Helichrysum Varieties



Helichrysum Licorice