## Glimmer™

Beautiful, double, rose-like blooms.

Naturally highly resistant to *Plasmopara destructor*, the cause of Impatiens downy mildew.

A routine preventative spray treatment is still recommended. Outstanding color item for baskets in the shade.

Vibrant pink and white double blooms offer high resistance to Impatiens downy mildew.



10- to 12-inch (25- to 30-cm) Tubs or Baskets:

General & Info	& Information					
Height:	Spread:	Exposure:				
10-16" (25-41cm)	10-12" (25-30cm)	Shade, Partial Sun				

Propa	agation Gu	uide								
Tray Sizes (cells/tray): 50, 72, 84, 105		Rooting	Average Days with Mist: 5-8		Pinch:	Average Propagation Time	e Comm	Comments:		
		Hormone:				(weeks):	Reduce mist as soon as possible to reduce stretch.			
		No				2-3	Transpla	Transplant on time.		
Finish	ning									
Soil	Light	Temperature	Temperature	Fertilization	No. of	Plant Growth	Pests:	Diseases:	Comments:	
рН:	Levels	Day:	Night:	(ppm N):	Pinch	es: Regulators (S) =	Leafminers,	Impatiens	Start feeding immediate	
5.8-	(fc):	68-76°F (20-24°	56-61°F (13-16°	175-225	0-1	spray / (D) = drench:	thrips	Necrotic Spot	after transplanting.	
6.2	4,000-	C)	C)			Paclobutrazol(S) 5-10 ppm		Virus,	Avoid water stress in a	
	6,000					can be used to control		Botrytis,	stages of crop. Avoid	
						habit early; paclobutrazol		Pythium	cold stress (night temperatures below 65	
						(D) 0.5-1.0 ppm applied as			F/18°C). Maintain EC	
						crop matures will control final height but not delay			above 1.0 (SME). Use	
						flowering or reduce			early PGR applications	
						flower size. Ethephon(S)			achieve ideal finished	
						100-200 ppm can be used			plants.	
						to improve branching but				
						will usually not be needed.				

NOTE: Growers should use the information presented here as guidelines only. Ball Floraplant recommends that growers conduct a trial of products under their own conditions. Crop times will vary depending on the climate, location, time of year, and greenhouse environmental conditions. It is the responsibility of the grower to read and follow all the current label directions relating to the products.

Nothing herein shall be deemed a warranty or guaranty by Ball Floraplant of any products listed herein. Ball Floraplant's terms and conditions of sale shall apply to all products listed herein.

4-5 ppp, 9-12 weeks

6-inch (15-cm) Pots, Gallons:

1-2 ppp, 6-8 weeks

## Other Glimmer™ Varieties

4- to 5-inch (10- to 13-cm) Pots, Quarts :

Crop Time

1 ppp, 5-7 weeks

