

- Big impact for larger container programs.
- Vigorous and well branched, fills in fast with fewer plants per pot.
- Full color range delivers excellent greenhouse performance.
- Large blooms cover the plant even in high heat.

General & Information

Height: Spread: Exposure: 10-12" (25-30cm)10-12" (25-30cm)Shade, Sun

Propagation Guide

Tray Sizes Rooting Average Days Pinch: Average Propagation Time Comments:

(cells/tray): Hormone: with Mist: No (weeks): Apply preventative fungicide spray after sticking. Reduce mist as soon as 50, 72, 84, 105 No 7-8 3-4 possible. Scout regularly for Botrytis.

Finishing

Soil Light Temperature Temperature Fertilization No. of Plant Growth Regulators (S) = Pests: Diseases: Comments: Maintain 68°F (20°C) average daily pH: Levels Day: Night: (ppm N): Pinches: spray / (D) = drench: Thrips, Impatiens 5.8 (fc): 68-76°F (20 59-64°F (15 175-225 Paclobutrazol(S) 2-15 ppm can be aphids, Necrotic temperature to optimize bloom size and 4,000--24°C) -18°C) used to control habit early; Spot Virus, reduce time to flower. Cooler 6.2 7,000 paclobutrazol(D) 0.25-2.0 ppm Botrytis, temperatures will extend crop time. applied as crop matures will control Pythium

used to control habit early; mites paclobutrazol(D) 0.25-2.0 ppm applied as crop matures will control final height but not delay flowering or reduce flower size. Florel(S) 100 -200 ppm can be used to improve branching but will usually not be needed.

Spot Virus, reduce time to flower. Cooler temperatures will extend crop time.

Grow crop somewhat dry to help control growth and hasten flowering. Avoid excess micro-nutrients in the soil. With good cultural practices and environmental conditions, no PGRs will be needed.

Crop Time

4- to 5-inch (10- to 13-cm) Pots, Quarts :6-inch (15-cm) Pots, Gallons:10- to 12-inch (25- to 30-cm) Tubs or Baskets: 1 ppp, 7-9 weeks 1-2 ppp, 9-10 weeks 3-5 ppp, 10-13 weeks

NOTE: Growers should use the information presented here as guidelines only. Ball Floraplant recommends that growers conduct a trial of products under their own conditions. Crop times will vary depending on the climate, location, time of year, and greenhouse environmental conditions. It is the responsibility of the grower to read and follow all the current label directions relating to the products. Nothing herein shall be deemed a warranty or guaranty by Ball Floraplant of any products listed herein. Ball Floraplant's terms and conditions of sale shall apply to all products listed herein.

Other Celebration Varieties

