Clockwork™

Extremely uniform habit and timing.
All colors bloom in the same week.
No culture adjustment needed.
Ships to retail at the same time.
Performs like clockwork.
Ideal for quarts, gallons and hanging baskets.

radar for quarto, gallorio ana hanging baoketo.

Novel new color for the series adds interest and excitement while maintaining uniformity.

BallFloraPlant...

	ral & Info								
Height	::	Spread:	Exposure:						
8-10" (2	0-25cm)	10-12" (25-30cm)	Shade						
Propa	gation G	uide							
Tray Sizes		Rooting	Average D	Days Pi	nch: Ave	rage Propagation	Comments:		
(cells/tray):		Hormone:	Hormone: with Mist:		No Time (weeks):		Apply preventative fungicide spray after sticking. Reduce mist as		
50, 72, 84, 105		No	7-8	·-8		:	soon as possible. Scout regularly for Botrytis.		
Finish	ing								
Soil	Light	Temperature	Temperature	Fertilizati	on No. o	Plant Growth	Pests:	Diseases:	Comments:
рН:	Levels	Day:	Night:	(ppm N):	Pinc	es: Regulators (S) =	Thrips,	Impatiens	Maintain 68°F (20°C) average
5.8-	(fc):	68-76°F (20-24°	59-64°F (15-18°	175-225	0	spray / (D) = drenc	h: aphids,	Necrotic Spot	daily temperature to optimize
6.2	4,000- 7,000	C)	59-64°F (15-18° 175-2: C)		0	Paclobutrazol(S) 2-10 ppm can be used to control habit early; paclobutrazol(D) 0.25-1 ppm applied as crop matures will control fina height but not delay flowering or reduce flower size. Ethephon(S 100-200 ppm can be us to improve branching buill usually not be needed.	mites -1.0 -1.0 (S) used	Necrotic Spot Virus, Botrytis, Pythium	bloom size and reduce time to flower. Cooler temperatures will extend crop time. Grow crop somewhat dry to help control growth and hasten flowering. Avoid excess micro-nutrients in the soil. With good cultural practices and environmental conditions no PGRs will be needed.
Crop 7	Time					needed.			

NOTE: Growers should use the information presented here as guidelines only. Ball Floraplant recommends that growers conduct a trial of products under their own conditions. Crop times will vary depending on the climate, location, time of year, and greenhouse environmental conditions. It is the responsibility of the grower to read and follow all the current label directions relating to the products. Nothing herein shall be deemed a warranty or guaranty by Ball Floraplant of any products listed herein. Ball Floraplant's terms and conditions of sale shall apply to all products listed herein.

4-5 ppp, 8-11 weeks

1-2 ppp, 7-9 weeks

Other Clockwork™ Varieties

1 ppp, 6-8 weeks

