## Blazin' Rose



Striking multicolor leaves and strong vigor assure that the plant won't get lost in large mixed plantings; also ideal for landscapes.

#### General & Information

Height: Spread: Exposure: 18-30" (46-76cm)16-20" (41-51cm)Shade, Sun

## Propagation Guide

Tray Sizes Rooting Average Days with Pinch: Average Propagation Time Comments:

(cells/tray): Hormone: Mist: No (weeks): Apply paclobutrazol spray 3-5 ppm on Blazin' Rose between Days 7

50, 72, 84, 105 No 4-7 3-4 -11 to control early stretch.

Finishing

Soil Light Temperature Temperature Fertilization No. of Plant Growth Regulators (S) = Pests: Diseases:Comments:

pH: Levels Day: Night: (ppm N): Pinches: spray/(D) = drench: WhiteflyNone Pinch regularly to encourage 5.8- (fc): 71-79°F (22- 62-67°F (17- 175-225 1-2 Generally not needed.

6.2 4,000- 26°C) 19°C) Responsive to paclobutrazol.

7,000

# Crop Time

4- to 5-inch (10- to 13-cm) Pots, Quarts :6-inch (15-cm) Pots, Gallons:10- to 12-inch (25- to 30-cm) Tubs or Baskets:

1 ppp, 7-9 weeks 2-3 ppp, 8-10 weeks 4-5 ppp, 10-13 weeks

**NOTE:** Growers should use the information presented here as guidelines only. Ball Floraplant recommends that growers conduct a trial of products under their own conditions. Crop times will vary depending on the climate, location, time of year, and greenhouse environmental conditions. It is the responsibility of the grower to read and follow all the current label directions relating to the products. Nothing herein shall be deemed a warranty or guaranty by Ball Floraplant of any products listed herein. Ball Floraplant's terms and conditions of sale shall apply to all products listed herein.

## Other Iresine Varieties



Iresine Blazin' Rose