

recommended levels will promote

vigorous plants that will continue to actively grow and flower.

Mounded and spreading; well-suited to landscapes. © The John Henry Co.

General & Information

Height: Spread: Exposure: 15-20" (38-51cm)18-24" (46-61cm)Sun

Propagation Guide

Tray Sizes Rooting Average Days with Pinch: Average Propagation Time Comments:

(cells/tray): Hormone: Yes (weeks): Stick immediately upon arrival. Apply preventative fungicide

50, 72, 84, 105 Optional 7-11 4-5 spray after sticking.

Finishing

Soil Light Temperature Temperature Fertilization No. of Plant Growth Regulators (S) = spray / Diseases:Comments: Pests:

Root rot Allow plants to dry regularly pH: Levels Day: Night: (ppm N): Pinches: (D) = drench: Whitefly, 74-85°F (23 62-67°F (17 225-300 5.8-(fc): Lantana is responsive to a B-Nine leafminers, between waterings. Pinch as 1-3 needed to shape. Feeding at

6.2 5,000- -29°C) -19°C) 2,500-5,000 ppm and Cycocel 1,000- aphids 10,000 1,500 ppm tank mix(S), as well as Florel(S) 300-400 ppm, Bonzi(S) 20-40 ppm and Sumagic(S) 10-20 ppm. Little Lucky should not need growth

habit.

regulators due to its naturally compact

Crop Time

4- to 5-inch (10- to 13-cm) Pots, Quarts :6-inch (15-cm) Pots, Gallons:10- to 12-inch (25- to 30-cm) Tubs or Baskets:

1-2 ppp, 6-7 weeks 1-3 ppp, 7-8 weeks 3-6 ppp, 10-12 weeks

NOTE: Growers should use the information presented here as guidelines only. Ball Floraplant recommends that growers conduct a trial of products under their own conditions. Crop times will vary depending on the climate, location, time of year, and greenhouse environmental conditions. It is the responsibility of the grower to read and follow all the current label directions relating to the products. Nothing herein shall be deemed a warranty or guaranty by Ball Floraplant of any products listed herein. Ball Floraplant's terms and conditions of sale shall apply to all products listed herein.

Other Lantana Varieties



Lantana New Gold