Lucky™

Ball Flora Plant.

Excellent branching means less pinching, fewer PGRs. Stands up to heat, drought and other stressful conditions. Medium-vigor series of choice for mixed containers and landscapes.

This is a striking HOT red!

Spread:	Exposure:							
12-14" (30-36cm)	Sun							
uide								
Tray Sizes Rooting (cells/tray): Hormone:		Average Days with Mist:			• • •	Comments: Stick immediately upon arrival. Apply preventive fungicide spray after sticking.		
Optional	7-11		4-5					
ight Temperature Temperature Ferti		Fertilization	No.	of	Plant Growth	Pests:	Diseases:	Comments:
Day: 74-85°F (23-29° C)	Night: 62-67°F (17-19° C)	(ppm N): 225-300	Pinches: 1-3		Regulators (S) = spray / (D) = drench:	Whitefly, leafminer, aphids	Root rot	Allow plants to dry regularly between waterings. Pinch as needed to shape. Feeding at recommended levels will promote vigorous plants that will continue to actively grow and flower. Lucky varieties are naturally compact and free- branching.
					Lantana is responsive to a daminozide 2,500-5,000 ppm and chlormequat chloride 1,000-1,500 ppm tank mix(S), as well as ethephon(S) 300-400 ppm, paclobutrazol(S) 20- 40 ppm and uniconazole (S) 10-20 ppm.			
	12-14" (30-36cm) uide Rooting Hormone: Optional Temperature Day: 74-85°F (23-29°	12-14" (30-36cm) Sun uide Average Rooting Hormone: Average Optional 7-11 Temperature Day: Temperature Night: 74-85°F (23-29° 62-67°F (17-19°	12-14" (30-36cm) Sun uide Rooting Average Days with Hormone: Mist: Optional 7-11 Temperature Fertilization Day: Night: (ppm N): 74-85°F (23-29° 62-67°F (17-19° 225-300	12-14" (30-36cm) Sun uide Average Days with Hormone: Pinch: Yes Optional 7-11 Temperature Temperature Night: Fertilization (ppm N): No. 74-85°F (23-29° 62-67°F (17-19° 225-300 1-3	12-14" (30-36cm) Sun uide Average Days with Hormone: Pinch: Mist: Average Days with Yes Pinch: (wee Optional 7-11 4-5 Temperature Day: Temperature Night: Fertilization (ppm N): No. of Pinches: 74-85°F (23-29° 62-67°F (17-19° 225-300 1-3	12-14" (30-36cm) Sun uide Average Days with Hormone: Mist: Pinch: Yes Average Propagation Time (weeks): Optional 7-11 4-5 Temperature Day: Temperature Night: Fertilization (ppm N): No. of Plant Growth Regulators (S) = spray / (D) = drench: 74-85°F (23-29° C) 62-67°F (17-19° C) 225-300 1-3 spray / (D) = drench: Lantana is responsive to a daminozide 2,500-5,000 ppm and chlormequat chlorid 1,000-1,500 ppm tank mix(S), as well as ethephon(S) 300-400 ppm, paclobutrazol(S) 20-40 ppm and uniconazole spray / uniconazole	12-14" (30-36cm) Sun uide Average Days with Hormone: Optional Average Days with Mist: Yes Pinch: Average Propagation Time (weeks): Stick imm spray after 4-5 Comme Stick imm spray after 4-5 Temperature Day: Temperature Night: Fertilization (ppm N): Pinches: Plant Growth Regulators (S) = Spray / (D) = drench: Pests: Whitefly, leafminer, aphids 74-85°F (23-29° C) 62-67°F (17-19° 225-300 1-3 Spray / (D) = drench: Whitefly, leafminer, aphids C) C) Lantana is responsive to a daminozide 2,500-5,000 ppm and chlormequat chloride 1,000-1,500 ppm tank mix(S), as well as ethephon(S) 300-400 ppm, paclobutrazol(S) 20-40 ppm and uniconazole Substance Advector Advec	12-14" (30-36cm) Sun uide Average Days with Hormone: Pinch: Yes Average Propagation Time (weeks): Comments: Optional 7-11 4-5 Stick immediately upon arr spray after sticking. Temperature Day: Temperature Night: Fertilization (ppm N): No. of Plant Growth Regulators (S) = spray / (D) = draminer, aphids Root rot leafminer, aphids 74-85°F (23-29° C) 62-67°F (17-19° C) 225-300 1-3 spray / (D) = draminer, aphids Root rot leafminer, aphids Lantana is responsive to a daminozide 2,500-5,000 ppm and chlormequat chloride 1,000-1,500 ppm tank mix(S), as well as ethephon(S) 300-400 ppm, paclobutrazol(S) 20-40 ppm and uniconazole Sundal adminozide 2,500-400 ppm and uniconazole

1-2 ppp, 6-7 weeks

NOTE: Growers should use the information presented here as guidelines only. Ball Floraplant recommends that growers conduct a trial of products under their own conditions. Crop times will vary depending on the climate, location, time of year, and greenhouse environmental conditions. It is the responsibility of the grower to read and follow all the current label directions relating to the products. Nothing herein shall be deemed a warranty or guaranty by Ball Floraplant of any products listed herein. Ball Floraplant's terms and conditions of sale shall apply to all products listed herein.

Other Lucky[™] Varieties







1-3 ppp, 7-8 weeks



3-6 ppp, 10-12 weeks





Lantana Lucky[™] Gold Lantana Lucky[™] Yellow

Lantana Lucky ${}^{\rm TM}$ White Lantana Lucky ${}^{\rm TM}$ Pink Lantana Lucky ${}^{\rm TM}$ Red

Lantana Lucky™ Lavender



Lantana Lucky[™] Flame Lantana Lucky[™]



Sunrise Rose