## Shamrock™



This medium-vigor series of lantana has a well-branched, mounded habit

Uniform across all colors.

High-utility series works great in a wide range of pot sizes from quarts to hanging baskets.

| General & Information |                  |           |  |  |  |  |  |  |
|-----------------------|------------------|-----------|--|--|--|--|--|--|
| Height:               | Spread:          | Exposure: |  |  |  |  |  |  |
| 12-16" (30-41cm)      | 12-14" (30-36cm) | Sun       |  |  |  |  |  |  |

| Fray Size<br>cells/tray    | y):                    | Rooting<br>Hormone:<br>Optional | Average<br>Mist:<br>7-11 | Days with     | Pinch:<br>Yes | Avera<br>(weeks | ge Propagation Time<br>s):  |                      |           | Apply preventative  |
|----------------------------|------------------------|---------------------------------|--------------------------|---------------|---------------|-----------------|---|----------------------|-----------|---|
|                            | g<br>ight<br>evels     | Temperature                     | Temperature<br>Night:    | Fertilization |               | of              | Plant Growth Regulators (S) =   | Pests:               | Diseases: | Comments: Allow plants to dry   |
| 5.8- <b>(fc</b><br>6.2 5,0 | (c):<br>,000-<br>0,000 | 74-85°F (23-29°<br>C)           | 62-67°F (17-19°<br>C)    | 225-300       | 1-3           |                 | spray / (D) = drench: Lantana is responsive to a daminozide 2,500-5,000 ppm and chlormequat chloride 1,000-1,500 ppm tank mix(S), as well as ethephon(S) 300-400 ppm, paclobutrazol(S) 20-40 ppm and uniconazole(S) 10-20 ppm. Little Lucky should not need growth regulators due to its naturally compact habit. | leafminer,<br>aphids | Note to   | regularly between waterings. Pinch as needed to shape. Feeding at recommended levels water will continue to actively grow and flower. |

NOTE: Growers should use the information presented here as guidelines only. Ball Floraplant recommends that growers conduct a trial of products under their own conditions. Crop times will vary depending on the climate, location, time of year, and greenhouse environmental conditions. It is the responsibility of the grower to read and follow all the current label directions relating to the products. Nothing herein shall be deemed a warranty or guaranty by Ball Floraplant of any products listed herein. Ball Floraplant's terms and conditions of sale shall apply to all products listed herein.

3-6 ppp, 10-12 weeks

1-3 ppp, 7-8 weeks

## Other Shamrock™ Varieties

1-2 ppp, 6-7 weeks

