Waterfall™

Vigorous and well branched.
Fills pots fast.
Needs less pinching for full plants.
Mounded, semi-trailing habit.
Ideal for mixed baskets and containers.
Early flowering, daylength neutral.
Performs well in early-Spring and Fall markets.

Extends this free-flowering series.

General & Information

Height:	Spread:	Exposure:
8 - 12" (20 - 30 cm)	24 - 30" (61 - 76 cm)	Sun

Propagation Guide

Tray Sizes (cells/tray):	Rooting Hormone:	Average Days with Mist:	Pinch:	Average Propagation Time (weeks):	Comments:
50, 72, 84, 105	Optional	6-9	Optional	4-5	Hormone will improve rooting. Pinch 18-21 days after sticking to improve branching.

Finishing

Soil pH:	Light Levels (fc):	Temperature Day:	Temperature Night:	Fertilization (ppm N):	No. of Pinches:	Plant Growth Regulators (S) = spray / (D) = drench:	Pests:	Diseases:	Comments:
5.8-6.2	5,000-8,000	71-76°F (22-24° C)	56-61°F (13-16° C)	175-225	1-2	Generally not needed.	Thrips	Botrytis	Blue has a mounded, trailing habit, while Lavender has a trailing habit. Ideal for Spring and Summer throughout North America. Will flower in Autumn, Winter and early Spring in the Sunbelt.


Crop Time

4- to 5-inch (10- to 13-cm) Pots, Quarts :	6-inch (15-cm) Pots, Gallons:	10- to 12-inch (25- to 30-cm) Tubs or Baskets:
1 ppp, 9-10 weeks	2-3 ppp, 10-11 weeks	4-5 ppp, 10-13 weeks

NOTE: Growers should use the information presented here as guidelines only. Ball Floraplant recommends that growers conduct a trial of products under their own conditions. Crop times will vary depending on the climate, location, time of year, and greenhouse environmental conditions. It is the responsibility of the grower to read and follow all the current label directions relating to the products. Nothing herein shall be deemed a warranty or guaranty by Ball Floraplant of any products listed herein. Ball Floraplant's terms and conditions of sale shall apply to all products listed herein.

Varieties


Lobelia Waterfall™ White Blush


Lobelia Waterfall™ Magenta


Lobelia Waterfall™ Dark Blue