Pink Brilliance

Ball Flora Plant...

crop and lead to problems with root rot.

Pink Brilliance partners with Blue Brilliance as a heat and droughttolerant, low-maintenance scaevola. Bright pink two-tone blooms are great for Summer basket programs.

General & Information

Height: Spread: Exposure: 12-20" (30-51cm)24-28" (61-71cm)Sun

Propagation Guide

Tray Sizes Rooting Average Days with Pinch: Average Propagation Time Comments:

(cells/tray): Hormone: Mist: Yes (weeks): Reduce mist as soon as possible. Maintain warm soil temperature

50, 72, 84, 105 Yes 10-15 3-4 to optimize rooting.

Finishing

Soil Light Temperature Temperature Fertilization No. of Plant Growth Regulators Pests: Diseases: Comments:

pH: Levels Night: (ppm N): Pinches: (S) = spray / (D) = drench: Whitefly, Pythium, Scaevola prefers a well-drained soil. Generally not needed. 5.8-(fc): 74-79°F (23-59-64°F (15-175-225 1-2 leafminers Rhizoctonia Allow the media to dry between 6.2 5,000- 26°C) 18°C) Paclobutrazol(D) 1-3 ppm waterings. Night temperatures lower than 10,000 recommended will significantly slow the or paclobutrazol(S) 20-40

ppm will control growth.

Crop Time

4- to 5-inch (10- to 13-cm) Pots, Quarts :6-inch (15-cm) Pots, Gallons:10- to 12-inch (25- to 30-cm) Tubs or Baskets:

1 ppp, 5-7 weeks 1-2 ppp, 7-8 weeks 3-5 ppp, 10-12 weeks

NOTE: Growers should use the information presented here as guidelines only. Ball Floraplant recommends that growers conduct a trial of products under their own conditions. Crop times will vary depending on the climate, location, time of year, and greenhouse environmental conditions. It is the responsibility of the grower to read and follow all the current label directions relating to the products. Nothing herein shall be deemed a warranty or guaranty by Ball Floraplant of any products listed herein. Ball Floraplant's terms and conditions of sale shall apply to all products listed herein.

Other Scaevola Varieties



Scaevola Pink Brilliance