

Bondi™ Scaevola



Compact series is easy to grow in small pots for high-density production. Upright habit and good branching keep Bondi looking neat and tidy at retail. Ideal for Summer heat programs – nice in hanging baskets and mixed containers. Covered with pale lavender blue, fan-shaped flowers all Summer. BONDI is bred by Kings Park and Botanic Garden, Western Australia.

General & Information

| Height: | Spread: | Exposure: |
|-----------------|------------------|-----------|
| 6-10" (15-25cm) | 12-18" (30-46cm) | Sun |

Propagation Guide

| Tray Sizes (cells/tray): | Rooting Hormone: | Average Days with Mist: | Pinch: Yes | Average Propagation Time (weeks): | Comments: |
|--------------------------|------------------|-------------------------|------------|-----------------------------------|--|
| 50, 72, 84, 105 | Optional | 7-10 | | 3-4 | Reduce mist as soon as possible. Maintain warm soil temperature to optimize rooting. |

Finishing


| Soil pH: | Light Levels (fc): | Temperature Day: | Temperature Night: | Fertilization (ppm N): | No. of Pinches: | Plant Growth Regulators (S) = spray / (D) = drench: | Pests: | Diseases: | Comments: |
|----------|--------------------|--------------------|--------------------|------------------------|-----------------|---|----------|----------------------|--|
| 5.8-6.2 | 5,000-9,000 | 74-79°F (23-26° C) | 59-64°F (15-18° C) | 175-225 | 1-2 | Generally not needed. Bonzi(D) 1-3 ppm or Bonzi(S) 20-40 ppm will control growth. | Whitefly | Pythium, Rhizoctonia | Scaevola prefers a well-drained soil. Allow the media to dry between waterings. Night temperatures lower than recommended will significantly slow the crop and lead to problems with root rot. |

Crop Time


| 4- to 5-inch (10- to 13-cm) Pots, Quarts : | 6-inch (15-cm) Pots, Gallons: | 10- to 12-inch (25- to 30-cm) Tubs or Baskets: |
|--|-------------------------------|--|
| 1 ppp, 5-7 weeks | 1-2 ppp, 7-8 weeks | 3-5 ppp, 10-12 weeks |

NOTE: Growers should use the information presented here as guidelines only. Ball Floraplant recommends that growers conduct a trial of products under their own conditions. Crop times will vary depending on the climate, location, time of year, and greenhouse environmental conditions. It is the responsibility of the grower to read and follow all the current label directions relating to the products. Nothing herein shall be deemed a warranty or guaranty by Ball Floraplant of any products listed herein. Ball Floraplant's terms and conditions of sale shall apply to all products listed herein.

Other Bondi™ Varieties



Bondi™ Blue



Bondi™ White