Cabaret[®]



Cabaret carries the best-performing lineup of solid colors and exciting bicolors with early flowering!

Most varieties flower with a 10.5-hour day length, and stay open and in flower under low light conditions — a big plus at retail.

All new genetics flower early when produced for target production weeks prior to Week 5 in the South and Week 14 in the North.

Works well in 4.5 to 6-in. (11 to 15-cm) pots up to large baskets.

Brighter color and earlier to flower than the current Rose, with early flowering, so it is great to target production for week 14 or earlier. Perfect for tight basket production.

 General & Information

 Height:
 Spread:
 Exposure:

 6-10" (15-25cm)
 10-12" (25-30cm)
 Sun

Tray Sizes		Rooting	Average Days		Pinch: Yes	Average Propagation Time (weeks): 3-4		Comments: Avoid wide fluctuations in soil moisture. Apply preventative fungicide drench at 18-21 days after sticking.		
(cells/tray): 50, 72, 84, 105		Hormone:	with Mist: 6-8							
		No								
Finish	ning									
Soil	Light	Temperature	Temperature	Fertilizati	ion	No. of	Plant Growth	Pests:	Diseases:	Comments:
рН:	Levels	Day:	Night:	(ppm N):		Pinches:	Regulators (S) =	Thrips,	Root rot	Cooler air temperatures and
5.4-	(fc):	71-76°F (22-24°	50-58°F (10-14°	225-300		1-2	spray / (D) =	aphids,		high light will reduce or elimina
5.8	5,000-	C)	C)				drench:	leafminers		any need for plant growth
	8,000						Use daminozide(S)			regulators. Maintain pH at 5.2-
							2,500-5,000 ppm,			5.8 to optimize plant health.
							paclobutrazol(D) 3-8			Crop times will be shortest as
							ppm or ethephon(S)			days lengthen in Spring. Apply preventative broad-spectrum
							300-500 ppm applied			fungicide drench early (7-10
							1 time up to 3 times			days after transplant). Avoid
							for large baskets to			saturated media and excessive
							maintain habit as			feed levels.
							needed.			1004 104010.

NOTE: Growers should use the information presented here as guidelines only. Ball Floraplant recommends that growers conduct a trial of products under their own conditions. Crop times will vary depending on the climate, location, time of year, and greenhouse environmental conditions. It is the responsibility of the grower to read and follow all the current label directions relating to the products. Nothing herein shall be deemed a warranty or guaranty by Ball Floraplant of any products listed herein. Ball Floraplant's terms and conditions of sale shall apply to all products listed herein.

3-5 ppp, 8-12 weeks

1-2 ppp, 7-11 weeks

Other Cabaret® Varieties

1 ppp, 6-9 weeks







Calibrachoa Cabaret® Light Pink