Cabaret[®]



Cabaret carries the best-performing lineup of solid colors and exciting bicolors with early flowering!

Most varieties flower with a 10.5-hour day length, and stay open and

in flower under low light conditions – a big plus at retail.

All new genetics flower early when produced for target production weeks prior to Week 5 in the South and Week 14 in the North.

Works well in 4.5 to 6-in. (11 to 15-cm) pots up to large baskets.

New "true blue" color offers early flowering and is great to target production for week 14 or earlier. Perfect for tight basket production.

Height: Spread		Spread:	Exposure:								
6-10" (1	15-25cm)	10-12" (25-30cm)	Sun								
Propa	gation G	uide									
Tray Sizes		Rooting	Average Days Pi		h: Average Propagation		Comments:				
(cells/tray):		Hormone:	with Mist:	Yes	Time (weeks):		Avoid wide fluctuations in soil moisture. Apply preventative				
50, 72, 84, 105		No	6-8		3-4		fungicide drench at 18-21 days after sticking.				
Finish	ning										
Soil	Light	Temperature	Temperature	Fertilization	No. of	Plant Growth	Pests:	Diseases:	Comments:		
рН:	Levels	Day: 71-76°F (22-24° C)	Night:	(ppm N): 225-300	Pinches: 1-2	Regulators (S) = spray / (D) = drench:	Thrips, aphids, leafminers	Root rot	Cooler air temperatures and high light will reduce or eliminate any need for plant growth		
5.4- 5.8	(fc): 5,000- 8,000		50-58°F (10-14° C)								
						2,500-5,000 ppm, paclobutrazol(D) 3-8 ppm or ethephon(S)			Crop times will be shortest as days lengthen in Spring. Apply preventative broad-spectrum fungicide drench early (7-10 days after transplant). Avoid saturated media and excessive feed levels.		
										300-500 ppm applied	
						1 time up to 3 times					
						for large baskets to					
						maintain habit as					
						needed.					
						Crop	Time				

NOTE: Growers should use the information presented here as guidelines only. Ball Floraplant recommends that growers conduct a trial of products under their own conditions. Crop times will vary depending on the climate, location, time of year, and greenhouse environmental conditions. It is the responsibility of the grower to read and follow all the current label directions relating to the products. Nothing herein shall be deemed a warranty or guaranty by Ball Floraplant of any products listed herein. Ball Floraplant's terms and conditions of sale shall apply to all products listed herein.

3-5 ppp, 8-12 weeks

1-2 ppp, 7-11 weeks

Other Cabaret® Varieties

1 ppp, 6-9 weeks



