Bumble Bee™ Hot Pink



One-of-a-kind colors and strong vigor for full-bodied mixed containers. Flowers stay open even under the lowest light conditions. Strong adaptability: specially selected to stand up to harsh conditions. As the largest flower in the collection, this variety stands out with a vibrant yellow throat and dramatic hot pink hue. Its unique pattern and color make it perfect for eye-catching baskets and combos in the garden. Works well in 2.5 quart/gallon and larger pots.

General & Info	I & Information						
Height:	Spread:	Exposure:					
6-12" (15-30cm)	12-24" (30-61cm)	Partial Sun. Sur					

Heigh	٠.	Spreau.	Exposure.							
6-12" (1	15-30cm)	12-24" (30-61cm)	Partial Sun, Sun							
Propa	agation G	uide								
Tray Sizes (cells/tray): 50, 72, 84, 105		Rooting Hormone:	Average D with Mist:	ays Pi Ye	_	Average Propagation Time (weeks): 3-4		Comments: Avoid wide fluctuations in soil moisture. Apply preventative fungicide drench at 18-21 days after sticking.		
		No	6-8		3					
Finish	ning									
Soil	Light	Temperature	Temperature	Fertilization	on No	o. of	Plant Growth	Pests:	Diseases:	Comments:
pH:	Levels	Day:	Night:	(ppm N):	Piı	nches:	Regulators (S) =	Thrips,	Root rot	Cooler air temperatures and
5.4-	(fc):	71-76°F (22-24°	50-58°F (10-14°	225-300	1-2	2	spray / (D) =	aphids,		high light will reduce or eliminate
5.8	5,000-	C)	C)				drench:	leafminers		any need for plant growth
	8,000						Use B-Nine(S) 2,500- 5,000 ppm, paclobutrazol(D) 3-8 ppm or Florel(S) 300- 500 ppm applied 1 time up to 3 times for large baskets to maintain habit as needed.			regulators. Maintain pH at 5.2- 5.8 to optimize plant health. Crop times will be shortest as days lengthen in Spring. Apply preventative broad-spectrum fungicide drench early (7-10 days after transplant). Avoid saturated media and excessive feed levels.
Crop	Time									

4- to 5-inch (10- to 13-cm) Pots, Quarts : 6-inch (15-cm) Pots, Gallons: 10- to 12-inch (25- to 30-cm) Tubs or Baskets:

1 ppp, 6-9 weeks 3-5 ppp, 8-12 weeks 1-2 ppp, 7-11 weeks

NOTE: Growers should use the information presented here as guidelines only. Ball Floraplant recommends that growers conduct a trial of products under their own conditions. Crop times will vary depending on the climate, location, time of year, and greenhouse environmental conditions. It is the responsibility of the grower to read and follow all the current label directions relating to the products. Nothing herein shall be deemed a warranty or guaranty by Ball Floraplant of any products listed herein. Ball Floraplant's terms and conditions of sale shall apply to all products listed herein.

Other Calibrachoa Varieties



Calibrachoa Bumble Bee™ Hot Pink