Bumble Bee™ Pink 26



One-of-a-kind colors and strong vigor for full-bodied mixed containers. Flowers stay open even under the lowest light conditions. Strong adaptability: specially selected to stand up to harsh conditions. A large, cascading calibrachoa covered in blooms with a vibrant, unique bicolor pattern makes an excellent addition to this novelty collection.

Gene	ral & Infor	mation							
Heigh	it:	Spread:	Exposure:						
10-15"	(25-38cm)	10-15" (25-38cm)	Sun						
Propa	agation G	uide							
Tray Sizes		Rooting	Average Days		inch: Ave	erage Propagation	Comments: Avoid wide fluctuations in soil moisture. Apply preventative fungicide drench at 18-21 days after sticking.		
(cells/tray):		Hormone:	with Mist:	Mist: Yes		ie (weeks):			
50, 72, 84, 105		No	6-8						
Finish	ning								
Soil	Light	Temperature	Temperature	Fertilizati	on No. c	f Plant Growth	Pests:	Diseases:	Comments:
pH:	Levels (fc): 5,000- 8,000	Day: 71-76°F (22-24° C)	Night: 50-58°F (10-14° C)	(ppm N):	Pincl	nes: Regulators (S) =	Thrips, aphids, leafminers	Root rot	Cooler air temperatures and high light will reduce or eliminat any need for plant growth
5.4-				225-300	1-2	spray / (D) =			
5.8						drench:			
						Use daminozide(S)			regulators. Maintain pH at 5.2-
						2,500-5,000 ppm,			5.8 to optimize plant health. Crop times will be shortest as days lengthen in Spring. Apply preventative broad-spectrum fungicide drench early (7-10
						paclobutrazol(D) 3-8			
						ppm or ethephon(S) 300-500 ppm applied			
						1 time up to 3 times			
						for large baskets to			days after transplant). Avoid
						maintain habit as			saturated media and excessive
						needed.			feed levels.
Crop	Time								
		to 13-cm) Pots, (Quarte : 6-inch	(15-cm) Pots	Gallone:	10- to 12-inch (25- to 30	n-cm) Tube or	Rackets:	

NOTE: Growers should use the information presented here as guidelines only. Ball Floraplant recommends that growers conduct a trial of products under their own conditions. Crop times will vary depending on the climate, location, time of year, and greenhouse environmental conditions. It is the responsibility of the grower to read and follow all the current label directions relating to the products. Nothing herein shall be deemed a warranty or guaranty by Ball Floraplant of any products listed herein. Ball Floraplant's terms and conditions of sale shall apply to all products listed herein.

1-2 ppp, 7-11 weeks

3-5 ppp, 8-12 weeks

Other Calibrachoa Varieties

1 ppp, 6-9 weeks



New Calibrachoa Bumble Bee™ Pink 26