Conga™



Naturally compact habit is perfect for pot-tight production, with no pinching or PGRs.

Great choice for quarts, color bowls and window boxes. Easy to grow – very uniform.

Excellent pH tolerance and profuse flowering give Conga superior hold at retail.

Flowers one week earlier than Cabaret Series.

Color addition has larger flowers than others in the series.

General & Information Height: Spread: Exposure:

Heign	τ:	Spread:	Exposure:							
6-10" (15-25cm)	8-10" (20-25cm)	Sun							
Propa	agation G	uide								
Tray Sizes (cells/tray):		Rooting Hormone:	Average D with Mist:	ays Pin Yes	<u> </u>	Propagation eeks):	Comments: Avoid wide fluctua	ations in soil mois	sture. Apply preventative	
50, 72, 84, 105		No	6-8		3-4	3-4		fungicide drench at 18-21 days after sticking.		
Finish	ning									
Soil	Light	Temperature	•	Fertilization		Plant Growth	Pests:	Diseases:	Comments:	
pH:	Levels	Day:	Night:	(ppm N):	Pinches:	Regulators (S) =	Thrips,	Root rot	Cooler air temperatures and	
5.4-	(fc):	71-76°F (22-24°	50-58°F (10-14°	225-300	1-2	spray / (D) =	aphids,		high light will reduce or	
5.8	5,000- 8,000	C)	C)			drench:	leafminers		eliminate any need for plan growth regulators. Maintair pH at 5.2-5.8 to optimize plant health. Crop times will be shortest as days lengthen in Spring. Apply preventative broad- spectrum fungicide drench	
						Plant growth regulators are generally not need and should only be applied if plants show signs of requiring extra control. Daminozide(S) 1,500-3,000 ppm applie 1 time up to 3 times should provide adequa control.	ed u			
Crop	Time									
4- to 5	5-inch (10	- to 13-cm) Pots.	Quarts: 6-inch	(15-cm) Pots.	Gallons: 10-	to 12-inch (25- to 30	-cm) Tubs or B	askets:		

NOTE: Growers should use the information presented here as guidelines only. Ball Floraplant recommends that growers conduct a trial of products under their own conditions. Crop times will vary depending on the climate, location, time of year, and greenhouse environmental conditions. It is the responsibility of the grower to read and follow all the current label directions relating to the products. Nothing herein shall be deemed a warranty or guaranty by Ball Floraplant of any products listed herein. Ball Floraplant's terms and conditions of sale shall apply to all products listed herein.

3-5 ppp, 8-12 weeks

1-3 ppp, 6-10 weeks

Other Conga™ Varieties

1 ppp, 5-8 weeks

