## Conga™



Naturally compact habit is perfect for pot-tight production, with no pinching or PGRs.

Great choice for quarts, color bowls and window boxes. Easy to grow – very uniform.

Excellent pH tolerance and profuse flowering give Conga superior hold at retail.

Flowers one week earlier than Cabaret Series.

Has excellent branching for a fuller plant with more blooms. Upright, mounded habit is a great fit for the series.

Gene	ral & Info	rmation							
Heigh	nt:	Spread:	Exposure:						
6-10" (	15-25cm)	8-10" (20-25cm)	Sun						
Propa	agation G	Suide							
Tray Sizes		Rooting	Average D	ays Pinch	: Average	Propagation	Comments:		
(cells/tray):		Hormone:	with Mist:	Yes	Time (weeks):		Avoid wide fluctuations in soil moisture. Apply preventative		
50, 72, 84, 105		No	6-8	3-4			fungicide drench at 18-21 days after sticking.		
Finish	hing								
Soil	Light	Temperature	Temperature	Fertilization	No. of	Plant Growth	Pests:	Diseases:	Comments:
pH:	Levels	Day:	Night:	(ppm N):	Pinches:	Regulators (S) =	Thrips,	Root rot	Cooler air temperatures and
5.4-	(fc):	71-76°F (22-24°	50-58°F (10-14°	225-300	1-2	spray / (D) =	aphids,		high light will reduce or
5.8	5,000-	C)	C)			drench:	leafminers		eliminate any need for plant
	8,000					Plant growth regulators are generally not neede and should only be applied if plants show signs of requiring extra control. Daminozide(S) 1,500-3,000 ppm applie			growth regulators. Maintain pH at 5.2-5.8 to optimize plant health. Crop times will be shortest as days lengthen in Spring. Apply preventative broadspectrum fungicide drench.

Crop Time

4- to 5-inch (10- to 13-cm) Pots, Quarts : 6-inch (15-cm) Pots, Gallons: 10- to 12-inch (25- to 30-cm) Tubs or Baskets:

1 ppp, 5-8 weeks 1-3 ppp, 6-10 weeks 3-5 ppp, 8-12 weeks

NOTE: Growers should use the information presented here as guidelines only. Ball Floraplant recommends that growers conduct a trial of products under their own conditions. Crop times will vary depending on the climate, location, time of year, and greenhouse environmental conditions. It is the responsibility of the grower to read and follow all the current label directions relating to the products. Nothing herein shall be deemed a warranty or guaranty by Ball Floraplant of any products listed herein. Ball Floraplant's terms and conditions of sale shall apply to all products listed herein.

1 time up to 3 times should provide adequate

control

## Other Conga™ Varieties

