Conga™

Naturally compact habit for pot-tight production. No pinching or PGRs.

Great for quarts, color bowls and window boxes. Easy to grow – very uniform. Excellent pH tolerance and profuse flowering.

Flowers one week earlier than Cabaret®.

Brighter, more intense color. (Formerly Rose Kiss)



Heigh	t:	Spread:	Exposure:							
6-10" (1	15-25cm)	8-10" (20-25cm)	Sun							
Propa	agation G	Guide								
Tray Sizes		Rooting	Average Days Pir		: Average Propagation		Comments:			
(cells/tray):		Hormone:	with Mist: Yes		Time (we	Time (weeks):		Avoid wide fluctuations in soil moisture. Apply preventative		
50, 72, 84, 105		No	6-8		3-4		fungicide drench at 18-21 days after sticking.			
Finish	ning									
Soil	Light	Temperature	Temperature	Fertilization	No. of	Plant Growth	Pests:	Diseases:	Comments:	
pH:	Levels	Day:	Night:	(ppm N):	Pinches:	Regulators (S) =	Thrips,	Root rot	Cooler air temperatures and	
5.4-	(fc):	71-76°F (22-24°	50-58°F (10-14°	225-300	1-2	spray / (D) =	aphids,		high light will reduce or	
5.8	5,000-	C)	C)			drench:	leafminers		eliminate any need for plan	
	8,000					Plant growth regulators			growth regulators. Maintain pH at 5.2-5.8 to optimize	
						are generally not neede	d		plant health. Crop times wil	
						and should only be			be shortest as days	
						applied if plants show signs of requiring extra			lengthen in Spring. Apply	
						control. Daminozide(S)			preventative broad-	
						1,500-3,000 ppm applied	d		spectrum fungicide drench	
						1 time up to 3 times				
						should provide adequat	е			
						control.				
Crop	Time									

NOTE: Growers should use the information presented here as guidelines only. Ball Floraplant recommends that growers conduct a trial of products under their own conditions. Crop times will vary depending on the climate, location, time of year, and greenhouse environmental conditions. It is the responsibility of the grower to read and follow all the current label directions relating to the products. Nothing herein shall be deemed a warranty or guaranty by Ball Floraplant of any products listed herein. Ball Floraplant's terms and conditions of sale shall apply to all products listed herein.

3-5 ppp, 8-12 weeks

1-3 ppp, 6-10 weeks

Other Conga™ Varieties

1 ppp, 5-8 weeks

