Conga™

Ball Flora Plant.

Naturally compact habit is perfect for pot-tight production, with no pinching or PGRs.

Great choice for quarts, color bowls and window boxes. Easy to grow – very uniform.

Excellent pH tolerance and profuse flowering give Conga superior hold at retail.

Flowers one week earlier than Cabaret Series.

A new pink novelty color addition.

General & Information Height: Spread: Exposure:

rieigi		opreau.	Exposure.							
6-10" (15-25cm)	8-10" (20-25cm)	Sun							
Propa	agation G	Suide								
Tray Sizes (cells/tray):		Rooting	Average Days		Pinch:	: Average Propagation Time (weeks): 3-4		Comments: Avoid wide fluctuations in soil moisture. Apply preventative fungicide drench at 18-21 days after sticking.		
		Hormone:	with Mist:		Yes					
50, 72, 84, 105		No	6-8							
Finish	ning									
Soil	Light	Temperature	Temperature	Fertiliz	zation	No. of	Plant Growth	Pests:	Diseases:	Comments:
pH:	Levels	Day:	Night:	(ppm l	N):	Pinches: 1-2	Regulators (S) =	Thrips, aphids,	Root rot	Cooler air temperatures and high light will reduce or
5.4-	(fc):	71-76°F (22-24°	50-58°F (10-14°	225-300)		spray / (D) =			
5.8	5,000-	C)	C)				drench:	leafminers		eliminate any need for plant
	8,000						Plant growth regulators			growth regulators. Maintain
							are generally not neede	ed		pH at 5.2-5.8 to optimize plant health. Crop times will
							and should only be			be shortest as days
							applied if plants show			lengthen in Spring. Apply
							signs of requiring extra			preventative broad-
							control. Daminozide(S)			spectrum fungicide drench.
							1,500-3,000 ppm applie 1 time up to 3 times	u		
							r time up to 3 times			

Crop Time

4- to 5-inch (10- to 13-cm) Pots, Quarts : 6-inch (15-cm) Pots, Gallons: 10- to 12-inch (25- to 30-cm) Tubs or Baskets:

1-3 ppp, 6-10 weeks 3-5 ppp, 8-12 weeks

NOTE: Growers should use the information presented here as guidelines only. Ball Floraplant recommends that growers conduct a trial of products under their own conditions. Crop times will vary depending on the climate, location, time of year, and greenhouse environmental conditions. It is the responsibility of the grower to read and follow all the current label directions relating to the products. Nothing herein shall be deemed a warranty or guaranty by Ball Floraplant of any products listed herein. Ball Floraplant's terms and conditions of sale shall apply to all products listed herein.

should provide adequate

Other Conga™ Varieties

