

- *The first interspecific geranium series* expands its color range!
- Medium-sized mounded plants keep their blooms all season, driving higher sales at retail and creating satisfied gardeners.
- The series offers excellent garden performance in an easy-to-control, medium greenhouse habit.
- Interspecific breeding means great heat tolerance and longevity in the garden and containers.
- Availability from our new state-of-the-art YecaFlora farm with trucking to the U.S. border.
- Best suited to 5-in. (13-cm) and larger pots and hanging baskets.

General & Information

Height: Spread: Exposure:
12-14" (30-36cm) 12-14" (30-36cm) Sun

Propagation Guide

Tray Sizes	Rooting	Average	Pinch:	Average	Comments:
(cells/tray):	Hormone:	Days with	No	Propagation	Stick immediately upon arrival. Geraniums are best rooted in media in strip form to allow for maximum airflow and avoid foliage overlap. After initial rehydration, careful misting is required to optimize callus and root initiation. Mature leaves should show slight wilting at midday and regain turgor in the late afternoon under ideal mist conditions. Leaf petiole wilting indicates undermisting. Overmisting leads to Botrytis. Remove flower buds at transplanting.
See	Optional	Mist:		Time (weeks):	
Comments		9-12		3-4	

Finishing


Soil Light	Temperature	Temperature	Fertilization	No. of	Plant Growth Regulators	Pests:	Diseases:	Comments:
pH: Levels	Day:	Night:	(ppm N):	Pinches:	(S) = spray / (D) = drench:	Fungus	Botrytis,	Day and night temperatures of 71 to 76°F (21 to 24°C) are ideal for the earliest stages of plant development. Solera Geraniums usually do not require PGRs to produce high-quality plants.
6.2-(fc):	65-76°F (18	62-67°F (17	225-300	0	Chlormequat chloride(S)	gnats,	Pythium,	
6.6 3,500-6,000	-24°C)	-19°C)			750-1,000 ppm to control growth; Florel(S) 200-300 ppm to improve branching.	thrips, aphids, mites	Xanthomonas	

Crop Time


4- to 5-inch (10- to 13-cm) Pots, Quarts :6-inch (15-cm) Pots, Gallons:10- to 12-inch (25- to 30-cm) Tubs or Baskets:
1 ppp, 8-9 weeks 1-2 ppp, 9-10 weeks 4-5 ppp, 11-13 weeks

NOTE: Growers should use the information presented here as guidelines only. Ball Floraplant recommends that growers conduct a trial of products under their own conditions. Crop times will vary depending on the climate, location, time of year, and greenhouse environmental conditions. It is the responsibility of the grower to read and follow all the current label directions relating to the products. Nothing herein shall be deemed a warranty or guaranty by Ball Floraplant of any products listed herein. Ball Floraplant's terms and conditions of sale shall apply to all products listed herein.


Other Solera™ Varieties




New Interspecific Geranium Solera™ Dark Red




New Interspecific Geranium Solera™ Purple




Interspecific Geranium Solera™ Fuchsia




Interspecific Geranium Solera™ Lavender



Interspecific Geranium Solera™ Orange



Interspecific Geranium Solera™ Red



Interspecific Geranium

Solera™ Watermelon