## Solera™

The first interspecific geranium series expands its color range! Medium-sized mounded plants keep their blooms all season, driving higher sales at retail and creating satisfied gardeners.

The series offers excellent garden performance in an easy-to-control, medium greenhouse habit.

Interspecific breeding means great heat tolerance and longevity in the garden and containers.

Available out of our state-of-the-art YecaFlora farm in Mexico, with trucking to the U.S. border.

Best suited to 5-in. (13-cm) and larger pots and hanging baskets.

The most popular color for geraniums expands this heat-loving series.



General & Information						
Height:	Spread:	Exposure:				
12-14" (30-36cm)	12-14" (30-36cm)	Sun				

Propagation Guide						
Tray Sizes (cells/tray):	Rooting Hormone:	Average Days with	Pinch:	Average Propagation		
See Comments	Optional	Mist:		Time (weeks):		
		9-12		3-4		

## Comments:

Stick immediately upon arrival. Geraniums are best rooted in media in strip form to allow for maximum airflow and avoid foliage overlap. After initial rehydration, careful misting is required to optimize callus and root initiation. Mature leaves should show slight wilting at midday and regain turgor in the late afternoon under ideal mist conditions. Leaf petiole wilting indicates undermisting. Overmisting leads to Botrytis. Remove flower buds at transplanting.

Finishing									
Soil	Light	Temperature	Temperature	Fertilization	No. of	Plant Growth	Pests:	Diseases:	Comments:
pH:	Levels	Day:	Night:	(ppm N):	Pinches:	Regulators (S) =	Fungus	Botrytis,	Day and night temperatures
6.2-	(fc):	65-76°F (18-24°	62-67°F (17-19°	225-300	0	spray / (D) =	gnats,	Pythium,	of 71 to 76°F (21 to 24°C)
6.6	3,500-	C)	C)			drench:	thrips,	Xanthomonas	are ideal for the earliest
	6,000					Chlormequat chloride	aphids,		stages of plant development.
						(S) 750-1,000 ppm to	mites		Solera Geraniums usually do
						control growth; Florel			not require PGRs to produce
	(S)	(S) 200-300 ppm to		high-quality plants.					
						improve branching.			

Crop Time

4- to 5-inch (10- to 13-cm) Pots, Quarts: 6-inch (15-cm) Pots, Gallons:

10- to 12-inch (25- to 30-cm) Tubs or Baskets:

1 ppp, 8-9 weeks 1-2 ppp, 9-10 weeks 4-5 ppp, 11-13 weeks

NOTE: Growers should use the information presented here as guidelines only. Ball Floraplant recommends that growers conduct a trial of products under their own conditions. Crop times will vary depending on the climate, location, time of year, and greenhouse environmental conditions. It is the responsibility of the grower to read and follow all the current label directions relating to the products. Nothing herein shall be deemed a warranty or guaranty by Ball Floraplant of any products listed herein. Ball Floraplant's terms and conditions of sale shall apply to all products listed herein.

## Other Solera™ Varieties



New Interspecific Geranium Solera™ Dark Red



New Interspecific Geranium Solera™ Purple



Interspecific Geranium Solera™ Fuchsia



Interspecific Geranium Solera™ Lavender



Interspecific Geranium Solera™ Orange



Interspecific Geranium Solera™ Red



Interspecific Geranium Solera™ Watermelon