Blue Fan Scaevola



Trailing variety is well-suited to baskets, containers and landscapes.

Gene	ral & Infor	mation								
Height:		Spread:	Exposure:							
12-14"	(30-36cm)	8-10" (20-25cm)	Sun							
Propa	agation G	uide								
Tray Sizes (cells/tray):		Rooting Hormone:	Average Days : with Mist:		inch: es	n: Average Propagation Time (weeks): 3-4		Comments: Reduce mist as soon as possible. Maintain warm soil temperature to optimize rooting.		
50, 72, 84, 105		Optional	7-10							
Finish	ning									
Soil pH: 5.8- 6.2	Light Levels (fc): 5,000- 9,000	Temperature Day: 74-79°F (23-26° C)	Temperature Night: 59-64°F (15-18° C)	Fertilization (ppm N): 175-225	Pi	No. of Pinches:	Plant Growth Regulators (S) = spray / (D) = drench:	Pests: Whitefly	Diseases: Pythium, Rhizoctonia	Comments: Scaevola prefers a well-drained soil. Allow the media to dry between waterings. Night temperatures lower than recommended will significantly slow the crop and lead to problems with root rot.
							Generally not needed. Bonzi(D) 1- 3 ppm or Bonzi(S) 20 -40 ppm will control growth.			
Crop	Time									
4- to 5	inch (10-	to 13-cm) Pots,	Quarts : 6-inch (15-cm) Pots, G	allons:	10- to	12-inch (25- to 30-cn	n) Tubs o	r Baskets:	
1 ppp, 5	5-7 weeks		1-2 ppp,	1-2 ppp, 7-8 weeks		3-5 pp	3-5 ppp, 10-12 weeks			

NOTE: Growers should use the information presented here as guidelines only. Ball Floraplant recommends that growers conduct a trial of products under their own conditions. Crop times will vary depending on the climate, location, time of year, and greenhouse environmental conditions. It is the responsibility of the grower to read and follow all the current label directions relating to the products. Nothing herein shall be deemed a warranty or guaranty by Ball Floraplant of any products listed herein. Ball Floraplant's terms and conditions of sale shall apply to all products listed herein.

Other Scaevola Varieties



Scaevola Blue Fan