

# Marine Heliotrope



Upright plant performs well in landscapes, baskets and patio planters.

## General & Information

<b>Height:</b>	<b>Spread:</b>	<b>Exposure:</b>
10-14" (25-36cm)	12-18" (30-46cm)	Partial Sun

## Propagation Guide

Tray Sizes (cells/tray):	Rooting Hormone:	Average Days with Mist:	Pinch:	Average Propagation Time (weeks): (see note 1.)	Comments:
50, 72, 84, 105	Optional	6-9	No	3-4	Stick immediately upon arrival. Apply preventative fungicide spray after sticking. Reduce mist as soon as possible.

## Finishing

Soil pH:	Light Levels (fc):	Temperature Day:	Temperature Night:	Fertilization (ppm N):	No. of Pinches:	Plant Growth Regulators (S) = spray / (D) = drench:	Pests:	Diseases:	Comments:
5.8-6.2	5,000-9,000	71-76°F (22-24°C)	50-61°F (10-16°C)	175-225	1-2	Use B-Nine 1,500-3,000 ppm and Cycocel 750-1,000 ppm tank mix(S).	Whitefly, mites, aphids	Root rot	Cool temperatures and high light will reduce or eliminate any need for plant growth regulators.

## Crop Time

<b>4- to 5-inch (10- to 13-cm) Pots, Quarts :</b>	<b>6-inch (15-cm) Pots, Gallons:</b>	<b>10- to 12-inch (25- to 30-cm) Tubs or Baskets:</b>
1 ppp, 6-7 weeks	1-2 ppp, 8-9 weeks	3-5 ppp, 10-12 weeks

### 1. Propagation time:

Average propagation time for perennials includes 3-5 weeks to bulk-up the liner before beginning cold treatment when started in late Summer or early Autumn.

**NOTE:** Growers should use the information presented here as guidelines only. Ball Floraplant recommends that growers conduct a trial of products under their own conditions. Crop times will vary depending on the climate, location, time of year, and greenhouse environmental conditions. It is the responsibility of the grower to read and follow all the current label directions relating to the products. Nothing herein shall be deemed a warranty or guaranty by Ball Floraplant of any products listed herein. Ball Floraplant's terms and conditions of sale shall apply to all products listed herein.

## Other Heliotrope Varieties



Heliotrope Marine