Mysty

About 25 to 35% less vigorous than Mystic Spires.
Great for mixes.
Covered in true blue flowers.
Dark green leaves.
Well branched and free flowering.
Heat hardy for late Spring/Summer programs.
Ideal for middle of the garden borders and 10 to 12-in. (25 to 30-cm) mixed containers.

General & Information

Height:	Spread:	Exposure:
12 - 18" (30 - 46 cm)	12 - 18" (30 - 46 cm)	Sun

Propagation Guide

Tray Sizes (cells/tray):	Rooting Hormone:	Average Days with Mist:	Pinch:	Average Propagation Time (weeks):	Comments:
32, 50, 72, 84, 105	No	5-8	Optional	3-6*	Apply daminozide (2,500 ppm) spray in propagation once between Day 9 and 11. Reapply after transplant if growing under long days.

Finishing

Soil pH:	Light Levels (fc):	Temperature Day:	Temperature Night:	Fertilization (ppm N):	No. of Pinches:	Plant Growth Regulators (S) = spray / (D) = drench:	Pests:	Diseases:	Comments:
5.8-6.2	6,000-10,000	71-79°F (22-26° C)	62-67°F (17-19° C)	175-225	1-2	Responsive to daminozide 2,500-3,000 ppm. Increase rates as days lengthen in late Spring and Summer.	Whitefly	None	Regularly allow the media to dry moderately between waterings, especially in cool periods. Proper pinching and moderate feeding will improve habit and flowering.

Crop Time

4- to 5-inch (10- to 13-cm) Pots, Quarts :	6-inch (15-cm) Pots, Gallons:	10- to 12-inch (25- to 30-cm) Tubs or Baskets:
1 ppp, 4-8 weeks	2-3 ppp, 6-10 weeks	4-5 ppp, 8-12 weeks

NOTE: Growers should use the information presented here as guidelines only. Ball Floraplant recommends that growers conduct a trial of products under their own conditions. Crop times will vary depending on the climate, location, time of year, and greenhouse environmental conditions. It is the responsibility of the grower to read and follow all the current label directions relating to the products. Nothing herein shall be deemed a warranty or guaranty by Ball Floraplant of any products listed herein. Ball Floraplant's terms and conditions of sale shall apply to all products listed herein.

Varieties



Salvia Mysty